



This document is uncontrolled
when printed.

MARTINUS INLAND RAIL



URANQUINTY YARD – CONSTRUCTION NOISE AND VIBRATION IMPACT STATEMENT ADDENDUM



A2I | Albury to Illabo

CONTRACT NUMBER: 0052

PROJECT DOCUMENT NUMBER:

6-0052-210-EEC-W1-AS-0001_ADD

Document Control

DOCUMENT TITLE:	Uranquinty Yard – Construction Noise and Vibration Impact Statement Addendum		
DOCUMENT OWNER:	Chris Standing – Environment, Approvals and Sustainability Manager		
PREPARED BY:	Ellen Fowler	TITLE:	Environmental Approvals Advisor
SIGNATURE:		DATE:	11/11/2025
REVIEWED BY:	Alison Kriegel	TITLE:	Approvals Lead
SIGNATURE:		DATE:	11/11/2025

Approved by

NAME	TITLE	SIGNATURE	DATE
Chris Standing	Environment, Approvals and Sustainability Manager (A2P)		11/11/2025

Revision History

REVISION	REVISION DATE	AMENDMENT	DATE TO CLIENT
A	09/10/2025	For review	09/10/2025
B	04/11/2025	For review	04/11/2025
0	11/11/2025	For use	11/11/2025

Disclaimer: This document has been prepared by Martinus. Use of this document shall be subject to the terms of the relevant contract with Martinus. The electronic file of this current revision is the controlled copy. This file is stored on Martinus' server located at Head Office, Unit 1, 23-27 Waratah St, Kirrawee, NSW.

This document is the property of and contains proprietary information owned by Martinus. No permission is granted to publish, reproduce, transmit or disclose to another party, any information contained in this document, in whole or in part, without prior written permission from the issuing authority.

For the purpose of this document, Martinus refers to the Martinus Group of companies.

This document is uncontrolled when printed.

TABLE OF CONTENTS

GLOSSARY	4
1 INTRODUCTION	5
1.1 Inland Rail.....	5
1.2 Purpose of this Addendum	5
2 NOISE ASSESSMENT	8
2.1 Site establishment (W.001).....	8
2.1.1 Scope	8
2.1.2 Assessment.....	8
2.1.3 Results.....	8
2.2 Site operation (W.002).....	9
2.2.1 Scope	9
2.2.2 Assessment.....	10
2.2.3 Results.....	10
2.3 Removal of gantry and footings (W.014)	10
2.3.1 Scope	10
2.3.2 Assessment.....	11
2.3.3 Results.....	11
3 VIBRATION ASSESSMENT.....	13
3.1 Site establishment (W.001).....	13
3.2 Site operation (W.002).....	13
3.3 Removal of signal gantry and footings (W.014).....	13
4 CONCLUSION	14
4.1 Mitigation and Management Measures.....	14
4.2 Additional mitigation measures.....	14
APPENDICES	16
APPENDIX A	17
SLR Predict (W.001).....	17
APPENDIX B	18
SLR Predict (W.002).....	18
APPENDIX C	19
SLR Predict (W.014).....	19

LIST OF TABLES

Table 1: Definitions	4
Table 2: Exceedance comparisons for W.001	9
Table 3: Exceedance comparisons for W.002	10
Table 4: Exceedance comparisons for W.014	11

LIST OF FIGURES

Figure 1: Project enhancement sites	5
Figure 2: Revised work area for W.001 and W.002 (Uranquinty Yard Addendum).....	6
Figure 3: Work area for W.014 (Uranquinty Yard CNVIS)	7
Figure 4: Additional mitigation measures matrix – Noise	15

GLOSSARY

Specific terms and acronyms used throughout this plan are listed and described in Table 1 below.

TABLE 1: DEFINITIONS

TERM	DEFINITION
A2I	Albury to Illabo section of the Inland Rail project
CA	Consistency Assessment
CNVIS	Construction Noise and Vibration Impact Statement
CNVIS Addendum	This document
Uranquinty Yard CNVIS	Uranquinty Yard Construction Noise and Vibration Impact Statement (Doc No. 6-0052-210-EEC-W1-AS-0001)
km	Kilometres
m	Metres
NML	Noise Management Level
OOH	Out-of-hours
Project	Albury to Illabo project approved under section 5.19 of the EP&A Act on 8 October 2024, as modified on 13 August 2025
RBL	Rating Background Level
SLR Predict	A2I noise and vibration management tool
T	Tonnes
W.001	Work Scenario 1 – Site establishment activities
W.002	Work Scenario 2 – Site operation activities
W.014	Work Scenario 14 – Removal of gantry and footings

1 INTRODUCTION

1.1 Inland Rail

Inland Rail is an approximate 1,600 kilometres (km) freight rail network that will connect Beveridge and Kagarua via regional Victoria, New South Wales and Queensland. The Inland Rail route would involve using approximately 1,000 km of existing track (with enhancements and upgrades where necessary) and 600 km of new track, passing through 30 local government areas. Inland Rail will accommodate double-stacked freight trains up to 1,800 metres (m) long and 6.5 m high.

The Albury to Illabo (A2I) section (the Project) forms a key component of the Inland Rail program. It is a 185 km section of existing rail corridor located in regional NSW between the towns of Albury and Illabo. Works would include track realignment, lowering and/or modification within the existing rail corridor, modification, removal or replacement of bridge structures (rail, road and/or pedestrian bridges), raising or replacing signal gantries, level-crossing modifications and other associated works.

Precinct	Enhancement sites
Albury Precinct	Murray River bridge
	Albury Station pedestrian bridge
	Albury Yard clearances
	Riverina Highway bridge
	Billy Hughes bridge
	Table Top Yard clearances
Greater Hume-Lockhart	Culcairn pedestrian bridge
	Culcairn Yard clearances
	Henty Yard clearances
	Yerong Creek Yard clearances
	The Rock Yard clearances
Wagga Wagga	Uranquinty Yard clearances
	Pearson Street bridge
	Cassidy Parade pedestrian bridge
	Edmonson Street bridge
	Wagga Wagga Station pedestrian bridge
	Wagga Wagga Yard clearances
	Bomen Yard clearances
	Harefield Yard clearances
Junee	Kemp Street bridge
	Junee Station pedestrian bridge
	Junee Yard clearances
	Olympic Highway underbridge
	Junee to Illabo clearances



FIGURE 1: PROJECT ENHANCEMENT SITES

1.2 Purpose of this Addendum

This Construction Noise and Vibration Impact Statement Addendum (Addendum) has been prepared to identify and assess the revised work area (W.001 and W.002), and additional plant and equipment (W.014) required to support and enable the wider scope of activities associated with the Uranquinty Yard clearances enhancement site (Uranquinty Yard), as shown in Figure 2 and Figure 3 below.

This Addendum will form part of the endorsed Construction Noise and Vibration Impact Statement (CNVIS) (Doc No: 6-0052-210-EEC-W1-AS-0001) for Uranquinty Yard. This Addendum should be reviewed in conjunction with the CNVIS for Uranquinty Yard, including adopted Rating Background Levels (RBL), Noise Management Levels (NML) and assessment criteria in accordance with the Conditions of Approval (CoA) (SSI-10055).



FIGURE 2: REVISED WORK AREA FOR W.001 AND W.002 (URANQUINTY YARD ADDENDUM)



FIGURE 3: WORK AREA FOR W.014 (URANQUINTY YARD CNVIS)

2 NOISE ASSESSMENT

2.1 Site establishment (W.001)

2.1.1 Scope

The additional work area required for Uranquinty Yard forms part of the wider scope associated at the Uranquinty Yard clearances enhancement site and will enable site establishment works. This CNVIS addendum has assessed the revised work area, which consists of the work area identified in the endorsed CNVIS and additional work area identified in the Uranquinty Yard Consistency Assessment (CA) (Doc No: 6-0052-210-EAP-W1-AS-0001). The revised work area encompasses three compound areas previously assessed in the endorsed Uranquinty Yard CNVIS, and additional areas not previously assessed for scenario W.001.

The revised work area will be assessed using SLR Predict, the A2I noise and vibration management tool, with the following noted:

Activity

- Site compound delivery and set up
- Access road and laydown construction

Plant and equipment

- Articulated dump truck (23T)
- Crane (mobile)
- Elevated work platform
- Excavator – slasher
- Front end loader
- Generator
- Hand tools (electric)
- Light vehicle
- Roller – static
- Tractor – slasher
- Truck – medium rigid (20T)
- Truck & dog
- Watercart

Construction hours

- Standard approved construction hours:
 - 7am to 6pm Monday to Friday, inclusive
 - 7am to 6pm Saturday.
- Daytime out-of-hours (OOH)
 - 8am to 6pm Sunday and Public Holidays.

2.1.2 Assessment

As noted above, the revised work area has been assessed utilising SLR Predict. The highest generating items of plant and equipment in this work scenario (front end loader and articulated dump truck) have been considered, as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

2.1.3 Results

The SLR Predict results are presented in Appendix A, for daytime out of hours, as the most affected period.

Table 2 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.001 exceedances identified in the Uranquinty Yard CNVIS
- W.001 exceedances identified in the SLR Predict results for the additional work areas shown in Figure 2

TABLE 2: EXCEEDANCE COMPARISONS FOR W.001

ASSESSMENT RESULTS (DAY OOH)	NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE	
	CNVIS – W.001	SLR Predict – W.001 (revised work area)
Total Lw (dBA)	115	114
Noticeable (1-5 dB)	100	93
Clearly Audible (6-15 dB)	134	145
Moderately Intrusive (16-25 dB)	52	59
Highly Intrusive (>25 dB)	3	13

Table 2 shows a similar level of impacts resulting from the revised work area (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is a decreased number of receivers experiencing noticeable (1-5 dB exceedance) level of noise, however, there is an increase in the number of receivers experiencing clearly audible, moderately intrusive and highly intrusive (>25 dB exceedance) noise levels, likely due to the increased size of the work area.

2.2 Site operation (W.002)

2.2.1 Scope

The revised work area required for Uranquinty Yard forms part of the wider scope associated at the Uranquinty Yard clearances enhancement site and will enable site operational works. This CNVIS addendum has assessed the additional work area, which consists of the work area identified in the endorsed CNVIS and additional work area identified in the Uranquinty Yard Consistency Assessment (CA) (Doc No: 6-0052-210-EAP-W1-AS-0001). The revised work area encompasses three compound areas previously assessed in the endorsed Uranquinty Yard CNVIS, and additional areas not previously assessed for scenario W.002.

The revised work area will be assessed using SLR Predict, with the following noted:

Activity

- Operation of the site compound
- Delivery of materials/equipment

Plant and equipment

- Compressor
- Crane franna (20T)
- Front end loader
- Generator
- Hand tools (electric)
- Light vehicles
- Truck – medium rigid (20T)
- Truck & dog
- Watercart

Construction hours

- Standard approved construction hours:
 - 7am to 6pm Monday to Friday, inclusive
 - 7am to 6pm Saturday.
- Daytime OOH:
 - 8am to 6pm Sunday and Public Holidays.

- Evening OOH:
 - 6pm to 10pm Monday to Sunday (including Public Holidays)
- Night OOH:
 - 10pm to 7am Monday to Saturday
 - 10pm to 8am Sunday (including Public Holidays)

2.2.2 Assessment

As noted above, the revised work area has been assessed utilising SLR Predict. The highest generating items of plant and equipment in this work scenario (front end loader, truck & dog and compressor) have been considered, as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

2.2.3 Results

The SLR Predict results are presented in Appendix B, for night out of hours, as the most affected period.

Table 3 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.002 exceedances identified in the Uranquinty Yard CNVIS
- W.002 exceedances identified in the SLR Predict results for the additional work areas shown in Figure 2

TABLE 3: EXCEEDANCE COMPARISONS FOR W.002

ASSESSMENT RESULTS (NIGHT OOH)	NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE	
	CNVIS – W.002	SLR Predict – W.002 (revised work area)
Total Lw (dBA)	113	115
Noticeable (1-5 dB)	21	16
Clearly Audible (6-15 dB)	176	130
Moderately Intrusive (16-25 dB)	116	139
Highly Intrusive (>25 dB)	28	75
Above Sleep Disturbance (>Screening level)	267	188
Above Sleep Awake (>65 dB)	12	28

Table 3 shows an overall increase in the intensity of impacts resulting from the revised work area (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is an increased number of receivers experiencing both a moderately intrusive (16-25 dB) level of noise and a highly intrusive level of noise (>25 dB exceedance), which is likely due to the increased size of the work area.

2.3 Removal of gantry and footings (W.014)

2.3.1 Scope

The removal of signal gantry and footings work scenario (W.014) has been assessed in the endorsed CNVIS. Additional plant and equipment will be required to support the works associated with W.014, which forms part wider scope associated at the Uranquinty Yard clearances enhancement site.

This CNVIS addendum has assessed the additional plant and equipment, which consists of an elevated work platform (EWP), using SLR Predict, with the following noted:

Activity

- Removal of signal gantry and footings (W.014)

Plant and equipment

- Compressor
- Crane franna (20T)
- Front end loader
- Generator
- Hand tools (electric)
- Light vehicles
- Truck – medium rigid (20T)
- Truck & dog
- Watercart
- Elevated work platform (EWP)

Construction hours

- Standard approved construction hours:
 - 7am to 6pm Monday to Friday, inclusive
 - 7am to 6pm Saturday.
- Daytime OOH:
 - 8am to 6pm Sunday and Public Holidays.
- Evening OOH:
 - 6pm to 10pm Monday to Sunday (including Public Holidays)
- Night OOH:
 - 10pm to 7am Monday to Saturday
 - 10pm to 8am Sunday (including Public Holidays)

2.3.2 Assessment

As noted above, the additional EWP required has been assessed utilising SLR Predict. The EWP has been assessed alongside the excavator (20-30T) with hydraulic hammer to represent site working conditions. The plant and equipment have been assessed as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

2.3.3 Results

The SLR Predict results are presented in Appendix C, for night out of hours, as the most affected period.

Table 4 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.014 exceedances identified in the Uranquinty Yard CNVIS
- W.014 exceedances identified in the SLR Predict results for the additional EWP

TABLE 4: EXCEEDANCE COMPARISONS FOR W.014

ASSESSMENT RESULTS (NIGHT OOH)	NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE	
	CNVIS – W.014	SLR Predict – W.014 (inclusion of EWP)
Total Lw (dBA)	120	122
Noticeable (1-5 dB)	10	7
Clearly Audible (6-15 dB)	158	98
Moderately Intrusive (16-25 dB)	153	198

ASSESSMENT RESULTS (NIGHT OOH)	NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE	
	CNVIS – W.014	SLR Predict – W.014 (inclusion of EWP)
Highly Intrusive (>25 dB)	28	48
Above Sleep Disturbance (>Screening level)	328	335
Above Sleep Awake (>65 dB)	15	22

Table 4 shows an overall increase in the intensity of impacts resulting from the inclusion of the EWP (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is an increased number of receivers experiencing both a moderately intrusive (16-25 dB) level of noise and a highly intrusive level of noise (>25 dB exceedance), which is likely due to the inclusion of the EWP.

3 VIBRATION ASSESSMENT

3.1 Site establishment (W.001)

There are no vibration intensive plant and equipment proposed as part of W.001; therefore, no vibration impacts are expected.

3.2 Site operation (W.002)

There are no vibration intensive plant and equipment proposed as part of W.002; therefore, no vibration impacts are expected.

3.3 Removal of signal gantry and footings (W.014)

There are no vibration intensive plant and equipment proposed as part of W.014; therefore, no vibration impacts are expected.

4 CONCLUSION

4.1 Mitigation and Management Measures

As this Assessment is an addendum to the endorsed Uranquinty Yard CNVIS, the same mitigation and management measures apply as noted in Section 8 of the CNVIS.

4.2 Additional mitigation measures

As noted in Figure 4 and under Appendix A to C, the SLR Predict noise results include a section on all applicable additional mitigation measures. These additional mitigation measures will be implemented where appropriate.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
	>25	Highly intrusive	Any	CO1, CO2, RO
			>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA

FIGURE 4: ADDITIONAL MITIGATION MEASURES MATRIX – NOISE



APPENDICES



APPENDIX A

SLR Predict (W.001)



Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

Assessment Details

Author Name	
Author Email	noiseassessments@martinus.com.au
Author Organisation	Martinus Rail
Project Name	A2I - Albury to Illabo
Assessment Name	Uranquinty Addendum (W.001)
Stage	A2I Construction
Permit Number	N/A
Start Date	2025-11-18
End Date	2025-11-19
Assessment Period	Day - out of hours

Equipment Details

Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
1: Work Area 1 (Height: Ground)	Total: 114		
Front End Loader 100% operation	113	1	No
Articulated Dump Truck 100% operation	109	1	No

Note 1: Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

Assessment Results



		Residential	Non-Residential
	Highly Intrusive	13 properties	0 property
	Moderately Intrusive	58 properties	1 property
	Clearly Audible	139 properties	6 properties
	Noticeable	87 properties	6 properties

Legend

	Project Boundary
	Work Areas
	Barriers

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
7 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	74	30	Highly Intrusive
17 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	72	28	Highly Intrusive
19 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	72	28	Highly Intrusive
41 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	72	28	Highly Intrusive
3-5 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	72	28	Highly Intrusive
23-25 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	72	28	Highly Intrusive
21 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	72	28	Highly Intrusive
37 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	71	27	Highly Intrusive
39 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	71	27	Highly Intrusive
13 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	71	27	Highly Intrusive
1 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	70	26	Highly Intrusive
27 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	70	26	Highly Intrusive
48 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	70	26	Highly Intrusive
50 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	69	25	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
43-45 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	68	24	Moderately Intrusive
35 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	68	24	Moderately Intrusive
31-33 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	67	23	Moderately Intrusive
59-61 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	67	23	Moderately Intrusive
46 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	67	23	Moderately Intrusive
52-54 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	67	23	Moderately Intrusive
47 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	66	22	Moderately Intrusive
51-53 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	66	22	Moderately Intrusive
44 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	66	22	Moderately Intrusive
58 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	65	21	Moderately Intrusive
38-40 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	65	21	Moderately Intrusive
10 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	65	21	Moderately Intrusive
8 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	64	20	Moderately Intrusive
7 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	64	20	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
62-64 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	64	20	Moderately Intrusive
9 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
30 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
22-24 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
47 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
60 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
12 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
12 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
6 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	63	19	Moderately Intrusive
50-52 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
32 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
42-44 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
34 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
24 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
59-61 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
14 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
14 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
45 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
59-61 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
68 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	62	18	Moderately Intrusive
12 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
26 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
11 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
28 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
8 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
18 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
2 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
26 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
4 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
10 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
23 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
12 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	61	17	Moderately Intrusive
47 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
36 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
8 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
75 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
63-65 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
49 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
15 PEARSON ST, URANQUINTY NSW 2652	OPW	NCA09	55	71	16	Moderately Intrusive
21 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
10 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
41 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
10 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
1-3 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	60	16	Moderately Intrusive
71-73 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
51 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
8 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
25 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
8 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
67 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
31 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
46 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
1 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	59	15	Clearly Audible
29 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
5 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
13 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
23 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
58 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
6 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
7 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
16 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
37-39 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
53 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
43 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
29 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
48 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	58	14	Clearly Audible
4 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
17 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
35 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
11 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
15 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
40 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
19 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
33 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
21 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
27 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
3 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	57	13	Clearly Audible
2-4 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
7 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
5 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
2 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
28 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
4 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
18 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
9 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
54-56 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
34 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
62-64 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
15 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
36 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
13 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	56	12	Clearly Audible
33 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
33 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
4 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
13 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
13 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
13 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
35 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
9 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
42-44 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
16 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
6 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
35 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
15 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
38 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
78 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
26 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	55	11	Clearly Audible
37 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
10 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
45 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
3 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
6 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
11 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
11 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
22-24 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
2 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
17-19 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
2 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	44	54	10	Clearly Audible
3 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
6-8 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
23 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
2A URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
1-3 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
5 BEST ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
23 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
25 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
41 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
39 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
66 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
12 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
4 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
30 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
22 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	53	9	Clearly Audible
20 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
14 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
18 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
5 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
37 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
43 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
39 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
22 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
47 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
22 MORGAN ST, URANQUINTY NSW 2652	OPW	NCA09	55	63	8	Clearly Audible
2 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
15 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
-	IND	NCA09	75	83	8	Clearly Audible
13-15 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
22-24 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
1 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
11 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
41 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
4 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
9 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
6 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
18 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	52	8	Clearly Audible
29 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
12 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
16 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
10 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
7 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
25-27 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
18-20 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
2 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
14-16 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
5-7 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
3 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
29 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible
23 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	51	7	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
1 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
31 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
10 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
7 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
4 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
16 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
29 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
2A O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
5 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652	OED	NCA09	55	61	6	Clearly Audible
5 RYAN ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
9 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
3 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
17 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652	OED	NCA09	55	61	6	Clearly Audible
-	IND	NCA09	75	81	6	Clearly Audible
9 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
30-34 MORGAN ST, URANQUINTY NSW 2652	OHO	NCA09	60	66	6	Clearly Audible
31 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
20 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	50	6	Clearly Audible
4 Connorton St, Uranquinty NSW 2652	RES	NCA09	44	50	6	Clearly Audible
34-36 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
2 BEN ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
31 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
14 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
14 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
26-28 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
7 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
6 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
20 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
9 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
3 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
12 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
9-11 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
1-3 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
5 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
21 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
26 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
7 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
5 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
5 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	49	5	Noticeable
20 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
10-16 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
21 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652	OED	NCA09	55	59	4	Noticeable
URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652	OED	NCA09	55	59	4	Noticeable
2-8 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
57 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
12 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
8 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
28 KING ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652	OED	NCA09	55	59	4	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
10 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
18 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
16 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
13 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
11 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
10 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
6 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
1 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
16 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
50-52 O'CONNOR ST, URANQUINTY NSW 2652	OPW	NCA09	55	59	4	Noticeable
9 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
1 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
26-28 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
16 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
6066 OLYMPIC HWY, URANQUINTY NSW 2652	RES	NCA09	44	48	4	Noticeable
22 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
11 READ ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
13 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
27 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
67 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652	OED	NCA09	55	58	3	Noticeable
11 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
3 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
30-32 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
10 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
26 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
13-15 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
51 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
65 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
30 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
29 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
14 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	47	3	Noticeable
32 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
28 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
26 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
21 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
18 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
63 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
33 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
1 READ ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
24 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
20 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
80 CONNORTON ST, URANQUINTY NSW 2652	OCC	NCA09	45	47	2	Noticeable
22 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
28 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
24 TABER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
29 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
13-15 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
27 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
37 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
22 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	46	2	Noticeable
25 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
59 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
61 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
30 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
17 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
24 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
1 KEY ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
16 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable
11 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	44	45	1	Noticeable

Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
			Any	CO1, CO2, RO
	>25	Highly intrusive	>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA

Vibration - Additional Mitigation Measures Matrix

Time Period	Duration	Exceedance of 'preferred' value	Exceedance of 'maximum' value
OOHW Daytime Period Sunday 8am-6pm	Any	CO1, CO2	CO1, CO2, RO
OOHW Evening Period Mon-Sun 6pm-10pm	Any	CO1, CO2	CO1, CO2, RO
OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am	Any	CO1, CO2, RO	CO1, CO2, RO, AltA

Additional Mitigation Measures

Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

Receiver Types

Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building



APPENDIX B

SLR Predict (W.002)



Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

Assessment Details

Author Name	
Author Email	noiseassessments@martinus.com.au
Author Organisation	Martinus Rail
Project Name	A2I - Albury to Illabo
Assessment Name	Uranquinty Addendum (W.002)
Stage	A2I Construction
Permit Number	N/A
Start Date	2025-11-19
End Date	2025-11-20
Assessment Period	Night - out of hours


Equipment Details

Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
1: Work Area 1 (Height: Ground)	Total: 115		
Front End Loader 100% operation	113	1	No
Truck - road truck/ truck & dog (30T) 75% operation	108	1	No
Compressor 100% operation	109	1	No

Note 1: Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

Assessment Results



		Residential	Non-Residential
	Highly Intrusive	69 properties	0 property
	Moderately Intrusive	138 properties	1 property
	Clearly Audible	130 properties	0 property
	Noticeable	4 properties	0 property
	Above Sleep Disturbance	188 properties	0 property
	Above Sleep Awake	28 properties	0 property

Legend

	Project Boundary
	Work Areas
	Barriers

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
7 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	74	39	Highly Intrusive Above Sleep Dist Above Sleep Awake
17 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	73	38	Highly Intrusive Above Sleep Dist Above Sleep Awake
19 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	73	38	Highly Intrusive Above Sleep Dist Above Sleep Awake
41 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	73	38	Highly Intrusive Above Sleep Dist Above Sleep Awake
3-5 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	73	38	Highly Intrusive Above Sleep Dist Above Sleep Awake
23-25 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	73	38	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
21 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	73	38	Highly Intrusive Above Sleep Dist Above Sleep Awake
37 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	72	37	Highly Intrusive Above Sleep Dist Above Sleep Awake
39 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	72	37	Highly Intrusive Above Sleep Dist Above Sleep Awake
13 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	72	37	Highly Intrusive Above Sleep Dist Above Sleep Awake
1 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	71	36	Highly Intrusive Above Sleep Dist Above Sleep Awake
27 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	71	36	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
48 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	71	36	Highly Intrusive Above Sleep Dist Above Sleep Awake
35 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	69	34	Highly Intrusive Above Sleep Dist Above Sleep Awake
50 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	69	34	Highly Intrusive Above Sleep Dist Above Sleep Awake
43-45 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
31-33 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
59-61 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
46 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
52-54 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
47 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	67	32	Highly Intrusive Above Sleep Dist Above Sleep Awake
51-53 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	67	32	Highly Intrusive Above Sleep Dist Above Sleep Awake
44 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	67	32	Highly Intrusive Above Sleep Dist Above Sleep Awake
58 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	66	31	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
38-40 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
7 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
62-64 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
10 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
9 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist
47 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist
8 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
12 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist
12 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist
6 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist
32 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
42-44 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
34 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
30 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
22-24 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
24 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
59-61 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
60 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
14 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist
12 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
50-52 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
26 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
18 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
2 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
14 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
45 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
26 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
4 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
59-61 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
68 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
10 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
23 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
12 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist
47 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
11 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
28 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
8 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
8 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
75 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
63-65 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
49 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
21 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
10 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
41 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
10 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist
71-73 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist
36 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
25 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist
8 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist
67 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist
1-3 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist
5 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
13 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
51 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
8 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
23 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
6 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
31 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
37-39 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
53 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
46 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
43 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
29 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
48 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
1 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist
29 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
4 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
58 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
15 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
7 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
19 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
16 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
21 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
27 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
3 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist
2-4 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
17 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
7 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
5 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
2 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
35 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
28 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
11 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
18 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
9 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
40 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
62-64 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
33 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
15 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
13 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
33 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
4 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
13 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
13 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
13 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
35 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
9 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
42-44 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
4 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
54-56 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
34 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
35 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
30-34 MORGAN ST, URANQUINTY NSW 2652	OHO	NCA09	45	66	21	Moderately Intrusive
36 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
38 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
26 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
33 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
37 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
10 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
45 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
16 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
3 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
6 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
11 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
11 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
6 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
22-24 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
15 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
17-19 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
78 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
3 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
23 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
2A URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
5 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
23 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
39 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
30 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
22 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
2 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
14 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
6-8 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
18 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
37 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
43 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
1-3 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
39 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
25 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
41 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
22 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
47 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
15 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
66 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
13-15 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
12 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
4 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
1 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
41 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
4 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
9 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
6 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
20 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
12 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
5 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
16 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive
10 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
25-27 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
18-20 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
2 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
14-16 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
22-24 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
11 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
5-7 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
3 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
18 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
23 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
1 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
29 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
31 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
10 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
7 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
16 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
7 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
29 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
2A O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
5 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
5 RYAN ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
9 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
2 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
3 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
31 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
20 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
29 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
4 Connorton St, Uranquinty NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive
2 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
31 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
14 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
26-28 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
4 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
7 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
9 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
3 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
12 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
17 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
9 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
9-11 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
1-3 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
5 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
21 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
7 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
5 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible
20 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
10-16 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
34-36 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
2-8 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
14 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
12 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
8 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
6 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
20 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
10 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
18 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
16 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
13 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
11 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
6 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
16 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
9 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
26-28 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
2 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
26 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
5 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible
22 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
21 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
57 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
11 READ ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
13 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
28 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
27 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
11 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
30-32 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
10 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
10 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
1 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
1 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
16 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
6066 OLYMPIC HWY, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
14 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible
32 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
21 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
18 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
63 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
33 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
1 READ ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
67 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
24 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
20 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
3 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
22 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
26 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
28 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
13-15 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
51 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
65 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
24 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
30 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
29 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
37 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible
25 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
61 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
28 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
26 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
30 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
1 KEY ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
16 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
29 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
13-15 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
27 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
22 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible
6 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
59 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
14 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
17 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
24 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
55 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
35 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
15 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
26 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
7 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
11 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
39 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
41 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
5 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible
56 URANQUINTY CROSS RD, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
15 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
30 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
3 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
8 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
1040 OLD STATION RD, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
28 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
77 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
73 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
4 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
106 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
53 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
12 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
9 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
131 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
20 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
12 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
81 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
69 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
25 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
18 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
79 Connorton St, Uranquinty NSW 2652	RES	NCA09	35	43	8	Clearly Audible
35 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	42	7	Clearly Audible
85 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	42	7	Clearly Audible
87 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	42	7	Clearly Audible
10 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
10 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
12 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
75 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
71 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
83 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	40	5	Noticeable
2 CASTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	39	4	Noticeable
21 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	39	4	Noticeable
23 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	38	3	Noticeable

Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
			Any	CO1, CO2, RO
	>25	Highly intrusive	>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA

Vibration - Additional Mitigation Measures Matrix

Time Period	Duration	Exceedance of 'preferred' value	Exceedance of 'maximum' value
OOHW Daytime Period Sunday 8am-6pm	Any	CO1, CO2	CO1, CO2, RO
OOHW Evening Period Mon-Sun 6pm-10pm	Any	CO1, CO2	CO1, CO2, RO
OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am	Any	CO1, CO2, RO	CO1, CO2, RO, AltA

Additional Mitigation Measures

Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

Receiver Types

Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building



APPENDIX C

SLR Predict (W.014)



Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

Assessment Details

Author Name	
Author Email	noiseassessments@martinus.com.au
Author Organisation	Martinus Rail
Project Name	A2I - Albury to Illabo
Assessment Name	Uranquinty Addendum (W.014)
Stage	A2I Construction
Permit Number	N/A
Start Date	2025-12-08
End Date	2025-12-09
Assessment Period	Night - out of hours

Equipment Details

Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
1: (Height: Ground)	Total: 122		
Elevated Work Platform 100% operation	97	1	No
Excavator 20-30T + hydraulic hammer 100% operation	122	1	No

Note 1: Equipment classed as ‘annoying’ in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

Assessment Results



		Residential	Non-Residential
	Highly Intrusive	48 properties	0 property
	Moderately Intrusive	198 properties	1 property
	Clearly Audible	98 properties	0 property
	Noticeable	7 properties	4 properties
	Above Sleep Disturbance	335 properties	0 property
	Above Sleep Awake	83 properties	0 property

Legend

	Project Boundary
	Work Areas
	Barriers

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
37 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	74	39	Highly Intrusive Above Sleep Dist Above Sleep Awake
41 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	74	39	Highly Intrusive Above Sleep Dist Above Sleep Awake
39 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	74	39	Highly Intrusive Above Sleep Dist Above Sleep Awake
48 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	74	39	Highly Intrusive Above Sleep Dist Above Sleep Awake
46 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	72	37	Highly Intrusive Above Sleep Dist Above Sleep Awake
35 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	71	36	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
44 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	71	36	Highly Intrusive Above Sleep Dist Above Sleep Awake
43-45 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	70	35	Highly Intrusive Above Sleep Dist Above Sleep Awake
31-33 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	70	35	Highly Intrusive Above Sleep Dist Above Sleep Awake
38-40 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	70	35	Highly Intrusive Above Sleep Dist Above Sleep Awake
50 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	70	35	Highly Intrusive Above Sleep Dist Above Sleep Awake
47 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	69	34	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
9 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
27 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
52-54 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	68	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
58 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	67	32	Highly Intrusive Above Sleep Dist Above Sleep Awake
51-53 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	67	32	Highly Intrusive Above Sleep Dist Above Sleep Awake
10 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	67	32	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
12 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	66	31	Highly Intrusive Above Sleep Dist Above Sleep Awake
11 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	66	31	Highly Intrusive Above Sleep Dist Above Sleep Awake
14 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	66	31	Highly Intrusive Above Sleep Dist Above Sleep Awake
59-61 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	66	31	Highly Intrusive Above Sleep Dist Above Sleep Awake
59-61 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
59-61 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
23-25 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	65	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
21 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist Above Sleep Awake
45 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist Above Sleep Awake
62-64 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	64	29	Highly Intrusive Above Sleep Dist Above Sleep Awake
42-44 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
22-24 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
47 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
68 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
16 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	63	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
19 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
8 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
34 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
18 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
21 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	62	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
33 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
17 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
26 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
36 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
30 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
24 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
4 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
23 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
53 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
1 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	61	26	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
33 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
71-73 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
47 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
35 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
32 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
63-65 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
13 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
19 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
17-19 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
7 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
46 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
2 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
13 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
48 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	60	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
13 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
50-52 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
23 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
42-44 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
11 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
75 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
6 YARRAGUNDRY ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
43 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	59	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
13 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
17 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
28 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
18 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
60 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
7 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
54-56 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
26 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
13-15 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
15 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
78 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
29 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	58	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
29 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
31 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
9 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
7 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
11 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
9 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
7 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
18-20 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
3-5 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
40 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
62-64 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
35 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
2 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
14-16 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
33 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
22-24 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
41 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
30 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	57	22	Moderately Intrusive Above Sleep Dist
37 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
37 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
43 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
39 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
25-27 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
12 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
41 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
2 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
66 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
12 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
15 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
9-11 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
1 PEARSON ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
30-34 MORGAN ST, URANQUINTY NSW 2652	OHO	NCA09	45	66	21	Moderately Intrusive
38 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
1-3 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	56	21	Moderately Intrusive Above Sleep Dist
13 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
2-4 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
6-8 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
2A URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
16 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
5 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
5 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
51 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
29 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
28 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
58 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
2 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
6 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
22-24 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
49 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
12 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
34 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
31 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
37-39 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
31 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
22 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
26 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
23 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	55	20	Moderately Intrusive Above Sleep Dist
20 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
10 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
21 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
2-8 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
7 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
4 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
5 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
6 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
8 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
23 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
9 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
39 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
3 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
10 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
36 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
3 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
9 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
10 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
12 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	54	19	Moderately Intrusive Above Sleep Dist
32 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
31 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
4 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
45 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
14 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
13 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
26-28 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
10 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
13 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
35 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
11 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
11 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
30-32 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
5 RYAN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
18 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
14 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
3 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
6 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
22 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
4 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
12 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
15 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
10 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
1 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
5-7 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
7 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
5 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
6 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
29 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	53	18	Moderately Intrusive Above Sleep Dist
25 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
4 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
20 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
14 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
61 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
34-36 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
12 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
18 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
12 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
8 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
16 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
28 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
27 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
16 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
2 MORGAN ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
8 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
8 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
5 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
8 BEST ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
10 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
16 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
10 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
22 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
1 URANQUINTRY ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
16 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
67 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
9 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
13-15 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
41 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
3 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
5 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
18 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
11 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
14 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	52	17	Moderately Intrusive Above Sleep Dist
10-16 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
1 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
29 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
28 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
26 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
21 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
5 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
10 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
14 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
33 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
67 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
17 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
24 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
25 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
15 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
1 KEY ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
9 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
47 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
17 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
26 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
27 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
24 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
6 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
27 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	51	16	Moderately Intrusive Above Sleep Dist
3 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
59 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
22 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
2 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
18 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
57 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
7 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
30 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
6 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
2A O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
20 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
25 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
11 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
15 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
8 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
4 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
1 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
4 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
51 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
5 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
2 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
65 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
21 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
29 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
69 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
29 BAKER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
13-15 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
39 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
4 Connorton St, Uranquinty NSW 2652	RES	NCA09	35	50	15	Clearly Audible Above Sleep Dist
15 SPAUL ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
1 READ ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
3 BEN ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
23 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
24 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
13 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
26 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
3 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
1-3 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
26-28 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
26 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
6066 OLYMPIC HWY, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
77 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
81 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
22 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
5 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
79 Connorton St, Uranquinty NSW 2652	RES	NCA09	35	49	14	Clearly Audible Above Sleep Dist
14 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
63 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
106 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
20 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
53 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
3 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
12 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
9 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
16 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
55 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
20 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
7 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
9 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
28 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
16 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
30 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
28 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
25 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
35 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
37 GUTTLER ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist
18 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	48	13	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
11 READ ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
1-3 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
7 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
10 BRIDGE ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
35 DEANE ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
30 KING ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
131 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
21 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
12 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
20 TABER ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
75 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
41 GUTTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
71 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
73 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	47	12	Clearly Audible Above Sleep Dist
6 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible Above Sleep Dist
4 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible Above Sleep Dist
10 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible Above Sleep Dist
87 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	46	11	Clearly Audible Above Sleep Dist
56 URANQUINTY CROSS RD, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible Above Sleep Dist
10 HARDIMAN ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible Above Sleep Dist

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
12 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible Above Sleep Dist
85 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	45	10	Clearly Audible Above Sleep Dist
11 O'CONNOR ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
83 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	44	9	Clearly Audible
21 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
1040 OLD STATION RD, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
23 GRADYS RD, URANQUINTY NSW 2652	RES	NCA09	35	43	8	Clearly Audible
2 CASTLE ST, URANQUINTY NSW 2652	RES	NCA09	35	42	7	Clearly Audible
1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
171 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	41	6	Clearly Audible
5 HARVEYS RD, URANQUINTY NSW 2652	RES	NCA09	35	40	5	Noticeable

Results by Receiver

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
190 RODHAMS RD, URANQUINTY NSW 2652	RES	NCA09	35	40	5	Noticeable
1268 OXLEY BRIDGE RD, URANQUINTY NSW 2652	RES	NCA09	35	39	4	Noticeable
190 CONNORTON ST, URANQUINTY NSW 2652	RES	NCA09	35	39	4	Noticeable
970 OLD STATION RD, URANQUINTY NSW 2652	RES	NCA09	35	38	3	Noticeable
153 RODHAMS RD, URANQUINTY NSW 2652	RES	NCA09	35	37	2	Noticeable
12 GRADYS RD, URANQUINTY NSW 2652	OHO	NCA09	45	47	2	Noticeable
12 GRADYS RD, URANQUINTY NSW 2652	OHO	NCA09	45	47	2	Noticeable
144 CHURCHES PLAIN RD, URANQUINTY NSW 2652	RES	NCA09	35	36	1	Noticeable
12 GRADYS RD, URANQUINTY NSW 2652	OHO	NCA09	45	46	1	Noticeable
12 GRADYS RD, URANQUINTY NSW 2652	OHO	NCA09	45	46	1	Noticeable

Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
			Any	CO1, CO2, RO
	>25	Highly intrusive	>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA

Vibration - Additional Mitigation Measures Matrix

Time Period	Duration	Exceedance of 'preferred' value	Exceedance of 'maximum' value
OOHW Daytime Period Sunday 8am-6pm	Any	CO1, CO2	CO1, CO2, RO
OOHW Evening Period Mon-Sun 6pm-10pm	Any	CO1, CO2	CO1, CO2, RO
OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am	Any	CO1, CO2, RO	CO1, CO2, RO, AltA

Additional Mitigation Measures

Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

Receiver Types

Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building



MARTINUS 

Head Office | 1/23-27 Waratah Street | KIRRAWEE NSW 2232