



A2I | Albury to Illabo – Uranquinty Yard

Construction Noise and Vibration Impact Statement

Martinus Rail

1/23-27 Waratah Street, Kirrawee, NSW 2232

Prepared by:

SLR Consulting Australia

Tenancy 202 Submarine School, Sub Base
Platypus, 120 High Street, North Sydney NSW
2060, Australia


SLR Project No.: 610.031317.00001

Client Reference No.: R22

11 July 2025

Revision: v1.0

Revision Record

Revision	Date	Prepared By	Checked By	Authorised By
v1.0	11 July 2025	Adam Sirianni	Steven Luzuriaga	

Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Martinus Rail (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.



Table of Contents

Basis of Report	i
Acronyms and Abbreviations	v
Compliance Table	1
1.0 Introduction	6
2.0 Project Description	6
2.1 Scope of this CNVIS.....	6
2.2 Hours of work	7
2.2.1 Highly Noise Intensive Work.....	7
2.3 Variation to hours of work.....	7
2.4 Justification of Out of Hours Work (OOHW).....	8
3.0 Existing Environment.....	8
3.1 Background Noise Levels.....	8
4.0 Assessment Criteria.....	10
4.1 Construction Noise and Vibration Guidelines.....	10
4.2 Noise Management Levels	10
4.2.1 Residential Receivers.....	10
4.2.2 Other Sensitive Land Uses and Commercial Receivers.....	11
4.2.3 Ground-borne Noise	12
4.3 Vibration Criteria.....	13
4.3.1 Heritage Buildings or Structures	15
4.3.2 Buried Pipework and Utilities	16
4.3.3 Minimum Working Distances for Vibration Intensive Work.....	17
4.4 Traffic on Surrounding Roads.....	18
5.0 Noise Assessment	19
5.1 Work Scenarios.....	19
5.1.1 Modelling Scenarios and Equipment	22
5.2 Predicted Noise Levels.....	22
5.3 Ground-borne Noise	25
6.0 Vibration Assessment.....	25
6.1 Cosmetic Damage Assessment.....	32
6.2 Human Comfort Assessment.....	32
7.0 Construction Traffic Assessment	33
8.0 Mitigation and Management Measures	34
8.1 Site Specific Mitigation Measures	34
8.2 Respite.....	38



8.3	Additional Mitigation and Management Measures for Out of Hours Work	39
8.3.1	Receivers Eligible for Additional Mitigation Measures - Noise.....	41
8.3.2	Receivers Eligible for Additional Mitigation Measures – Vibration.....	41
8.4	Community Notification.....	42
8.5	Consultation with Affected Receivers	42
8.5.1	Consultation approach.....	42
8.5.2	Consultation for this CNVIS	43
8.5.3	Consultation outcomes	43
8.6	Occupational Noise Exposure	44
8.7	Monitoring	45
9.0	Cumulative Impacts	47

Tables in Text

Table 1	Ambient Noise Levels	8
Table 2	Construction Noise and Vibration Standards and Guidelines	10
Table 3	Residential Noise Management Levels	11
Table 4	NMLs for ‘Other Sensitive’ Receivers.....	11
Table 5	Internal ground-borne NMLs	12
Table 6	Human Comfort Vibration – Vibration Dose Values for Intermittent Vibration	13
Table 7	Human Comfort Vibration – Preferred and Maximum Weighted Root Mean Square Values for Continuous and Impulsive Vibration Acceleration (m/s ²) 1–80 Hz.....	14
Table 8	Cosmetic Damage – BS 7385 Transient Vibration Values for Minimal Risk of Damage.....	14
Table 9	Cosmetic Damage – DIN 4150 Guideline Values for Short-term Vibration on Structures	14
Table 10	Heritage Items Nearby Construction Work Areas.....	15
Table 11	Guideline Values for Short Term Vibration on Buried Pipework	17
Table 12	Recommended Minimum Working Distances from Vibration Intensive Equipment	17
Table 13	RNP/NCG Criteria for Assessing Traffic on Public Roads	18
Table 14	Work Scenario Descriptions.....	19
Table 15	Scenarios and Periods of Work.....	20
Table 16	Exceedance Bands and Impact Colouring	22
Table 17	Overview of NML Exceedances	23
Table 18	Vibration Intensive Equipment	25
Table 19	Construction Traffic Assessment	33



Table 20	Site Specific Mitigation Measures	34
Table 21	Additional Mitigation Measures	39
Table 22	Airborne Noise – Additional Mitigation Measures Matrix	40
Table 23	Vibration – Additional Mitigation Measures Matrix.....	40
Table 24	Key Stakeholders for this CNVIS	44
Table 25	Indicative Monitoring Locations.....	46

Figures in Text

Figure 1	Receiver Classifications.....	9
Figure 2	Construction Work Locations	21
Figure 3	Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.005) 27	
Figure 4	Minimum Working Distances – Ballast Tamping (W.007, W.012).....	28
Figure 5	Minimum Working Distances – Vibratory Roller:<50 kN (1–2 tonne) (W.008)	29
Figure 6	Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.012)	30
Figure 7	Minimum Working Distances – Large Hydraulic Hammer (W.014).....	31
Figure 8	Hierarchy of Work Practices and Mitigation Measures	34

Appendices

Appendix A	Acoustic Terminology
Appendix B	Modelling Scenarios and Equipment
Appendix C	Noise Impact Maps
Appendix D	Receivers Triggering Additional Mitigation



Acronyms and Abbreviations

AA	The Acoustics Advisor for the CSSI approved by the Planning Secretary
A2I	Albury to Illabo section of the Inland Rail project
ARTC	Australian Rail Track Corporation
AS	Australian Standard
AV:ATG	Assessing Vibration: a technical guideline (DEC, 2006)
BS	British Standard
dBA	A-weighted decibel (referenced 20 µPa)
DPHI	Department of Planning, Housing and Infrastructure
CCHMP	Construction Cultural Heritage Management Plan
CEMP	Construction Environmental Management Plan
CNVF	Inland Rail NSW Construction Noise and Vibration Framework
CNVIS	Construction Noise and Vibration Impact Statement
CNVMP	Construction Noise and Vibration Management Plan
CSSI	Critical Stage Significant Infrastructure
DEC	Department of Environment and Conservation
DECC	Department of Environment and Climate Change (now NSW EPA)
DIN	Deutsches Institut für Normung (German Institute for Standardisation)
EIS	Environmental Impact Statement
EP&A Act	Environmental Planning and Assessment Act 1979
EPA	Environment Protection Authority
EPL	Environmental Protection Licence
ER	The Environmental Representative(s) for CSSI approved by the Planning Secretary.
HNA	Highly Noise Affected
Hz	Hertz
ICNG	Interim Construction Noise Guideline (DECC, 2009)
IR	Inland Rail
ISO	International Standards Organisation
km	Kilometres
km/h	Kilometres per hour
LAeq	Equivalent continuous noise level, providing a representation of the cumulative level of noise exposure over a defined period.
LAeq(15hour)	The equivalent continuous noise level for the 15-hour daytime period of 7.00 am to 10.00 pm
LAeq(9hour)	The equivalent continuous noise for the 9-hour night-time period of 10.00 pm to 7.00 am



LAeq(1hour)	The equivalent continuous noise for the 1-hour daytime or night-time period that has the potential to result in the greatest noise impact to sensitive receivers.
L _{Amax}	The maximum noise level during the measurement or assessment period. The L _A F _{max} or Fast is averaged over 0.125 of a second and the L _A S _{max} or Slow is averaged over 1-second.
m	Metres
mm	Millimetres
mm/s	Millimetres per second
m/s	Metres per second
MR	Martinus Rail
NCA	Noise Catchment Area
NML	Noise Management Level
NSW	New South Wales
NPfI	Noise Policy for Industry
OOHW	Out of hours work
PPV	Peak Particle Velocity
RBL	Rating Background Level
TfNSW	Transport for New South Wales
VDV	Vibration Dose Value



Compliance Table

CoA	Requirement	Reference
A1	The Proponent must carry out the CSSI in accordance with the terms of this approval and generally in accordance with the: a) Inland Rail – Albury to Illabo Environmental Impact Statement (ARTC, August 2022) b) Albury to Illabo Response to Submissions (ARTC, November 2023) c) Albury to Illabo Preferred Infrastructure Report (ARTC, November 2023) d) Albury to Illabo Preferred Infrastructure Report Response to Submissions (ARTC, February 2024) e) Inland Rail – Albury to Illabo (SSI-10055) Response to request for additional information – Air Quality Assessment (letter dated 1 May 2024) f) Part 1 - Revised Technical Paper 8: Biodiversity Development Assessment Report (WSP, February 2024) g) Part 2 - Revised Technical Paper 8: Biodiversity Development Assessment Report (WSP, February 2024)	The CNVMP
A2	The CSSI must only be carried out in accordance with all procedures, commitments, preventative actions, performance criteria and mitigation measures set out in the documents listed in Condition A1 unless otherwise specified in, or required under, this approval.	The CNVMP
C9	The Construction Noise and Vibration Sub-plan must include, but not limited to: a) measures to reduce construction to standard ICNG hours where sensitive land uses are likely to be noise affected for more than 3 months; b) an approach to assess and manage construction fatigue from noise impacts on sensitive receivers on an ongoing basis; c) noise sensitive periods identified by the community, religious, educational institutions, noise and vibration-sensitive businesses and critical working areas and measures to ensure noise levels above the NMLs do not occur during sensitive periods in accordance with Condition E76; d) mitigation for construction traffic noise impacts from additional construction traffic and road diversions; e) the location of all heritage items, non-heritage structures and infrastructure likely to be impacted by vibration and measures to manage vibration impacts at those items and structures; and f) vibration levels at a range of distances from vibration intensive equipment such as excavators and vibratory rollers before undertaking works with the specific type and size of equipment.	The CNVMP
E68	A detailed land use survey must be undertaken to confirm sensitive land use(s) (including critical working areas such as operating theatres and precision laboratories) potentially exposed to construction noise and vibration, construction ground-borne noise and operational noise. The survey may be undertaken on a progressive basis but must be undertaken in any one area before the commencement of work which generates construction or operational noise, vibration or ground-borne noise in that area. The results of the survey must be included in the Noise and Vibration CEMP sub-plan required by Condition C8.	The CNVMP, Section 3.0, Figure 1
E69	Work must be undertaken during the following hours: a) 7:00am to 6:00pm Mondays to Fridays, inclusive; b) 7:00am to 6:00pm Saturdays; and c) at no time on Sundays or public holidays.	Section 2.2



CoA	Requirement	Reference
E70	Except as permitted by an EPL, highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken: - between the hours of 8:00 am to 6:00 pm Monday to Friday; - between the hours of 8:00 am to 1:00 pm Saturday; and - if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour. For the purposes of this condition, 'continuously' includes any period during which there is less than one hour between ceasing and recommencing any of the work.	Section 2.2.1, Section 8.2
E71	Notwithstanding Conditions E69 and E70, work may be undertaken outside the hours specified in the following circumstances (a, b, or c): - Safety and Emergencies, including: - for the delivery of materials required by the NSW Police Force or other authority for safety reasons; or - where it is required in an emergency to avoid injury or the loss of life, to avoid damage or loss of property or to prevent environmental harm. On becoming aware of the need for emergency work in accordance with Condition E71(a), the AA, the ER, the Planning Secretary and the EPA must be notified of the reasons for such work. Best endeavours must be used to notify all noise and/or vibration affected residents and owners/occupiers of properties identified sensitive land use(s) of the likely impact and duration of those work. - Work, that meets the following criteria: - construction that causes LAeq(15 minute) noise levels: - no more than 5 dB(A) above the rating background level at any residence in accordance with the ICNG, and - no more than the 'Noise affected' NMLs specified in Table 3 of the ICNG at other sensitive land use(s); and - construction that causes LAFmax noise levels no more than 15 dB above the rating background level at any residence during the night period as defined in the ICNG. and - construction that causes: - continuous or impulsive vibration values, measured at the most affected residence no more than the preferred values for human exposure to vibration, specified in Table 2.2 of <i>Assessing Vibration: a technical guideline</i> (DEC, 2006), or - intermittent vibration values measured at the most affected residence no more than the preferred values for human exposure to vibration, specified in Table 2.4 of <i>Assessing Vibration: a technical guideline</i> (DEC, 2006). - By Approval, including: - where different construction hours, such as those for a rail possession, are permitted under an EPL in force in respect of the CSSI; or - works which are not subject to an EPL that are approved under an Out-of-Hours Work Protocol as required by Condition E72; or - negotiated agreements with directly affected residents and sensitive land use(s).	Section 2.3
E72	An Out-of-Hours Work Protocol must be prepared to identify a process for the consideration, management and approval of work which is outside the hours defined in Conditions E69, and that are not subject to an EPL. The Protocol must be approved by the Planning Secretary before commencement of the Out-of-Hours Work. The Protocol must be prepared in consultation with the ER, AA and EPA.	The CNVMP, Section 2.4



CoA	Requirement	Reference
	The Protocol must include: a) identification of low and high-risk activities and an approval process that considers the risk of activities, proposed mitigation, management, and coordination, including where: i. the ER and AA review all proposed out-of-hours activities and confirm their risk levels, ii. low risk activities can be approved by the ER in consultation with the AA, and iii. high risk activities that are approved by the Planning Secretary; b) a process for the consideration of out-of-hours work against the relevant NML and vibration criteria; c) a process for selecting and implementing mitigation measures for residual impacts in consultation with the community at each affected location, including respite periods. The measures must take into account the predicted noise levels and the likely frequency and duration of the out-of-hours works that sensitive land use(s) would be exposed to, including the number of noise awakening events; d) procedures to facilitate the coordination of out-of-hours work including those approved by an EPL or undertaken by a third party, to ensure appropriate respite is provided; and e) notification arrangements for affected receivers for approved out-of-hours work and notification to the Planning Secretary of approved low risk out-of-hours works. This condition does not apply if the requirements of Condition E71 are met.	
E73	Except as permitted by an EPL, out-of-hours work that may be regulated through the Out-of-Hours Work Protocol as per Condition E72, but is not limited to: a) Carrying out work that if carried out during standard hours would result in a high risk to construction personnel or public safety based on a risk assessment carried out in accordance with AS/NZS ISO 31000:2009: "Risk management; or b) where the relevant roads authority has advised the Proponent in writing that carrying out the work during standard hours would result in a high risk to road network performance and a road occupancy licence will not be issued; or c) where the relevant utility service operator has advised the Proponent in writing that carrying out the work during standard hours would result in a high risk to the operation and integrity of the utility network; or d) work undertaken in a rail possession for operational or safety reasons. <i>Note: Other out-of-hours works can be undertaken with the approval of an EPL, or through the project's Out-of-Hours Work Protocol for works not subject to an EPL.</i>	Section 2.3
E74	Mitigation measures must be implemented with the aim of achieving the following construction noise management levels and vibration objectives: a) construction 'Noise affected' NMLs established using the Interim Construction Noise Guideline (DECC, 2009); b) vibration criteria established using <i>the Assessing vibration: a technical guideline</i> (DEC, 2006) (for human exposure); c) Australian Standard AS 2187.2 - 2006 "<i>Explosives - Storage and Use - Use of Explosives</i>"; d) BS 7385 Part 2-1993 "<i>Evaluation and measurement for vibration in buildings Part 2</i>" as they are "applicable to Australian conditions"; and e) the vibration limits set out in the <i>German Standard DIN 4150-3: Structural Vibration- effects of vibration on structures</i> (for structural damage).	The CNVMP, Section 4.0, Section 8.0



CoA	Requirement	Reference
	Work that exceeds the noise management levels and/or vibration criteria must be managed in accordance with the Noise and Vibration CEMP sub-plan. <i>Note: The ICNG identifies 'particularly annoying' activities that require the addition of 5 dB(A) to the predicted level before comparing to the construction NML.</i>	
E75	Mitigation measures must be applied when the following residential ground-borne noise levels are exceeded: a) evening (6:00 pm to 10:00 pm) — internal LAeq(15 minute): 40 dB(A); and b) night (10:00 pm to 7:00 am) — internal LAeq(15 minute): 35 dB(A). The mitigation measures must be outlined in the Noise and Vibration CEMP sub-plan, including in any Out-of-Hours Work Protocol, required by Condition E72.	Section 4.2.3
E76	Noise generating work in the vicinity of community, religious, educational institutions, noise and vibration-sensitive businesses and critical working areas (such as exam halls, theatres, laboratories and operating theatres) resulting in noise levels above the NMLs must not be timetabled during sensitive periods, unless other reasonable arrangements with the affected institutions are made at no cost to the affected institution.	Section 8.0
E77	At no time can noise generated by construction exceed the National Standard for exposure to noise in the occupational environment of an eight-hour (8hr) equivalent continuous A-weighted sound pressure level of LAeq,8h of 85 dB(A) for any employee working at a location near the CSSI.	Section 8.6
E78	Construction Noise and Vibration Impact Statements (CNVIS) must be prepared for work that may exceed the noise management levels, vibration criteria and/or ground-borne noise levels specified in Condition E74 and Condition E75 at any residence outside construction hours identified in Condition E69, or where receivers will be highly noise affected. The CNVIS must include specific mitigation measures identified through consultation with affected sensitive land use(s) and the mitigation measures must be implemented for the duration of the works. A copy of the CNVIS must be provided to the AA and ER prior to the commencement of the associated works. The Planning Secretary may request a copy/ies of CNVIS.	This report, Section 8.5
E79	Owners and occupiers of properties at risk of exceeding the screening criteria for cosmetic damage must be notified before work that generates vibration commences in the vicinity of those properties. If the potential exceedance is to occur more than once or extend over a period of 24 hours, owners and occupiers are to be provided a schedule of potential exceedances on a monthly basis for the duration of the potential exceedances, unless otherwise agreed by the owner and occupier. These properties must be identified and considered in the Noise and Vibration CEMP Sub-plan required by Condition C8 and the Community Communication Strategy required by Condition B1.	Section 8.0
E80	Vibration testing must be undertaken before and during vibration generating activities that have the potential to impact on heritage items to identify minimum working distances to prevent cosmetic damage. In the event that the vibration testing and attended monitoring shows that the preferred values for vibration are likely to be exceeded, the construction methodology must be reviewed and, if necessary, additional mitigation measures implemented.	Section 6.1, Section 8.0
E81	Advice from an independent heritage specialist must be sought on methods and locations for installing equipment used for vibration, movement and noise monitoring at heritage-listed structures. <i>Note: The heritage specialist is to provide advice prior to installing equipment that may impact the heritage significance or structural integrity of the heritage listed structures.</i>	Section 8.0
E83	All work undertaken for the delivery of the CSSI, including those undertaken by third parties (such as utility relocations), must be coordinated to ensure respite periods are provided. This must include:	Section 8.0, Section 8.2



CoA	Requirement	Reference
	a) rescheduling work to provide respite to impacted noise sensitive land use(s) so that the respite is achieved; or b) the provision of alternative respite or mitigation to impacted noise sensitive land use(s); and c) the provision of documentary evidence to the AA in support of any decision made in relation to respite or mitigation. The consideration of respite must also include all other CSSI, SSI and SSD projects which may cause cumulative and/or consecutive impacts at receivers affected by the delivery of the CSSI.	
E119	The Proponent must coordinate Work with adjoining Inland Rail Projects, including any work to relocate or connect utilities, to minimise cumulative and consecutive noise and vibration impacts and maximise respite for affected sensitive land uses. Coordination and mitigation measures must be detailed in the Construction Noise and Vibration management Sub-plan required by Condition C9.	Section 8.0, Section 8.2, Section 9.0
E122	Property damage caused directly or indirectly (for example from vibration or from groundwater change) by the construction or operation must be rectified at no cost to the owner. Alternatively, compensation may be provided for the property damage as agreed with the property owner.	Section 6.1



1.0 Introduction

SLR Consulting Australia Pty Ltd (SLR) has been engaged by Martinus Rail (MR) to prepare a construction noise and vibration impact statement (CNVIS) for the clearance work at the Uranquinty Yard in Uranquinty, NSW. This site forms part of the Albury to Illabo (A2I) section of Inland Rail (the Project). This assessment has been prepared in accordance with the Construction Noise and Vibration Management Plan (CNVMP) for the A2I section of the Project.

This report assesses the potential construction noise and vibration impacts for the work associated with the Uranquinty Yard clearance site. An explanation of the specialist acoustic terminology used in this report is provided in **Appendix A**.

2.0 Project Description

Inland Rail is an approximate 1,600 kilometres (km) freight rail network that will connect Beveridge and Kagaru via regional Victoria, New South Wales and Queensland. The Inland Rail route would involve using approximately 1,000 km of existing track (with enhancements and upgrades where necessary) and 600 km of new track, passing through 30 local government areas. Inland Rail will accommodate double-stacked freight trains up to 1,800 metres (m) long and 6.5 m high.

The Albury to Illabo (A2I) section (the Project) forms a key component of the Inland Rail program. It is a 185 km section of existing rail corridor located in regional NSW between the towns of Albury and Illabo. Works would include track realignment, lowering and/or modification within the existing rail corridor, modification, removal or replacement of bridge structures (rail, road and/or pedestrian bridges), raising or replacing signal gantries, level-crossing modifications and other associated works. This CNVIS is associated with the Uranquinty Yard clearance work.

Relevant noise and vibration conditions from the Conditions of Approval (CoA) are detailed within the compliance table at the beginning of this document and will be complied with during the work.

2.1 Scope of this CNVIS

The focus of this CNVIS is the clearance work associated with the Uranquinty Yard site. Work at this site includes:

- Site Establishment
- Site Compound Operation
- Geotechnical Investigation and Contamination Sampling (SAQP)
- Track Work and subsequent track tamping
- Drainage Work
- Signalling Work
- Sandy Creek Bridge Upgrade Work
- Level Crossing Work
- Gantry Modification

Further details of work activities are outlined in **Section 5.1**. The work areas are surrounded by mostly suburban residential, some commercial, industrial, and educational receivers. Additionally, there are places of worship and childcare centres at various setback from the main areas of work. The Project location, work areas and surrounding receivers are shown in **Figure 1**



2.2 Hours of work

In accordance with the Construction Noise and Vibration Management Plan (CNVMP) and CoA E69 construction work must be undertaken within the approved standard construction hours:

- a) 7:00am to 6:00pm Monday to Friday, inclusive;
- b) 7:00am to 6:00pm Saturday and
- c) At no time on Sundays or public holidays.

2.2.1 Highly Noise Intensive Work

As outlined in the CoA E70, any highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken:

- a) Between 08:00am – 06:00pm Monday to Friday;
- b) Between 08:00am – 01:00pm Saturday; and
- c) If continuously, then not exceeding (3) hours, with a maximum cessation of work of not less than one hour.

The CoA defines ‘highly noise intensive works’ as those identified as annoying under the Interim Construction Noise Guideline (ICNG) and include:

- Use of power saws, such as used for cutting timber, rail lines, masonry, road pavement or steel work;
- Grinding metal, concrete or masonry;
- Rock drilling;
- Line drilling;
- Vibratory rolling;
- Bitumen milling or profiling;
- Jackhammering, rock hammering or rock breaking;
- Impact piling; and
- Tamping (for rail projects).

2.3 Variation to hours of work

Notwithstanding CoA E69 and E70, work may be undertaken outside the hours specified in the CoA E71 circumstances (a, b, or c):

- a) Safety and Emergencies
- b) Work, that meets specific criteria
- c) By Approval

Note: refer to **Compliance Table** for further detail.



2.4 Justification of Out of Hours Work (OOHW)

Work activities that may be required or proposed to be undertaken outside of standard working hours will be managed in accordance with the OOHW Protocol as defined in CoA E72 and E73, unless the work is regulated by an EPL.

All work on or adjacent to roads would be carried out in accordance with a relevant Traffic Control Plan (TCP), Road Occupancy Licence (ROL) and/or rail possession to facilitate safe work near live road/rail traffic. Where an ROL/rail possession cannot be obtained for the approved project hours and/or proposed works cannot be undertaken safely during these hours, some works will be required to be undertaken outside of standard hours (ie Out of Hours Work, OOHW).

As outlined in the ICNG, work undertaken on public infrastructure may need to be undertaken outside the recommended standard hours. For this project the need is based on a requirement to sustain the operational integrity of public infrastructure, as works to restore operation of the infrastructure provide benefit to the greater community (ie more than just local residents).

Further detail around the specific work tasks, duration and justification of OOHW must be identified in the OOHW permit, required by the OOHW Protocol or EPL.

3.0 Existing Environment

The existing ambient noise environment was described in Environmental Impact Statement (EIS), Technical Paper 6 – Noise and Vibration (Non-Rail) for the Albury to Illabo project. This section provides details of the existing ambient noise environment relevant to the Uranquinty clearance work.

The noise catchment area (NCA) used is consistent with the NCAs described in the EIS and is shown in **Figure 1** with receiver classifications. Sensitive land uses and receiver classifications within the project area were confirmed through a detailed land use survey undertaken in August 2024. Results of the land use survey have been incorporated into the receiver classifications shown in **Figure 1**.

3.1 Background Noise Levels

Background noise levels have been referenced from the baseline noise survey undertaken as part of the EIS and reproduced in the CNVMP. The background noise levels relevant to the Uranquinty Yard enhancement site are summarised in **Table 1**.

Table 1 Ambient Noise Levels

Noise Monitoring Location	NCA	Rating background Level (RBL) dBA NPfI defined time periods ¹		
		Daytime period	Evening period	Night-time period
7 ³	NCA09	39	39 (41 ²)	30


Note 1: The assessment periods are the daytime which is 7 am to 6 pm Monday to Saturday and 8 am to 6 pm on Sundays and public holidays, the evening which is 6 pm to 10 pm, and the night-time which is 10 pm to 7 am on Monday to Saturday and 10 pm to 8 am on Sunday and public holidays. See the NSW EPA Noise Policy for Industry (NPfI).

Note 2: The evening RBL data has been reduced to the daytime period RBL in this case (bracketed figures indicates the measured value)

Note 3: Noise monitoring location was adopted from Location 7 (1-3 Plunkett Street, Yerong Creek) as outlined in the EIS, Technical Paper 06 - Noise and Vibration (Non-Rail).



H:\Projects-SLR\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A21\07 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.qgz



LEGEND

A2I Rail Alignment

NCAs

Receiver Classifications

Residential

Commercial/Industrial

Other (Education)

Other (Medical)

Other (Place of Worship)

Other (Childcare)

Other (Hotel)

Heritage

State Heritage

Local Heritage

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 26-Jun-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

Receiver Classifications

FIGURE 1

4.0 Assessment Criteria

4.1 Construction Noise and Vibration Guidelines

The standards and guidelines relevant to the Project are listed in **Table 2**. These guidelines aim to protect the community and environment from excessive noise and vibration impacts during construction of projects.

Table 2 Construction Noise and Vibration Standards and Guidelines

Guideline/Policy Name	Where Guideline Used
<i>Inland Rail NSW Construction Noise and Vibration Framework</i> (CNVF)	Assessment and management protocols for airborne noise, ground-borne noise and vibration impacts for construction of NSW Inland Rail projects
<i>Interim Construction Noise Guideline</i> (ICNG) (DECC, 2009)	Assessment of airborne noise impacts on sensitive receivers
<i>Environmental Criteria for Road Traffic Noise</i> (ECRTN) (EPA, 1999)	Contains guidance for assessing potential sleep disturbance impacts
<i>Road Noise Policy</i> (RNP) (DECCW, 2011)	Assessment of construction traffic impacts
<i>BS 7385 Part 2-1993 Evaluation and measurement for vibration in buildings Part 2</i> , BSI, 1993	Assessment of vibration impacts (structural damage) to non-heritage sensitive structures
<i>DIN 4150:Part 3-2016 Structural vibration – Effects of vibration on structures</i> , Deutsches Institut für Normung, 2016	Screening assessment of vibration impacts (structural damage) to heritage sensitive structures, where the structure is found to be unsound
<i>Assessing Vibration: a technical guideline</i> (DEC, 2006)	Assessment of vibration impacts on sensitive receivers
<i>AS2187.2:2006 Explosives – Storage and use Part 2: Use of explosives</i>	Assessment of impacts from blasting activities
<i>Construction Noise and Vibration Guideline (Public Transport Infrastructure)</i> (CNVG-PTI) (Transport for NSW, 2023)	Utilised for minimum working distances for vibration intensive work.

4.2 Noise Management Levels

The noise management levels (NMLs) for residential and other sensitive receivers have been adopted from the CNVMP, as determined in the EIS. Receiver types and locations are shown **Figure 1**.

4.2.1 Residential Receivers

Project-specific NMLs for residential receivers were determined for the NCA. NMLs for other sensitive receivers are fixed values adopted from the Interim Construction Noise Guideline (ICNG) (DECC, 2009) and outlined in the CNVMP. Residential NMLs for the NCA surrounding the Uranquinty Yard enhancement site is shown in **Table 3**.



Table 3 Residential Noise Management Levels

NCA	Noise Management Level (LAeq(15minute) - dB)				Sleep disturbance Screening Level (RBL +15dB or 52 dB)	Sleep Awakening Reaction Level
	Approved Hours (RBL +10dB)	Out of Hours ^{1,2}				
		Daytime (RBL +5dB)	Evening (RBL +5dB)	Night-time (RBL +5dB)		
NCA09	49	44	44	35	52	65

Note 1: The assessment periods are the daytime which is 7 am to 6 pm Monday to Saturday and 8 am to 6 pm on Sundays and public holidays, the evening which is 6 pm to 10 pm, and the night-time which is 10 pm to 7 am on Monday to Saturday and 10 pm to 8 am on Sunday and public holidays. See the NSW EPA Noise Policy for Industry (NPfI).

Highly Noise Affected

In addition to the NMLs presented above, the ICNG highly noise affected level (>75 dBA) represents the point above which there may be strong community reaction to noise and is applicable to all residential receivers during approved project hours as outlined in the CNVMP and the ICNG.

Sleep Disturbance

Where the sleep disturbance screening level (RBL + 15 dB or 52 dB, whichever is greater, see **Table 3**) is exceeded, further assessment is required to determine whether the 'awakening reaction' level of LA_{max} 65 dBA (external) would be exceeded and the likely number of these events. The awakening reaction level is the level above which residents are likely to be awoken from sleep.

4.2.2 Other Sensitive Land Uses and Commercial Receivers

The ICNG NMLs for 'other sensitive' non-residential land uses are shown in **Table 4**.

The ICNG references *AS2107:2016 Acoustics – Recommended design sound levels and reverberation times for building interiors* for criteria for 'other sensitive' receivers which are not listed in the guideline. Neither the ICNG nor AS2107 provide criteria for child care centres so the Association of Australian Acoustical Consultants *Guideline for Child Care Centre Acoustic Assessment* (GCCCAA) has been referenced.

Table 4 NMLs for 'Other Sensitive' Receivers

Land Use	Noise Management Level LAeq(15minute) (dB) (Applied when the property is in use)	
	Internal	External
ICNG 'Other Sensitive' Receivers		
Classrooms at schools and other educational institutions	45	55 ^{1,5}
Hospital wards and operating theatres	45	65 ²
Places of worship	45	55 ¹
Active recreation areas (characterised by sporting activities which generate noise)	-	65
Passive recreation areas (characterised by contemplative activities that generate little noise)	-	60
Commercial	-	70
Industrial	-	75



Land Use	Noise Management Level LAeq(15minute) (dB) (Applied when the property is in use)	
	Internal	External
Non-ICNG ‘Other Sensitive’ Receivers		
Hotel – daytime & evening ³	50	60 ^{1,5}
Hotel – night-time ³	35	45 ^{1,5}
Child care centres – activity areas ⁴	40	50 ^{1,5}
Child care centres – sleeping areas ⁴	35	45 ^{1,5}
Library ³	45	55 ¹
Public Building ³	50	60 ¹
Aged Care	Considered as Residential	

Note 1: It is assumed that these receivers have windows partially open for ventilation which results in internal noise levels being around 10 dB lower than the external noise level.

Note 2: It is assumed that these receivers have fixed windows which conservatively results in internal noise levels being around 20 dB lower than the external noise level.

Note 3: Criteria taken from AS2107.

Note 4: Criteria taken from Association of Australian Acoustical Consultants Guideline for Child Care Centre Acoustic Assessment.

Note 5: Some receivers near highways or rail lines may have building façade mitigation and air-conditioning. Where evidence is provided a 20dB reduction from external to internal may be adopted.

4.2.3 Ground-borne Noise

Construction work can cause ground-borne (structure-borne or regenerated) noise impacts in nearby buildings when vibration intensive equipment is in use, such as during tunnelling or excavation work using tunnel boring machines, roadheaders or rockbreakers. Vibration can be transmitted through the ground and into nearby buildings, which can then create audible noise impacts inside the building.

Ground-borne noise NMLs are applicable where ground-borne noise levels are likely to be higher than airborne noise levels, which can occur where work is underground or where surface work is shielded by noise barriers, other structures or façade mitigation at the receiver. Ground-borne noise is generally found to generate impacts during the evening and night-time periods when ambient noise levels are often much lower, and ground-borne noise is more prominent.

The internal ground-borne noise NMLs for residential receivers are shown in **Table 5**.

Table 5 Internal ground-borne NMLs

Receiver Type	Noise Management Level (LAeq(15minute) – dBA)		
	Daytime ¹	Evening ²	Night-time ²
Residential	n/a	40	35

Note 1: Daytime ground-borne noise NMLs are not specified in the ICNG or CoA.

Note 2: Specified in the ICNG and CoA E75.

For other sensitive receivers, the ICNG does not provide guidance in relation to acceptable ground-borne noise levels. For the purpose of this CNVIS, the internal airborne NMLs presented in **Table 4** will also be adopted for ground-borne noise.



4.3 Vibration Criteria

The effects of vibration from construction work can be divided into three categories:

- Those in which the occupants of buildings are disturbed (**human comfort**). People can sometimes perceive vibration impacts when vibration generating construction work is located close to occupied buildings. Vibration from construction work tends to be intermittent in nature and the EPA's Assessing Vibration: a technical guideline (2006) (AV:ATG) provides criteria for intermittent vibration based on the Vibration Dose Value (VDV), as shown in **Table 6**. While the construction activities for the proposal are generally not expected to result in continuous or impulsive vibration impacts, corresponding criteria are provided in **Table 7**.
- Those where building contents may be affected (**building contents**). People perceive vibration at levels well below those likely to cause damage to building contents. For most receivers, the human comfort vibration criteria are the most stringent and it is generally not necessary to set separate criteria for vibration effects on typical building contents. Exceptions to this can occur when vibration sensitive equipment, such as electron microscopes or medical imaging equipment, are in buildings near to construction work. No such equipment has been identified in the study area.
- Those where the integrity of the building may be compromised (**structural/cosmetic damage**). If vibration from construction work is sufficiently high it can cause cosmetic damage to elements of affected buildings. Industry standard cosmetic damage vibration limits are specified in British Standard BS 7385 and German Standard DIN 4150. The limits are shown in **Table 8** and **Table 9**.

Table 6 Human Comfort Vibration – Vibration Dose Values for Intermittent Vibration

Building Type	Assessment Period	Vibration Dose Value ¹ (m/s ^{1.75})	
		Preferred	Maximum
Critical Working Areas (eg operating theatres or laboratories)	Day or night-time	0.10	0.20
Residential	Daytime	0.20	0.40
	Night-time	0.13	0.26
Offices, schools, educational institutions and places of worship	Day or night-time	0.40	0.80
Workshops	Day or night-time	0.80	1.60

Note 1: The VDV accumulates vibration energy over the daytime and night-time assessment periods, and is dependent on the level of vibration as well as the duration.



Table 7 Human Comfort Vibration – Preferred and Maximum Weighted Root Mean Square Values for Continuous and Impulsive Vibration Acceleration (m/s²) 1–80 Hz

Location	Assessment period	Preferred values		Maximum values	
		z-axis	x- and y-axis	z-axis	x- and y-axis
Continuous vibration					
Residential	Daytime	0.010	0.0071	0.020	0.014
	Night-time	0.007	0.005	0.014	0.010
Offices, schools, educational institutions and places of worship	Day or night-time	0.020	0.014	0.040	0.028
Workshops	Day or night-time	0.04	0.029	0.080	0.058
Impulsive vibration					
Residential	Daytime	0.30	0.21	0.60	0.42
	Night-time	0.10	0.071	0.20	0.14
Offices, schools, educational institutions and places of worship	Day or night-time	0.64	0.46	1.28	0.92
Workshops	Day or night-time	0.64	0.46	1.28	0.92

Table 8 Cosmetic Damage – BS 7385 Transient Vibration Values for Minimal Risk of Damage

Group	Type of Building	Peak Component Particle Velocity in Frequency Range of Predominant Pulse	
		4 Hz to 15 Hz	15 Hz and Above
1	Reinforced or framed structures. Industrial and heavy commercial buildings	50 mm/s at 4 Hz and above	
2	Unreinforced or light framed structures. Residential or light commercial type buildings	15 mm/s at 4 Hz increasing to 20 mm/s at 15 Hz	20 mm/s at 15 Hz increasing to 50 mm/s at 40 Hz and above

Note 1: Where the dynamic loading caused by continuous vibration may give rise to dynamic magnification due to resonance, especially at the lower frequencies where lower guide values apply, then the guide values may need to be reduced by up to 50%.

Table 9 Cosmetic Damage – DIN 4150 Guideline Values for Short-term Vibration on Structures

Group	Type of Structure	Guideline Values Vibration Velocity (mm/s)				
		Foundation, All Directions at a Frequency of			Topmost Floor, Horizontal	Floor Slabs, Vertical
		1 to 10 Hz	10 to 50 Hz	50 to 100 Hz	All frequencies	All frequencies
1	Buildings used for commercial purposes, industrial buildings and buildings of similar design	20	20 to 40	40 to 50	40	20
2	Residential buildings and buildings of similar design and/or occupancy	5	5 to 15	15 to 20	15	20



Group	Type of Structure	Guideline Values Vibration Velocity (mm/s)				
		Foundation, All Directions at a Frequency of			Topmost Floor, Horizontal	Floor Slabs, Vertical
		1 to 10 Hz	10 to 50 Hz	50 to 100 Hz	All frequencies	All frequencies
3	Structures that, because of their particular sensitivity to vibration, cannot be classified as Group 1 or 2 and are of great intrinsic value (eg heritage listed buildings)	3	3 to 8	8 to 10	8	20 ¹

Note 1: It may be necessary to lower the relevant guideline value markedly to prevent minor damage.

4.3.1 Heritage Buildings or Structures

Heritage listed buildings and structures should be considered on a case-by-case basis but BS 7385 notes that buildings of historical value should not be assumed to be more sensitive to vibration, unless structurally unsound. Where a heritage building is deemed to be sensitive, the more stringent DIN 4150 Group 3 guideline values in **Table 9** can be applied.

Heritage Structures

Table 10 includes heritage structures from the State Heritage Register, Local Heritage Items and Local Environment Plan that are within close proximity to the construction work areas for Uranquinty Yard Precinct.

Table 10 Heritage Items Nearby Construction Work Areas

Heritage Item	Listing	Construction/Condition
Uranquinty Silos	Local (Wagga Wagga LEP) I296,	These concrete silos are commonly found dolled along railway lines, are the first structures associated with large-scale grain handling in the region and have a landmark quality. The Uranquinty Silos are approximately 15m from the work area.
Uranquinty Hotel (34 Morgan Street, Uranquinty, New South Wales 2652)	Local (Wagga Wagga LEP) I289,	Long low building with a prominent central gable projection featuring decorative half timbering to the gable end. The hip roof is clad with corrugated iron. There are a series of doors and windows along the front elevation and a front verandah to either side of the projection. The Uranquinty Silos are approximately 72 m from the work area.
St Patrick's Roman Catholic Church (22 Morgan Street, Uranquinty, New South Wales 2652)	Local (Wagga Wagga LEP) I288,	A red brick church with a steeply pitched gable roof with exposed rafters. Features include buttresses and timber lancet windows. White painted render detailing to the buttresses and window heads. There has been a sympathetic extension to the rear corner. The St Patrick's Roman Catholic Church are approximately 82 m from the work area.
Uranquinty General Store (29 Pearson Street, Uranquinty, New South Wales 2652)	Local (Wagga Wagga LEP) I290,	This former general store was until recent times the focus of the Uranquinty community and is of historical and social significance. Brick construction with a corrugated iron roof and an awning verandah. There is a fixed timber bench on the footpath to the front of the building. The Uranquinty General Store is approximately 69 m from the work area.
Uranquinty General Store Post Boxes (28	Local (Wagga Wagga LEP) I291,	Filigree-fronted mailboxes. The top half is solid metal to accommodate a keyhole. The mailboxes are located on the front wall of the former general store, beneath the awning verandah.



Heritage Item	Listing	Construction/Condition
Morgan Street, Uranquinty, New South Wales 2652)		The Uranquinty General Store Post Boxes are approximately 68 m from the work area.
Memorial Avenue	Local (Wagga Wagga LEP) I304,	This avenue of White Cedar trees has social significance as it was planted as a war memorial. Local significance. A row of White Cedars line the west side of Pearson Street (northern block only). Memorial Avenue is approximately 72 m from the work area.
Uranquinty School (Pearson Street, Uranquinty, New South Wales 2652)	Local (Wagga Wagga LEP) I297,	Historical, aesthetic and social significance to the community of Uranquinty and district and a focus for the community. An attractive red brick Federation era school building with a hip roof featuring half timbering to the gables. A previously encircling verandah has been partly enclosed with weatherboard. The brick chimney is well detailed and there are air vents to the roof. The Uranquinty School is approximately 65 m from the work area.
Uranquinty Hall	Local (Wagga Wagga LEP) I295,	Historical, aesthetic and social significance and an important focus for the town as a centre of recreation activities. Unusual wall detailing and intact interior. Pressed metal hall with gable roof. Side walls are corrugated iron. Ripple iron to two metres, then pressed metal with a scale pattern. Interior original and very attractive with polished cypress pine stage and benches. Half timbering effect to front gable. The Uranquinty Hall is approximately 100 m from the work area.
Ganawarra	Local (Wagga Wagga LEP) I294,	Historical, aesthetic and social significance to the town of Uranquinty, and an attractive element in the streetscape. Red brick residence with a corrugated iron hip roof and encircling bullnose verandah with decorative timber brackets. Ganawarra is approximately 100 m from the work area.

The heritage items located near the construction work zone in Uranquinty Yard include Uranquinty Hall, Uranquinty School, St Patrick's Roman Catholic Church, the Uranquinty General Store Post Boxes, and Memorial Avenue.

Further information on the heritage items in **Table 10** are provided in the Construction Cultural Heritage Management Plan (CCHMP). No structures nearby the work areas identified in this CNVIS are flagged as structurally unsound in the CCHMP.

Pre- and post-condition surveys of heritage structures are to be conducted when relevant (ie if the heritage buildings are within the minimum working distances for heritage items for nominated vibration-intensive equipment) refer to **Section 4.3.3** and **Section 6.1**.

4.3.2 Buried Pipework and Utilities

The German Standard DIN 4150-3:1999 "Structural Vibration Part 3: Effects of vibration in structures" provides guideline values for evaluating the effect of vibration on buried pipework. The values are based on the assumption that pipes have been manufactured and laid using current technology. Additional considerations may be required at junctions. The recommended limits for short term vibration to ensure minimal risk of damage are presented numerically in **Table 11**.



Table 11 Guideline Values for Short Term Vibration on Buried Pipework

Line	Pipe Material	Guideline value at the Pipe ^{1,2} (PPV mm/s)
1	Steel (including welded pipes)	100
2	Clay, concrete, reinforced concrete, pre stressed concrete, metal (with or without flange)	80
3	Masonry, plastic ³	50

Note 1: Mounting equipment directly onto pipes may not be possible. If the vibration source is not immediately next to the pipework, measurements can be made on the ground surface to obtain an estimate. Generally, this vibration level will be greater than the level measured directly on the pipework.

Note 2: The guideline values may be reduced by 50% without further analysis when evaluating the effects of long-term vibration on buried pipework.

Note 3: Drainpipes shall be evaluated using the values given for Line 3.

Buried Pipework and Utilities

No buried pipework or utilities have been identified in this CNVIS at risk of impact from vibration. Therefore, no additional consideration or assessment has been undertaken in relation to buried pipework and utilities. Where buried pipework or utilities are uncovered during works, they should be identified and managed in accordance with the measures outlined in the CNVMP.

4.3.3 Minimum Working Distances for Vibration Intensive Work

Minimum working distances for typical vibration intensive construction equipment have been sourced from the Transport for NSW (TfNSW) Construction Noise and Vibration Guideline (Public Transport Infrastructure) (CNVG-PTI) and are shown in **Table 12**. The minimum working distances are for both cosmetic damage (from BS 7385 and DIN 4150) and human comfort (from the NSW EPA Assessing Vibration: a technical guideline). They are calculated from empirical data which suggests that where work is further from receivers than the quoted minimum distances then impacts are not considered likely.

The minimum working distances listed in the CNVG were used to derive the minimum working distances required for cosmetic damage to industrial and heavy commercial buildings (also reinforced or framed structures). The following pseudo-power law relationship has been used in the derivations:

$$V_2 = V_1 \times \left(\frac{D_1}{D_2} \right)^B$$

where a site exponent value of B = 1.6 is adopted for the calculations, as per AS2187.2:2006

Table 12 Recommended Minimum Working Distances from Vibration Intensive Equipment

Plant Item	Rating/Description	Minimum Distance			
		Cosmetic Damage			Human Response (NSW EPA Guideline) ²
		Residential and Light Commercial (BS 7385)	Heritage Items ¹ (DIN 4150, Group 3)	Industrial and Heavy Commercial (BS 7385)	
Vibratory Roller	<50 kN (1–2 tonne)	5 m	11 m	3 m	15 m to 20 m
	<100 kN (2–4 tonne)	6 m	13 m	3 m	20 m
	<200 kN (4–6 tonne)	12 m	25 m	6 m	40 m



Plant Item	Rating/Description	Minimum Distance			
		Cosmetic Damage			Human Response (NSW EPA Guideline) ²
		Residential and Light Commercial (BS 7385)	Heritage Items ¹ (DIN 4150, Group 3)	Industrial and Heavy Commercial (BS 7385)	
	<300 kN (7–13 tonne)	15 m	31 m	8 m	100 m
	>300 kN (13–18 tonne)	20 m	40 m	10 m	100 m
	>300 kN (>18 tonne)	25 m	50 m	12 m	100 m
Small Hydraulic Hammer	300 kg (5 to 12 t excavator)	2 m	5 m	1 m	7 m
Medium Hydraulic Hammer	900 kg (12 to 18 t excavator)	7 m	15 m	4 m	23 m
Large Hydraulic Hammer	1,600 kg (18 to 34 t excavator)	22 m	44 m	11 m	73 m
Vibratory Pile Driver	Sheet piles	2 m to 20 m	5 m to 40 m	1 to 10 m	20 m
Piling Rig – Bored	≤ 800 mm	2 m (nominal)	5 m	1 m	4 m
Jackhammer	Hand held	1 m (nominal)	3 m	1 m	2 m
Ballast Tamping ²	N/A	5 m	10 m	3 m	30 m

Note 1: Minimum working distances for heritage items that have been identified as structurally unsound or otherwise particularly sensitive to vibration. These distances have been calculated based on the 2.5 mm/s PPV criteria from DIN 4150 and the cosmetic damage minimum working distances presented in the CNVG-PTI with reference to BS 7385.

Note 2: Based on SLR measurement data. The human response minimum working distance for Ballast Tamping is determined based on a residential night-time preferred VDV criterion.

The minimum working distances are indicative and will vary depending on the particular item of equipment and local geotechnical conditions. The distances apply to cosmetic damage of typical buildings under typical geotechnical conditions.

4.4 Traffic on Surrounding Roads

The potential impacts from project related traffic on the surrounding public roads are assessed using the NSW EPA *Road Noise Policy* (RNP). An initial screening test is first applied to evaluate if existing road traffic noise levels are expected to increase by more than 2.0 dB. Where this is considered likely, further assessment is required using the RNP criteria shown in **Table 13**.

Table 13 RNP/NCG Criteria for Assessing Traffic on Public Roads

Road Category	Type of Project/Land Use	Assessment Criteria (dB)	
		Daytime (7 am – 10 pm)	Night-time (10 pm – 7 am)
Freeway/arterial/sub-arterial roads	Existing residences affected by additional traffic on existing freeways/arterial/sub-arterial roads generated by land use developments	LAeq(15hour) 60 (external)	LAeq(9hour) 55 (external)
Local roads	Existing residences affected by additional traffic on existing local roads generated by land use developments	LAeq(1hour) 55 (external)	LAeq(1hour) 50 (external)



5.0 Noise Assessment

The potential construction noise levels from the Project have been predicted using ISO 9613:2 algorithm in SoundPLAN noise modelling software. The model includes ground topography, buildings and representative noise sources from the Project.

5.1 Work Scenarios

Noise modelling scenarios have been determined based on key Project noise generating stages, supplied by the Project team. A detailed description of each work scenario and the total sound power levels (Lw) are provided in **Table 14**. A summary of construction work periods and schedule required for each scenario is shown in **Table 15**, as per the working hours defined in the CNVMP. The locations of the various work scenarios are shown in **Figure 2**.

Table 14 Work Scenario Descriptions

ID	Scenario	Description	Total Lw
W.001	Site Establishment / Demobilisation	- Site Compound delivery and set up - Access road and laydown construction	115
W.002	Compound Operation	- Operation of the site compound - Delivery of materials / equipment	113
W.003	Contamination Sampling (SAQP)	Contamination Sampling: Sampling and Analysis Quality Plan (SAQP)	116
W.004	Geotechnical Investigation	Geotechnical Investigation	111
W.005	Track Work - Peak	Track Work including highly noise intensive work	120
W.006	Track Work - Typical	Track Work excluding highly noise intensive work	116
W.007	Track Tamping	Tamping following track work	118
W.008	Drainage Work	Drainage Work	117
W.009	Signalling Work	Installation of Signalling Infrastructure	114
W.010	Sandy Creek Bridge Work - Peak	Bridge Work including highly noise intensive work	115
W.011	Sandy Creek Bridge Work - Typical	Bridge Work including highly noise intensive work	112
W.012	Level Crossing Work - Peak	Level Crossing Work including highly noise intensive work	124
W.013	Level Crossing Work - Typical	Level Crossing Work excluding highly noise intensive work	119
W.014	Removal of Signal Gantry and Footings	Removal of Signal Gantry and Footings	120



Table 15 Scenarios and Periods of Work

ID	Scenario	Hours of Work				Indicative Start Date	Likely Duration
		Approved Hours	Out-of-Hours Work ⁴				
			Day OOH ¹	Evening ²	Night ³		
W.001	Site Establishment / Demobilisation	✓	✓	-	-	Jul-26	1 month
W.002	Compound Operation	✓	✓	✓	✓	Jul-26	3 months
W.003	Contamination Sampling (SAQP)	✓	-	-	-	Jul-25	2 weeks
W.004	Geotechnical Investigation	✓	✓	-	-	Jul-26	1 month
W.005	Track Work - Peak	✓	✓	✓	✓	Aug-26	2 months
W.006	Track Work - Typical	✓	✓	✓	✓	Aug-26	2 months
W.007	Track Tamping	✓	✓	✓	✓	Sep-26	1 months
W.008	Drainage Work	✓	✓	-	-	Aug-26	2 months
W.009	Signalling Work	✓	✓	✓	✓	Sep-25 Sep-26	4 months 1 month
W.010	Sandy Creek Bridge Work - Peak	✓	✓	✓	✓	Jul-26	3 months
W.011	Sandy Creek Bridge Work - Typical	✓	✓	✓	✓	Jul-26	3 months
W.012	Level Crossing Work - Peak	✓	✓	✓	✓	Sep-26	1 month
W.013	Level Crossing Work - Typical	✓	✓	✓	✓	Sep-26	1 month
W.014	Removal of Signal Gantry and Footings	✓	✓	-	-	Jul-25	1 month

Note 1: Daytime out of hours is 7 am to 8 am on Saturday, and 8 am to 6 pm on Sunday and public holidays.

Note 2: Evening is 6 pm to 10 pm Mondays to Saturdays.

Note 3: Night is 10 pm to 7 am for Mondays to Saturdays and 6 pm to 8 am for Sundays and public holidays.

Note 4: Where works are expected to occur outside of the standard working hours, further detail around the specific work tasks, duration and justification of OOHW must be identified in the OOHW permit, required by the OOHW Protocol or EPL.

Note 5: Works scenarios may occur simultaneously during enhancement works and the total duration for the completion of all works is expected to be approximately 3 months.



Figure 2 Construction Work Locations



5.1.1 Modelling Scenarios and Equipment

The assessment uses ‘realistic worst-case’ scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario, as required by the ICNG. Sound power levels (L_w) for the construction equipment used in the modelling are listed in **Appendix B**.

5.2 Predicted Noise Levels

The following overview is based on the predicted impacts at the most affected receivers and is representative of the worst-case noise levels that are likely to occur during construction.

The assessment shows the predicted ‘mitigated’ impacts based on the exceedance of the noise management levels, as per the categories in **Table 16**. The mitigation and management measures adopted for this CNVIS are provided in **Section 8.0**.

Table 16 Exceedance Bands and Impact Colouring

Subjective Classification	Exceedance of Noise Management Level		Impact Colouring
	Daytime	Out of Hours	
Negligible	No exceedance	No exceedance	
Noticeable	-	1 to 5 dB	
Clearly Audible	1 to 10 dB	6 to 15 dB	
Moderately Intrusive	11 to 20 dB	16 to 25 dB	
Highly Intrusive	> 20 dB	> 25 dB	

A summary of the number of buildings where NML exceedances were predicted for the various work scenarios is shown in **Table 17**. The number of receivers above the ‘highly noise affected’ (HNA) level are also included in the table. Maps of the predicted worst-case noise impacts are presented in **Appendix C**.

The assessment presents the combined predicted noise impacts for each scenario. Meaning, the worst-case result at each receiver is considered from all potential work areas where each scenario is to be undertaken.

The assessment is generally considered conservative as the calculations assume several items of construction equipment are in use at the same time within individual scenarios. As outlined in **Section 5.1.1**, the assessment uses ‘realistic worst-case’ scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario.

The exceedances shown in **Table 17** are therefore representative of a ‘realistic worst-case’ 15-minute period, and are unlikely to occur for extended periods of time throughout the entire construction period at any given receiver.

The indicative work durations presented in **Table 15** represent a window of time where the scenarios could occur, and does not represent the entire duration of the exceedances shown in **Table 17**.

In reality, there would frequently be periods when construction noise levels are much lower than the worst-case levels predicted as well as times when no equipment is in use and no noise impacts occur.



Table 17 Overview of NML Exceedances

ID	Scenario	HNA ¹	Number of Receivers																
			With NML exceedance (dB) ²																
			Approved Daytime			Out of Hours													
						Daytime OOH				Evening				Night-time				Sleep Disturbance	Sleep Awakening
			1-10	11-20	>20	1-5	6-15	16-25	>25	1-5	6-15	16-25	>25	1-5	6-15	16-25	>25	>Screening Level	>65 dB
Residential Receivers																			
W.001	Site Establishment / Demobilisation	-	134	52	3	100	134	52	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.002	Compound Operation	-	127	34	1	105	127	34	1	105	127	34	1	21	176	116	28	267	61
W.003	Contamination Sampling (SAQP)	-	145	82	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.004	Geotechnical Investigation	-	141	39	-	84	141	39	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.005	Track Work - Peak	-	161	131	19	27	161	131	19	27	161	131	19	9	43	170	129	334	150
W.006	Track Work - Typical	-	160	89	-	72	160	89	-	72	160	89	-	7	105	160	73	281	73
W.007	Track Tamping	-	164	115	3	52	164	115	3	52	164	115	3	7	76	155	111	311	111
W.008	Drainage Work	-	127	81	2	78	127	81	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.009	Signalling Work	-	93	26	2	103	93	26	2	103	93	26	2	21	213	83	23	121	16
W.010	Bridge Work - Peak	-	44	10	-	67	44	10	-	67	44	10	-	115	144	40	7	172	19
W.011	Bridge Work - Typical	-	32	5	-	41	32	5	-	41	32	5	-	86	114	21	4	92	10
W.012	Level Crossing Work - Peak	10	206	97	27	10	206	97	27	10	206	97	27	4	29	212	108	320	63
W.013	Level Crossing Work - Typical	1	174	39	11	105	174	39	11	105	174	39	11	10	134	159	46	249	42
W.014	Removal of Signal Gantry and Footings	-	180	25	6	117	180	25	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Other Sensitive Receivers																			
W.001	Site Establishment / Demobilisation	n/a	11	-	-	9	2	-	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.002	Compound Operation	n/a	7	-	-	6	1	-	-	3	1	-	-	-	-	1	-	n/a	n/a
W.003	Contamination Sampling (SAQP)	n/a	12	1	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.004	Geotechnical Investigation	n/a	12	-	-	6	6	-	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.005	Track Work - Peak	n/a	6	9	-	2	13	-	-	1	4	-	-	4	-	1	-	n/a	n/a
W.006	Track Work - Typical	n/a	9	4	-	2	11	-	-	1	3	-	-	-	-	1	-	n/a	n/a
W.007	Track Tamping	n/a	8	6	-	2	12	-	-	2	3	-	-	3	-	1	-	n/a	n/a
W.008	Drainage Work	n/a	6	2	-	3	5	-	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
W.009	Signalling Work	n/a	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	n/a	n/a
W.010	Sandy Creek Bridge Work - Peak	n/a	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	n/a	n/a
W.011	Sandy Creek Bridge Work - Typical	n/a	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	n/a	n/a
W.012	Level Crossing Work - Peak	n/a	13	1	-	2	12	-	-	-	5	-	-	4	-	1	-	n/a	n/a
W.013	Level Crossing Work - Typical	n/a	12	-	-	11	1	-	-	4	1	-	-	-	-	1	-	n/a	n/a
W.014	Removal of Signal Gantry and Footings	n/a	11	-	-	10	1	-	-	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Note 1: Highly noise affected, based on ICNG definition (i.e. predicted LAeq(15minute) noise at residential receiver is greater than 75 dBA).

Note 2: Based on worst-case predicted noise levels



A summary of the predicted worst-case noise levels is shown below for each work area:

Residential Receivers

- ‘Highly intrusive’ noise impacts are predicted at the nearest residential receivers for *W.001*, *W.002*, *W.005*, *W.007*, *W.008*, *W.009* and *W.012* through *W.014* during approved daytime and daytime out-of-hours periods. The highest noise levels and impacts would be experienced by adjacent receivers when noisy construction work is conducted nearby.
- ‘Highly intrusive’ noise impacts are also predicted at the nearest residential receivers for *W.002*, *W.005*, *W.007*, *W.009*, *W.012* and *W.013* during evening out-of-hours.
- All scenarios with the potential to occur during the night-time out-of-hours periods are predicted to generate ‘Highly intrusive’ noise impacts at the nearest residential receivers. The highest noise levels and impacts would be experienced by adjacent receivers when noisy construction work is conducted nearby.
- For all other work scenarios, worst-case ‘Moderately intrusive’ noise impacts are predicted at the nearest residential receivers across all assessment periods.
- Ten residential receivers are predicted to be ‘highly noise affected’ during noise intensive level crossing works for scenario *W.012*. One receiver is predicted to remain HNA during typical works during *W.013*.
- Noise levels are predicted to exceed the sleep disturbance screening level for all scenarios occurring during the night-time. The ‘awakening’ criterion is exceeded at the nearest receivers for all work scenarios occurring during the night-time period.
- The addresses of the residential receivers impacted by out-of-hours works are provided in **Appendix D**.

Other Sensitive Receivers

- ‘Moderately intrusive’ noise impacts are predicted at the nearest ‘other sensitive’ receivers for scenarios *W.003*, *W.005* to *W.008* and *W.012* during the approved daytime periods, scenario and for scenarios *W.002*, *W.005* to *W.007*, *W.012* and *W.013* during night periods.
 - ‘Clearly audible’ to ‘noticeable’ worst-case impacts are predicted at the nearest ‘other sensitive’ receivers for all other scenarios during all assessment periods.
- ‘Other sensitive’ receivers should only be considered impacted ‘when in use’.

For most scenarios, the noisiest work would only be required for a relatively short period of the total duration. Noise levels and impacts at other times would be much lower than the worst-case levels predicted, and there would often be times when noise levels are low, and no impacts occur.

A review of the predictions shows that both the sleep disturbance screening level and sleep awakening reaction level are likely to be exceeded when night work occurs near residential receivers. The receivers that would potentially be affected by sleep awakening impacts are the same receivers where ‘moderately intrusive’ and ‘highly intrusive’ night-time impacts have been predicted (refer to **Appendix C**).

All appropriate feasible and reasonable construction noise mitigation measures will be applied to work where exceedances of the NMLs are predicted. Construction noise mitigation measures are discussed in **Section 8.0**.



5.3 Ground-borne Noise

Ground-borne construction noise impacts from the Project are not anticipated as vibration intensive work with the potential to generate perceptible ground-borne noise, is not included in the scope of work. Vibration intensive work for the Project will be completed outdoors meaning airborne noise levels at the nearest receivers are expected to be higher than the corresponding internal ground-borne noise levels.

Where airborne noise levels are higher than ground-borne noise levels it is not necessary to evaluate potential ground-borne noise impacts and as such, they have not been considered further for this assessment.

6.0 Vibration Assessment

Vibration intensive items of equipment that would be required during work assessed in this CNVIS includes Vibratory Rollers, a Hydraulic Hammer, and a Ballast Tamper. These items of equipment are required during the work as shown in **Table 18**.

The potential impacts during vibration intensive work have been assessed using the Transport CNVG-PTI minimum working distances for cosmetic damage and human response shown in **Table 18**.

Table 18 Vibration Intensive Equipment

ID	Scenario	Rating/Description	Minimum Distance			
			Cosmetic Damage			Human Response (NSW EPA Guideline)
			Residential and Light Commercial (BS 7385)	Heritage Items (DIN 4150, Group 3)	Industrial and Heavy Commercial (BS 7385)	
W.005	Track Work - Peak	Vibratory Roller: <300 kN (13–18 tonne)	20 m	40 m	10 m	100 m
W.012	Level Crossing Work - Peak					
W.007	Track Tamping	Ballast Tamping	5 m	10 m	3 m	30 m
W.012	Level Crossing Work - Peak					
W.008	Drainage Work	Vibratory Roller: <50 kN (1–2 tonne)	5 m	11 m	3 m	15 m to 20 m
W.014	Removal of Signal Gantry and Footings	Large Hydraulic Hammer - 1,600 kg (18 to 34 t excavator)	22 m	44 m	11 m	73 m



Vibration offset distances have been determined from the TfNSW CNVG-PTI minimum working distances for cosmetic damage and human comfort (see **Table 12** and the assessment is summarised from **Figure 3** to **Figure 7**). The offset distances are representative of the highest vibration levels that would likely be experienced by the nearest receivers when work occurs nearby.

For most construction activities, vibration emissions are intermittent in nature and for this reason, higher vibration levels occurring over shorter time periods are allowed.

In the event that additional work is undertaken which requires the use of other items of plant identified than those identified in **Table 18**, a vibration impact assessment must be conducted prior to the commencement of work.



Figure 3 Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.005)



Figure 4 Minimum Working Distances – Ballast Tamping (W.007, W.012)



Figure 5 Minimum Working Distances – Vibratory Roller:<50 kN (1–2 tonne) (W.008)




Figure 6 Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.012)



Figure 7 Minimum Working Distances – Large Hydraulic Hammer (W.014)



6.1 Cosmetic Damage Assessment

Figure 3 shows one commercial receiver has the potential to fall within the cosmetic damage minimum working distance for commercial structures during vibratory roller and works in *W.005*.

Before commencement of any work, a structural engineer must undertake condition surveys of all building, structures, utilities and the like identified as being at risk of damage. For this CNVIS, conditions surveys (based on 13-18T vibratory roller) are recommended for all buildings listed below.

- Uranquinty silos along Pearson Street to the north of the railway corridor.

After completion of construction, condition surveys must be undertaken by a structural engineer for all items for which pre-condition surveys were undertaken.

The results of the surveys must be documented in a Condition Survey Report for each item surveyed. Copies of Condition Survey Reports must be provided to the landowners of the items surveyed, and no later than one month before the commencement of construction and three months following the completion of construction.

Feasible and reasonable construction vibration mitigation measures should be applied where vibration intensive work is required within the minimum working distances. Construction vibration mitigation and management measures are discussed in **Section 8.0**.

In accordance with CoA E122, property damage caused directly or indirectly by the construction or operation must be rectified at no cost to the owner. Alternatively, compensation may be provided for the property damage as agreed with the property owner.

Heritage Structures

As identified above, the Uranquinty silos fall within the minimum working distances for residential and light commercial buildings when vibration intensive equipment is in use nearby.

As per CoA E80, vibration testing must be undertaken before and during vibration generating activities that have the potential to impact on heritage items to identify minimum working distances to prevent cosmetic damage. Advice must be sought on methods and locations for installing equipment as per CoA E81.

If other vibration intensive activities are required within minimum working distances to heritage structures, a building condition assessment should be undertaken of the heritage item/s to assess if they are considered to be sensitive to vibration prior to vibration work commencing.

6.2 Human Comfort Assessment

Figure 3 and **Figure 6** show that several residential, places of worship, educational and commercial buildings around the railway corridor have the potential to fall within the minimum working distance for human comfort when Vibratory Rollers (13-18 tonne) are in use during *W.005* and *W.012*. The greatest impacts expecting to occur during *W.005* due to the extent of the work area. Non-residential sensitive receivers within the human comfort minimum working distances for vibratory roller works include the Uranquinty Public School, Uranquinty silos, Uranquinty Hotel and Ampol Uranquinty store.

Figure 7 shows that the nearest residential and commercial buildings around the railway corridor have the potential to fall within the minimum working distance for human comfort when large hydraulic hammers are in use during *W.014*.



Figure 4 and **Figure 5** shows that only one commercial building within the railway corridor has the potential to fall within the minimum working distance for human comfort when a ballast tamper is in use during *W.007* and when a vibratory trench roller (1–2 tonne) is in use during *W.008*.

Occupants of these buildings may be able to perceive vibration at times when vibration intensive equipment is in use nearby. Where levels are perceptible, they would likely only be apparent for relatively short durations when vibration intensive equipment is in use nearby.

Feasible and reasonable construction vibration mitigation measures should be applied where vibration intensive work is required within the minimum working distances. Construction vibration mitigation and management measures are discussed in **Section 8.0**.

7.0 Construction Traffic Assessment

The EIS identified that during the construction phase of the project, heavy vehicles would be required for materials and equipment delivery while light vehicles will transport workers to and from the site. This additional road traffic may impact receivers along the proposed transport routes.

No additional information has been provided regarding construction road traffic, therefore a summary of the predicted daytime traffic noise levels from the EIS is shown in **Table 19**.

Table 19 Construction Traffic Assessment

Traffic Route	Road Type	Predicted Construction Traffic Noise (Both Directions) LAeq (Period)		Exceed base criterion? Day ¹ (7am – 10pm)	Potential Increase > 2dB	Potential Noise Impact
		Existing	Existing + Proposed			
Uranquinty Yard clearances						
Olympic Highway	Arterial	60.2	61.4	Yes	No	No
Uranquinty Street	Sub-arterial	39.2	44.2	No	Yes	No
Yarragundry Street	Sub-arterial	39.6	44.1	No	Yes	No
Hanging Rock Road	Local	37.1	46.4	No	Yes	No

Note 1: Freeway/arterial/sub-arterial roads: LAeq(15hour) 60dBA(external)
Local roads: LAeq(1hour) 55dBA (external)

The EIS found that construction traffic associated with the Uranquinty Yard work on public roads is compliant with the road traffic noise goals.

The EIS did not assess construction traffic during the night-time period, and no additional information has been provided regarding construction road traffic. Therefore, it is conservatively assumed that where night-time construction traffic is required, impacts would be experienced by residences along construction routes on sub-arterial and local roads within close proximity to the work sites. Night-time noise impacts are not anticipated on arterial roads.

Extended traffic diversions are not expected for the works assessed in this CNVIS, and any necessary diversions will be confined to daytime hours. Should night-time diversions be required for construction activities, a more detailed assessment will be undertaken and provided.

Mitigation and management measures to assist in minimising noise impacts from construction traffic are shown in **Section 8.0**.




8.0 Mitigation and Management Measures

Noise from the Project may be apparent at the nearest receivers at certain times during construction. The Project should apply all feasible and reasonable mitigation measures to minimise the impacts.

In accordance with CoA E74, works that exceed the noise management levels and/or vibration criteria must be managed in accordance with the CNVMP.

The Inland Rail NSW Construction Noise and Vibration Framework (CNVF) has been adopted as a guideline for this project and outlines a hierarchy of work practices and mitigation measures to minimise the impact of construction noise and vibration on the community. This hierarchy is shown in **Figure 8**.

Figure 8 Hierarchy of Work Practices and Mitigation Measures



The universal work practices (UWP) and standard mitigation measures (SMM) for the overall A2I project are outlined in the CNVMP. All mitigation and management measures outlined in the CNVMP will be adopted in accordance with CoA E74. Site specific mitigation measures are also outlined below in **Section 8.1**. These measures have been incorporated into the noise modelling assessment to provide mitigated results. Additional Management Measures (AMM) are outlined in **Section 8.3**.

8.1 Site Specific Mitigation Measures

Table 20 outlines the mitigation and management measures that will be adopted to minimise potential noise and vibration impacts associated with this CNVIS at surrounding sensitive receivers. These measures have been considered in noise modelling based on the total scenario sound power levels, refer **Appendix B**.

Table 20 Site Specific Mitigation Measures

Measure	Reference / Notes
Project Planning	
Use quieter and less vibration emitting construction methods where feasible and reasonable.	Best practice
Works will be completed during the approved daytime construction hours where possible, as outlined in Section 2.2 . Some unavoidable OOHW will be required due to road and rail traffic management restrictions, as outlined in Section 2.3 .	Best practice CoA E69 CoA E71
Where OOHW is required, an OOHW Permit will be prepared, as required by the OOHW Protocol or EPL.	Best practice CoA E71



Measure	Reference / Notes
Further detail around the specific work tasks, duration and justification of OOHW must be identified in the OOHW permit.	CoA E72 CoA E73
Scheduling	
Highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken: a) Between 08:00am – 06:00pm Monday to Friday; b) Between 08:00am – 01:00pm Saturday; and c) if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour. Refer Section 8.2 .	Best practice CoA E70
Noise generating work in the vicinity of community, religious, educational institutions, noise and vibration-sensitive businesses and critical working areas (such as exam halls, theatres, laboratories and operating theatres) resulting in noise levels above the NMLs will not be timetabled during sensitive periods, unless other reasonable arrangements with the affected institutions can be made at no cost to the affected institution. Refer to Community Consultation in Section 8.5 .	Best practice CoA E76
All work undertaken for the delivery of the project including those undertaken by third parties (such as utility relocations), must be coordinated to ensure respite periods are provided.	Best practice, CoA E83
Site Layout	
Compounds and worksites have been designed to promote one-way traffic and minimise the need for vehicle reversing.	Best practice
Construction activities must be planned to minimise vehicle movements around the Site.	
Work compounds, parking areas, and equipment and material stockpiles will be positioned away from noise-sensitive locations and take advantage of existing screening from local topography.	
Equipment that is noisy will be started away from sensitive receivers where practicable.	
Training	
Training will be provided to all personnel on noise and vibration requirements for the project. Inductions and toolbox talks to be used to inform personnel of the location and sensitivity of surrounding receivers.	Best practice
The induction protocols must include awareness of noise generating activities and mitigation measures and techniques that should be implemented.	
Training must be conducted for appropriate community behaviours when access/egress the Site.	
Plant and Equipment Source Mitigation	
All plant and equipment must be maintained in a proper and efficient condition, operated in a proper and efficient manner, and feature standard noise reduction measures where applicable.	Best practice CNVF
Plant and equipment must be selected with options to minimise noise such as covers, mufflers, shrouds and other noise suppression equipment. Low noise emission plant and equipment must be selected where available.	
Non-tonal reversing beepers (or an equivalent mechanism) must be fitted and used on all construction vehicles and mobile plant regularly used on site and for any out-of-hours work, including delivery vehicles.	



Measure	Reference / Notes
Stationary noise sources will be sited behind structures (or temporary screens) that act as barriers, or at the greatest distance from the noise-sensitive area (where practicable). Equipment will be oriented so that noise emissions are directed away from any sensitive areas.	
Noise generating equipment will be regularly checked and effectively maintained, including checking of hatches/enclosures regularly to ensure that seals are in good condition and doors close properly against seals.	
Noise monitoring spot checks of equipment will be completed to ensure individual items are operating as expected	
Dropping materials from a height will be avoided.	
Loading and unloading will be carried out as far as possible from noise sensitive areas.	
Where feasible, alternative methods will be considered for vibration intensive works (eg smaller sized equipment or static rolling, refer Section 6.0). Use of these methods will depend on the specific circumstances and therefore the worst-case scenario is included for the purpose of this CNVIS.	Best practice
Construction Traffic	
Construction traffic routes to site will be limited to major roads where possible.	Best practice
Trucks will not queue outside residential properties.	
Truck drivers will be instructed to avoid compression braking as far as practicable.	
Delivery vehicles should be fitted with straps rather than chains for unloading, wherever possible.	
Truck movements will be kept to a minimum where possible (eg trucks are fully loaded on each trip).	
Screening	
Install purpose-built screening or enclosures around long-term fixed plant that has the potential to impact nearby receivers	Best practice CNVF
The layout of the site will take advantage of existing screening from local topography, where possible. Site huts, maintenance sheds and/or containers will be positioned between noisy equipment and the affected receivers.	
Implementation of temporary noise barriers for highly intensive noise activities, such as saw cutting or rock breaking.	
Community Consultation	
Regular communications on the activities and progress of the proposal shall be provided to the community (eg via newsletter, email and/or website).	Best practice CNVF
A telephone, email and web-based community information service shall be established to allow the community to obtain additional information on construction activities, provide feedback or make a complaint.	Best practice CNVF
Owners and occupiers of properties at risk of exceeding the screening criteria for cosmetic damage (and/or human comfort) must be notified before work that generates vibration commences in the vicinity of those properties. If the potential exceedance is to occur more than once or extend over a period of 24 hours, owners and occupiers are to be provided a schedule of potential exceedances on a monthly basis for the duration of the potential exceedances, unless otherwise agreed by the owner and occupier.	Best practice CoA E79
Notification will be provided to all impacted residences along construction traffic routes (including temporary diversions).	Best practice



Measure	Reference / Notes
Where complaints are received, work practices will be reviewed and feasible and reasonable practices applied to minimise any further impacts.	Best practice
Monitoring	
Noise and/or vibration monitoring will be conducted (as appropriate) when noise/vibration intensive works are being undertaken in close proximity to sensitive receivers.	Best practice CNVF CoA E80 CoA E81
Noise and vibration monitoring will be undertaken in accordance with the CNVMP and Monitoring Program.	
Advice from a heritage specialist must be sought on methods and locations for installing equipment used for vibration, movement and noise monitoring at heritage-listed structures.	
See Section 8.7 for details of monitoring requirements.	
Vibration	
Where vibration generating works are required within the minimum working distances and considered likely to exceed the criteria: - Different construction methods with lower source vibration levels (ie alternative equipment) will be investigated and implemented, where feasible (refer Table 12). - Attended vibration measurements will be undertaken at the start of the works to determine actual vibration levels of the item. Vibration intensive works will cease if the monitoring indicates vibration levels are likely to, or do, exceed the relevant cosmetic damage criteria. Work methods will be modified prior to recommencing the activity. Note: Small hydraulic hammers will be prioritised to reduce vibration impacts to surrounding receivers.	Best practice CoA E80
Vibration intensive works required within the minimum working distance at the same receiver must only be undertaken: a) Between 08:00am – 06:00pm Monday to Friday; b) Between 08:00am – 01:00pm Saturday; and c) if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour. Refer to Section 8.2.	Best practice CoA E70
Where works are required within the cosmetic damage minimum working distances, building condition surveys will be completed before and after the works to ensure no cosmetic damage has occurred. Condition status of all Heritage structures that fall within the unsound heritage minimum working distance for the nominated vibration-intensive equipment should be confirmed prior to the commencement of works.	Best practice CoA C9
Property damage caused directly or indirectly (for example from vibration or from groundwater change) by the construction or operation must be rectified at no cost to the owner. Alternatively, compensation may be provided for the property damage as agreed with the property owner.	Best practice CoA E122



8.2 Respite

In accordance with CoA E70, except as permitted by an EPL, highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken:

- a) *Between 08:00am – 06:00pm Monday to Friday;*
- b) *Between 08:00am – 01:00pm Saturday; and*
- c) *if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour.*

For the purposes of this condition, ‘continuously’ includes any period during which there is less than one hour between ceasing and recommencing any of the work.

In accordance with CoA E72 and E83, the procedure outlined in the OOHW Protocol must be implemented to coordinate OOHW (including those approved by an EPL or undertaken by a third party), to ensure appropriate respite is provided. This coordination must include:

- a) rescheduling work to provide respite to impacted noise sensitive land use(s) so that the respite is achieved; or
- b) the provision of alternative respite or mitigation to impacted noise sensitive land use(s); and
- c) the provision of documentary evidence to the AA in support of any decision made in relation to respite or mitigation.

The consideration of respite must also include all other CSSI, SSI and SSD projects which may cause cumulative and/or consecutive impacts at receivers affected by the delivery of the CSSI.

Highly noise intensive works (as defined in **Section 2.2.1**) are required in various work scenarios. As outlined above, highly noise intensive work that results in an exceedance of the applicable NML is restricted to the hours shown above and must have respite periods as defined above.

CoA E70 applies to the following work scenarios where highly noise intensive works are proposed and the NML is predicted to be exceeded:

- W.005 - Track Work – Peak
- W.007 - Track Tamping
- W.008 - Drainage Work
- W.009 - Signalling Work
- W.010 - Sandy Creek Bridge Work - Peak
- W.012 - Level Crossing Work - Peak
- W.014 - Removal of Signal Gantry and Footings

In accordance with CoA E71, the work scenarios listed above require approval through the OOHW Protocol or and EPL to occur outside the hours listed above from CoA E70.

Respite offers are also required as part of the additional mitigation measured outlined in **Section 8.3**.



8.3 Additional Mitigation and Management Measures for Out of Hours Work

Where the ‘mitigated’ construction noise levels remain above the NMLs, the Additional Mitigation Measures Matrix (AMMM) adapted from in the CNVF and CNVMP is to be implemented. The approach, guided by the AMMM, is primarily aimed at pro-active engagement with affected sensitive receptors rather than additional noise reducing mitigation. OOHW has been divided into three periods (Day, Evening and Night) as adapted from the CNVF around the approved project hours (CoA E69).

Additional mitigation measures described in the CNVF and CNVMP are listed in **Table 21**. The additional mitigation measures for airborne noise are shown in **Table 22**. The additional mitigation measures for construction vibration are shown in **Table 23**.

Table 21 Additional Mitigation Measures

Mitigation/Management Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: As outlined in the CNVF, Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: As outlined in the CNVF, Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: As outlined in the CNVF, RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.



Table 22 Airborne Noise – Additional Mitigation Measures Matrix

Time Period		Exceedance of NML	Perception	Duration	Communication Category/ Management Measure
OOHW Daytime Period	Sunday 8am – 6pm (including public holidays)	<5	Noticeable	Any	CO1
		5-15	Clearly audible	Any	CO1
		16-25	Moderately intrusive	Any	CO1, CO2
		>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period	Monday – Sunday 6pm – 10pm (including public holidays)	<5	Noticeable	Any	CO1
		5-15	Clearly audible	Any	CO1
		16-25	Moderately intrusive	Any	CO1, CO2
		>25	Highly intrusive	Any	CO1, CO2
				>2 consecutive rest periods ¹	CO1, CO2, RO
OOHW Night Period	Monday – Saturday 10pm – 7am	<5	Noticeable	Any	CO1
		5-15	Clearly audible	Any	CO1
	Sunday 10pm – 8am (including public holidays)	16-25	Moderately intrusive	Any	CO1, CO2
				>2 consecutive sleep periods ¹	CO1, CO2, RO, AO
	>25	Highly intrusive		Any	CO1, CO2, RO
				>2 consecutive sleep periods ¹	CO1, CO2, RO, AO, AltA

Note 1: Where the duration exceeds 2 consecutive rest/sleep periods, the corresponding additional mitigation measures will be provided for all periods where construction exceedances are expected to occur.

Table 23 Vibration – Additional Mitigation Measures Matrix

Time Period		Duration	Exceedance of 'preferred' value	Exceedance of 'maximum' value
OOHW Daytime Period	Sunday 8am – 6pm (including public holidays)	Any	CO1, CO2	CO1, CO2, RO
OOHW Evening Period	Monday – Sunday 6pm – 10pm (including public holidays)	Any	CO1, CO2	CO1, CO2, RO
OOHW Night Period	Monday – Saturday 10pm – 7am Sunday 10pm – 8am (including public holidays)	Any	CO1, CO2, RO	CO1, CO2, RO, AltA



8.3.1 Receivers Eligible for Additional Mitigation Measures - Noise

The receivers eligible for additional mitigation and management measures due to construction noise from the project work are presented in **Appendix C** and **Appendix D**. Where work occurs for greater than two consecutive evening or nights, receivers may be eligible for respite offers (RO), agreements with owners (AO) or alternative accommodation (AltA) depending on the exceedance level and works period as detailed in **Table 22**.

As outlined in **Section 5.2**, 'highly intrusive' impacts at nearest residential receivers and some other sensitive receivers are predicted for most work scenarios due to the proximity to the work. The addresses of the 'highly intrusive' impacted receivers are provided in **Appendix D**.

Work scenarios that are scheduled for OOHW are predicted to create highly intrusive noise levels at residential receivers. Moderately intrusive impacts are also predicted for all scenarios during OOHWs. Should these works occur for more than two consecutive sleep periods in a row, additional mitigation measures as outlined in as in **Table 22** must be provided to affected sensitive receivers.

Where possible, work would be scheduled to avoid impacting the same receivers for more than two consecutive sleep periods. Receivers that would be impacted for more than two consecutive sleep periods must be identified in the OOHW permit.

8.3.2 Receivers Eligible for Additional Mitigation Measures – Vibration

Figure 3 identifies 49 receivers with the potential to fall within the minimum working distances for Human Comfort. **Figure 4** identifies one nearby commercial building has the potential to fall within the human comfort minimum working distances. **Figure 6** identifies up to 16 nearby receivers have the potential to fall within the human comfort minimum working distances.

As defined in **Section 2.2.1** and **Section 8.2** activities involving high noise generating equipment, such as rock hammering or rock breaking, are limited to specific daytime construction hours only. Respite periods of 1 hour after every 3 hours of high noise/vibration generating work are also required.

Construction vibration mitigation and management measures are discussed in **Section 8.0**. Any proposed works outside of the approved daytime hours will need to be assessed as part of the OOHW permit preparation discussed in **Section 2.4**. Any additional mitigation required (from **Table 23**) for vibration activities must be identified in the OOHW permit.



8.4 Community Notification

As detailed in the standard management measures outlined in the CNVF.

- A telephone, email and web-based community information service will be established to allow the community to obtain additional information on construction activities, provide feedback or make a complaint.
- Regular communications on the activities and progress of the proposal shall be provided to the community (e.g. via newsletter, email and/or website).

8.5 Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided below.

8.5.1 Consultation approach

This section discusses the consultation approach that has been undertaken for the purposes of the work subject to this CNVIS. It is noted that consultation with affected sensitive land users on what specific mitigation measures they may require is considered to be an ongoing and live process and as such, measures that are personal to individual affected sensitive land user(s) will not be regularly documented in this CNVIS. Consultation records will be made available to the AA upon request.

The purpose of this consultation is to identify receivers who have specific circumstances that need further consideration during construction – for example, households who have children undertaking exams (HSC or similar), households who have vulnerable persons with disabilities or medical conditions, shift workers, etc.

The consultation approach utilised by Martinus Rail is in accordance with the Community Communications Strategy (CCS). The approach involved directly contacting the affected sensitive land user identified by this CNVIS through one or more of the following methods:

- Surveys distributed by email and paper notifications
- Door-knocks with a 'Sorry we missed you' card for those who were not at home
- Notifications
- Phone calls
- Emails
- Community briefings / group meetings.

Affected sensitive land users contacted by Martinus Rail have been made aware of the anticipated duration and nature of construction works that may affect them, as well as mitigation measures that will be implemented in accordance with the CEMP and CNVMP. Contact information for Martinus Rail's Community Team have been provided to assist with ongoing consultation during construction.

Depending on individual needs and circumstances, specific mitigation measures offered by Martinus Rail could include but are not limited to:

- Offers of individually agreed respite to highly noise affected sensitive land users (standard construction hours)
- Consultation on timetabling of highly noise intensive works to avoid sensitive periods
- Offers of attended noise monitoring at the premises to confirm actual levels of impact



- Offers of temporary alternative accommodation or work space
- Individual briefings.

Specific mitigation measures identified in consultation with individual affected sensitive land users will be implemented during works subject to this CNVIS. Further mitigation measures may be identified by the affected community as construction progresses and these will be assessed where reasonable and feasible and on a case by-case basis.

8.5.2 Consultation for this CNVIS

The project website includes the following key information:

- Latest approvals
- All management plans, including the CNVMP and the Construction Environmental Management Plan (CEMP), which provide information on the relevant environmental management measures
- Notifications, including three-month lookaheads, monthly updates and specific OOHW notifications
- Contact mechanisms, including requests for feedback and/or complaints on individual circumstances.

As part of the project's program of regular notifications, the following notifications have included information on the OOHW requirements subject to this CNVIS:

- Project-wide monthly notifications distributed to over 25,000 properties
- Work specific notifications
- Three-month lookahead notifications distributed to over 25,000 properties
- Regular email with details of upcoming work or changes.

All notifications include the following:

- Link to project website
- 24/7 phone number and email address for enquiries, complaints or comments
- Requests for the community to provide feedback on their individual needs and circumstances.

Prior to commencement of works subject to this CNVIS, targeted consultation occurred with a total of approximately 7,127 residential properties across the entire project alignment, approximately 374 of which were in the Uranquinty. These properties received targeted letterbox drops, emails and newspaper adverts from the Community Team and feedback was sought across (3) three weeks, from 7 August to 28 August 2024.

The team requested feedback from the affected community on their individual needs during this targeted consultation.

8.5.3 Consultation outcomes

Feedback received during this consultation was primarily related to the existing operational train line and the disturbance the trains cause.

In Uranquinty, no additional management measures relating to construction noise were identified during this consultation (as required by CoA E78); however, the following general sentiments were noted from respondents:



- Limit noise generating work outside of standard construction hours as much as possible
- Limit noise generating work on the weekends as much as possible
- Construction works should be completed as soon as possible.

The CNVIS documents the need to limit noise generating work as much as possible and this will be achieved through the implementation of existing mitigation measures listed in this CNVIS.

Nevertheless, regular consultation with the community will continue throughout construction in accordance with the Community Communications Strategy and the Community Action Plan prepared for the relevant activities. A list of key stakeholders relevant to this CNVIS are included in **Table 24** below.

Table 24 Key Stakeholders for this CNVIS

Precinct Area	Receiver Type	Level of Engagement	Distance from Work Site (m)
Uranquinty Yard Clearances			
Seventh Day Adventist Reform Church	Place of Worship	Consult	80
Uranquinty Public School	Educational	Consult	70
Pearson, Best, Ryan and Yarragundry Streets	Residential	Consult	Various
Olympic Highway, Moisa Lane, Uranquinty and Guttler Streets	Residential	Consult	Various
Uranquinty Hotel	Commercial	Consult	90

8.6 Occupational Noise Exposure

In accordance with CoA E77, worksites will be managed to ensure that noise generated by construction will not exceed the National Standard for exposure to noise in the occupational environment of an eight-hour equivalent continuous A-weighted sound pressure level of LAeq,8h of 85 dBA for any employee working at a location near the project.

It is not anticipated that an exceedance will occur at any point during the project, however occupational exposure to noise will primarily be managed under the Work Health and Safety Management Plan.



8.7 Monitoring

Noise and vibration monitoring will be undertaken in accordance with the CNVMP (including monitoring program) and the CNVF.

CoA E81 requires that advice from an independent heritage specialist must be sought on methods and locations for installing equipment used for vibration, movement and noise monitoring at heritage-listed structures prior to the installation of the equipment.

Construction Noise Monitoring

Construction noise monitoring will be carried out at the commencement of activities to confirm that actual noise levels are consistent with the predictions presented in this CNVIS, and that the management measures that have been implemented are effective or as per the CNVMP.

Monitoring locations will be focused to the most impacted receivers identified in **Appendix C**. Indicative locations are identified in **Table 25**, however, these will be subject to provision of safe access and the specific location of work being undertaken at the time of monitoring.

Noise monitoring will, where practicable, be in a position with unobstructed views of general site activities, whilst shielded as much as possible from non-construction site noise (e.g. road traffic, rail noise and other surrounding noise). The preferred measurement height is 1.2-1.5m above the ground. In accordance with *Australian Standard AS1055:2018*, outdoor noise monitoring is to be undertaken at least 3.5m from any reflecting structure other than the ground.

Noise monitoring will be carried out on or near the property boundary at the locations representative of the nominated receivers in **Table 25** (i.e. in publicly accessible areas near the nominated receivers, if it is safe to do so). Noise monitoring results will be assessed against the noise management levels (NMLs) and predicted exceedance category identified in **Appendix C**.

The results will be documented with discussion about the details of work underway at the time and mitigation in place. Noise monitoring results will be recorded on the MR Noise Monitoring Form in Procore. Noise monitoring data will be made available to the AA and ER for information, upon request.

Construction Vibration monitoring

Attended or unattended vibration monitoring will be undertaken as required. Monitoring locations may vary as work progresses and will be determined on a case-by-case basis or in response to complaints. The focus of monitoring will be at risk buildings, structures and sensitive receivers as identified in **Section 6.0**. If other vibration intensive activities are required, an assessment of their potential impact is required as per the CNVMP.

Indicative locations are identified in **Table 25**, however, these will be subject to provision of safe access and the specific location of work being undertaken at the time of monitoring. Vibration monitoring data will be made available to the AA and ER for information, upon request.



Table 25 Indicative Monitoring Locations

Location	Type	Monitoring	Timing
Noise Monitoring			
3-5 Pearson St, Uranquinty 41 Pearson St, Uranquinty 48 Morgan St, Uranquinty	Activities based noise monitoring	- Confirming that actual noise levels are consistent with predicted noise impacts and that the effectiveness of actions and mitigation measures implemented are satisfactory - In response to a noise related complaint(s) (determined on a case-by-case basis) - Following implementation of mitigation measures or noise attenuation because of exceedance of predicted noise levels	At the commencement of the activities being undertaken
	Out of Hours Work	Attended monitoring as required by the Out of Hours Work (OOHW) plan to validate noise levels are consistent with predicted noise impacts and that the effectiveness of actions and mitigation measures implemented are satisfactory	At the commencement of the range of OOHW activities being undertaken.
	Plant / Equipment Checks	Spot checks would be carried out as required on a case-by-case basis, such as - In response to a specific noise related complaint and - During noise verification monitoring when it is possible to isolate the noise from one piece of plant or equipment.	case-by-case basis
Vibration Monitoring			
Uranquinty silos	Activities based vibration monitoring	- Confirming that vibration levels are below criteria and that the effectiveness of actions and mitigation measures implemented are satisfactory - In response to a vibration related complaint(s) (determined on a case-by-case basis)	Throughout vibration generating activities being undertaken within minimum working distances to nearby receivers.



9.0 Cumulative Impacts

Cumulative construction noise impacts can occur where multiple work activities are being completed near to a particular receiver at the same time. There is potential for cumulative construction impacts from multiple construction activities being completed in different areas of the project.


Since the construction scenarios required for various stages of the project would generally require similar items of equipment, concurrent construction work being completed near to a particular area could theoretically increase the worst-case noise levels in this report by around 3 dB (ie a logarithmic adding of two sources of noise at the same level).

The likelihood of worst-case noise levels being generated by two different work activities at the same time is, however, considered low and rather than increase construction noise levels, the impact of concurrent work would generally be a limited to a potential increase in the duration, and annoyance, of noise impacts on the affected receivers.

In practice, construction noise levels in any one location would vary and would be frequently much lower than the worst-case scenario assessed due to construction staging moving work around within the study area and, in many cases, only a few items of equipment being used at any one time.

Martinus Rail will take feasible and reasonable steps to consult and coordinate with other construction projects when they become aware of them and if they have the potential to impact the same receivers concurrently, to minimise cumulative impacts of noise and vibration and maximise respite for affected sensitive receivers (in accordance with CoA E72 and E83).





Appendix A Acoustic Terminology

A2I | Albury to Illabo – Uranquinty Yard

Construction Noise and Vibration Impact Statement

Martinus Rail

SLR Project No.: 610.031317.00001

11 July 2025

1. Sound Level or Noise Level

The terms 'sound' and 'noise' are almost interchangeable, except that 'noise' often refers to unwanted sound.

Sound (or noise) consists of minute fluctuations in atmospheric pressure. The human ear responds to changes in sound pressure over a very wide range with the loudest sound pressure to which the human ear can respond being ten million times greater than the softest. The decibel (abbreviated as dB) scale reduces this ratio to a more manageable size by the use of logarithms.

The symbols SPL, L or LP are commonly used to represent Sound Pressure Level. The symbol LA represents A-weighted Sound Pressure Level. The standard reference unit for Sound Pressure Levels expressed in decibels is 2×10^{-5} Pa.

2. 'A' Weighted Sound Pressure Level

The overall level of a sound is usually expressed in terms of dBA, which is measured using a sound level meter with an 'A-weighting' filter. This is an electronic filter having a frequency response corresponding approximately to that of human hearing.

People's hearing is most sensitive to sounds at mid frequencies (500 Hz to 4,000 Hz), and less sensitive at lower and higher frequencies. Different sources having the same dBA level generally sound about equally loud.

A change of 1 dB or 2 dB in the level of a sound is difficult for most people to detect, whilst a 3 dB to 5 dB change corresponds to a small but noticeable change in loudness. A 10 dB change corresponds to an approximate doubling or halving in loudness. The table below lists examples of typical noise levels.

Sound Pressure Level (dBA)	Typical Source	Subjective Evaluation
130	Threshold of pain	Intolerable
120	Heavy rock concert	Extremely noisy
110	Grinding on steel	
100	Loud car horn at 3 m	Very noisy
90	Construction site with pneumatic hammering	Loud
80	Kerbside of busy street	
70	Loud radio or television	
60	Department store	Moderate to quiet
50	General Office	
40	Inside private office	Quiet to very quiet
30	Inside bedroom	
20	Recording studio	Almost silent

Other weightings (eg B, C and D) are less commonly used than A-weighting. Sound Levels measured without any weighting are referred to as 'linear', and the units are expressed as dB(lin) or dB.

3. Sound Power Level


The Sound Power of a source is the rate at which it emits acoustic energy. As with Sound Pressure Levels, Sound Power Levels are expressed in decibel units (dB or dBA), but may be identified by the symbols SWL or LW, or by the reference unit 10^{-12} W.

The relationship between Sound Power and Sound Pressure is similar to the effect of an electric radiator, which is characterised by a power rating but has an effect on the surrounding environment that can be measured in terms of a different parameter, temperature.

4. Statistical Noise Levels

Sounds that vary in level over time, such as road traffic noise and most community noise, are commonly described in terms of the statistical exceedance levels LAN, where LAN is the A-weighted sound pressure level exceeded for N% of a given measurement period. For example, the LA1 is the noise level exceeded for 1% of the time, LA10 the noise exceeded for 10% of the time, and so on.

The following figure presents a hypothetical 15 minute noise survey, illustrating various common statistical indices of interest.



Of particular relevance, are:

- LA1 The noise level exceeded for 1% of the 15 minute interval.
- LA10 The noise level exceeded for 10% of the 15 minute interval. This is commonly referred to as the average maximum noise level.
- LA90 The noise level exceeded for 90% of the sample period. This noise level is described as the average minimum background sound level (in the absence of the source under consideration), or simply the background level.
- LAeq The A-weighted equivalent noise level (basically, the average noise level). It is defined as the steady sound level that contains the same amount of acoustical energy as the corresponding time-varying sound.
- LAmax The A-weighted maximum sound pressure level of an event measured with a sound level meter.

5. Frequency Analysis

Frequency analysis is the process used to examine the tones (or frequency components) which make up the overall noise or vibration signal.


The units for frequency are Hertz (Hz), which represent the number of cycles per second.

Frequency analysis can be in:

- Octave bands (where the centre frequency and width of each band is double the previous band)
- 1/3 octave bands (three bands in each octave band)
- Narrow band (where the spectrum is divided into 400 or more bands of equal width)



The following figure shows a 1/3 octave band frequency analysis where the noise is dominated by the 200 Hz band. Note that the indicated level of each individual band is less than the overall level, which is the logarithmic sum of the bands.



6. Annoying Noise (Special Audible Characteristics)

A louder noise will generally be more annoying to nearby receivers than a quieter one. However, noise is often also found to be more annoying and result in larger impacts where the following characteristics are apparent:

- **Tonality** - tonal noise contains one or more prominent tones (ie differences in distinct frequency components between adjoining octave or 1/3 octave bands), and is normally regarded as more annoying than 'broad band' noise.
- **Impulsiveness** - an impulsive noise is characterised by one or more short sharp peaks in the time domain, such as occurs during hammering.
- **Intermittency** - intermittent noise varies in level with the change in level being clearly audible. An example would include mechanical plant cycling on and off.
- **Low Frequency Noise** - low frequency noise contains significant energy in the lower frequency bands, which are typically taken to be in the 10 to 160 Hz region.

7. Vibration

Vibration may be defined as cyclic or transient motion. This motion can be measured in terms of its displacement, velocity or acceleration. Most assessments of human response to vibration or the risk of damage to buildings use measurements of vibration velocity. These may be expressed in terms of 'peak' velocity or 'rms' velocity.

The former is the maximum instantaneous velocity, without any averaging, and is sometimes referred to as 'peak particle velocity', or PPV. The latter incorporates 'root mean squared' averaging over some defined time period.

Vibration measurements may be carried out in a single axis or alternatively as triaxial measurements (ie vertical, longitudinal and transverse).

The common units for velocity are millimetres per second (mm/s). As with noise, decibel units can also be used, in which case the reference level should always be stated. A vibration level V , expressed in mm/s can be converted to decibels by the formula $20 \log (V/V_0)$, where V_0 is the reference level (10^{-9} m/s). Care is required in this regard, as other reference levels may be used.

8. Human Perception of Vibration


People are able to 'feel' vibration at levels lower than those required to cause even superficial damage to the most susceptible classes of building (even though they may not be disturbed by the motion). An individual's perception of motion or response to vibration depends very strongly on previous experience and expectations, and on other connotations associated with the perceived source of the vibration. For example, the vibration that a person responds to as 'normal' in a car, bus or train is considerably higher than what is perceived as 'normal' in a shop, office or dwelling.

9. Ground-borne Noise, Structure-borne Noise and Regenerated Noise

Noise that propagates through a structure as vibration and is radiated by vibrating wall and floor surfaces is termed 'structure-borne noise', 'ground-borne noise' or 'regenerated noise'. This noise originates as vibration and propagates between the source and receiver through the ground and/or building structural elements, rather than through the air.

Typical sources of ground-borne or structure-borne noise include tunnelling works, underground railways, excavation plant (eg rockbreakers), and building services plant (eg fans, compressors and generators).

The following figure presents an example of the various paths by which vibration and ground-borne noise may be transmitted between a source and receiver for construction activities occurring within a tunnel.



The term 'regenerated noise' is also used in other instances where energy is converted to noise away from the primary source. One example would be a fan blowing air through a discharge grill. The fan is the energy source and primary noise source. Additional noise may be created by the aerodynamic effect of the discharge grill in the airstream. This secondary noise is referred to as regenerated noise.





Appendix B Modelling Scenarios and Equipment

A2I | Albury to Illabo – Uranquinty Yard

Construction Noise and Vibration Impact Statement

Martinus Rail

SLR Project No.: 610.031317.00001


11 July 2025

Equipment		Total Lw (dBA)																																													
		Articulated Dump Truck 23 t	Ballast Regulator ¹	Ballast Tamper ¹	Centrifugal Fan	Compressor	Crane (mobile)	Crane Franna (20 tonne)	Directional Drill ¹	Elevated Work Platform	Excavator - Slasher	Excavator - Tracked (20 tonne)	Excavator - Tracked (40 tonne)	Excavator (5T)	Excavator 20-30T + Hammer ¹	Front End Loader	Generator	Grader	Grinder ¹	Hand tools (electric)	Hand auger	Hi-Rail Crane	Hi-Rail Excavator	Hi-Rail Truck/Trolley	Hydraulic / Pneumatic Tools ¹	Hydrema / Moxxy	Light Vehicle	Lighting Tower	Loader - Skidsteer	Plate Compactor	Positrack	Rail saw ¹	Roller - Static	Roller - Trench (vibratory) ¹	Roller – Vibratory ¹	Saw – Concrete ¹	Telescopic Handler	Tracked Hydraulic Drilling Rig ¹	Tractor - Slasher	Truck - Medium Rigid (20 tonne)	Truck & Dog	Truck - Vacuum (NDD)	Wacker Packer	Watercart			
Sound Power Level (Lw) ²		109	114	115	90	109	104	98	106	97	105	105	115	95	122	113	92	110	105	102	87	104	105	103	116	107	95	80	107	104	104	118	107	108	109	118	99	114	108	103	108	109	105	105			
Estimated utilisation (%)		25	75	75	100	50	30	30	50	25	50	50	50	50	30	50	100	50	30	75	75	30	50	25	75	25	25	100	50	100	50	25	100	100	25	50	100	50	25	25	100	100	75				
ID	Construction Scenario																																														
W.001	Site Establishment / Demobilisation	115	1					1			1	1					1	1			2						3							1					1	2	1			1			
W.002	Compound Operation	113					1		1							1	1			1							15												2	1				1			
W.003	Contamination Sampling (SAQP)	116										1								1	1						2												1		1		1		1		
W.004	Geotechnical Investigation	111																		1			1				3													2		1					
W.005	Track Work - Peak	120					1	1			1		1			1	1	1	1	2		1	1	1	1		15	2		1			1			1				2	2				1		
W.006	Track Work - Typical	116					1	1			1		1			1	1	1		2		1	1	1			2	2		1						1				2	2				1		
W.007	Track Tamping	118		1	1											1							1			3	15																				
W.008	Drainage Work	117						1				2					1			2							15				2			1	1						2	1	2	1			
W.009	Signalling Work	114						1		1				1			1			1							10		1	2										1		1	1				
W.010	Sandy Creek Bridge Work - Peak	115						1		1						1				1			1				15	2									1	1			2						
W.011	Sandy Creek Bridge Work - Typical	112						1		1						1				1			1				15	2										1			2						
W.012	Level Crossing Work - Peak	124		1	1	1	1						2			2	1		2	6			1		2	3	10	8				1	2				2	2	1			3	3		1		
W.013	Level Crossing Work - Typical	119				1	1						2			2	1			6			1			3	15	8				1					1				3	3		1			
W.014	Removal of Signal Gantry and Footings	120					1	1						1		1			1			1		1	1		15				1									2		1					

Note 1: Equipment classed as ‘annoying’ in the ICNG and requires a 5 dB correction.

Note 2: Sound power level data is taken from the DEFRA Noise Database, AS2436 and the TfNSW Construction Noise and Vibration Guideline





Appendix C Noise Impact Maps

A2I | Albury to Illabo – Uranquinty Yard

Construction Noise and Vibration Impact Statement

Martinus Rail

SLR Project No.: 610.031317.00001

11 July 2025

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.001 - Site Establishment /
Demobilisation - Approved Daytime
Hours

APPENDIX C-1

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.001 - Site Establishment /
Demobilisation - Out of Hours Daytime

APPENDIX C-2

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.002 - Compound Operation -
Approved Daytime Hours

APPENDIX C-3

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Uranquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.002 - Compound Operation - Out of
Hours Daytime

APPENDIX C-4

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.002 - Compound Operation - Out of Hours Evening

APPENDIX C-5



H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

--- A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.002 - Compound Operation - Out of
Hours Night-time

APPENDIX C-6

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Clearly Audible (1 - 10 dB)

Moderately Intrusive (11 - 20 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.003 - Contamination Sampling
(SAQP) - Approved Daytime Hours

APPENDIX C-7

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Clearly Audible (1 - 10 dB)

Moderately Intrusive (11 - 20 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.004 - Geotechnical Investigation -
Approved Daytime Hours

APPENDIX C-8

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

--- A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.004 - Geotechnical Investigation - Out
of Hours Daytime

APPENDIX C-9

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Clearly Audible (1 - 10 dB)

Moderately Intrusive (11 - 20 dB)

Highly Intrusive (>20 dB)



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.005 - Track Work - Peak - Approved
Daytime Hours

APPENDIX C-10

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

A21 Rail Alignment

NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.eggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.005 - Track Work - Peak - Out of
Hours Evening

APPENDIX C-12

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.005 - Track Work - Peak - Out of
Hours Night-time

APPENDIX C-13

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.006 - Track Work - Typical - Approved
Daytime Hours

APPENDIX C-14

H:\Projects-SLR\610-SvSYD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

- A21 Rail Alignment
- NCA's
- Work Areas

Noise Impacts

- <NML
- Noticeable (1 - 5 dB)
- Clearly Audible (6 - 15 dB)
- Moderately Intrusive (16 - 25 dB)

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

--- A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.006 - Track Work - Typical - Out of
Hours Evening

APPENDIX C-16

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

--- A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.006 - Track Work - Typical - Out of
Hours Night-time

APPENDIX C-17

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Clearly Audible (1 - 10 dB)

Moderately Intrusive (11 - 20 dB)

Highly Intrusive (>20 dB)



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.007 - Track Tamping - Approved
Daytime Hours

APPENDIX C-18

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.007 - Track Tamping - Out of Hours
Daytime

APPENDIX C-19

H:\Projects-SLR\610-Sv\SYD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

- A21 Rail Alignment
- NCAs
- Work Areas
- Noise Impacts
 - <NML
 - Noticeable (1 - 5 dB)
 - Clearly Audible (6 - 15 dB)
 - Moderately Intrusive (16 - 25 dB)
 - Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.007 - Track Tamping - Out of Hours
Evening

APPENDIX C-20

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.egg



LEGEND

--- A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.007 - Track Tamping - Out of Hours
Night-time

APPENDIX C-21

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.eggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.008 - Drainage Work - Approved
Daytime Hours

APPENDIX C-22

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.008 - Drainage Work - Out of Hours
Daytime

APPENDIX C-23

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.009 - Signalling Work - Approved
Daytime Hours

APPENDIX C-24

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.009 - Signalling Work - Out of Hours
Daytime

APPENDIX C-25

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.009 - Signalling Work - Out of Hours
Evening

APPENDIX C-26

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Uranquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.009 - Signalling Work - Out of Hours
Night-time

APPENDIX C-27

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.010 - Bridge Work - Peak - Approved
Daytime Hours

APPENDIX C-28

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



LEGEND

A21 Rail Alignment

NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.010 - Bridge Work - Peak - Out of
Hours Evening

APPENDIX C-30

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

A21 Rail Alignment

NCAs

Work Areas

Noise Impacts


<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)



Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.010 - Bridge Work - Peak - Out of
Hours Night-time

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.011 - Bridge Work - Typical -
Approved Daytime Hours

APPENDIX C-32

H:\Projects-SLR\610-Sv\SVD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



LEGEND

A21 Rail Alignment

NCAs

Work Areas


Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)



Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.011 - Bridge Work - Typical - Out of Hours Daytime

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.011 - Bridge Work - Typical - Out of Hours Evening

APPENDIX C-34

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.011 - Bridge Work - Typical - Out of
Hours Night-time

APPENDIX C-35

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.012 - Level Crossing Work - Peak -
Approved Daytime Hours

APPENDIX C-36

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.012 - Level Crossing Work - Peak -
Out of Hours Daytime

APPENDIX C-37

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.012 - Level Crossing Work - Peak -
Out of Hours Evening

APPENDIX C-38

H:\Projects-SLR\610-SvSYD\610-SvSYD\610.031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.012 - Level Crossing Work - Peak -
Out of Hours Night-time

APPENDIX C-39

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.013 - Level Crossing Work - Typical -
Approved Daytime Hours

APPENDIX C-40

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Uranquinty V3.ggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.013 - Level Crossing Work - Typical -
Out of Hours Daytime

APPENDIX C-41

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.eggz



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.013 - Level Crossing Work - Typical -
Out of Hours Evening

APPENDIX C-42

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Urbanquinty Yard\610.031317 A21 CNVIS - Urbanquinty V3.egg



LEGEND

—+— A21 Rail Alignment

--- NCAs

Work Areas

Noise Impacts

<NML

Noticeable (1 - 5 dB)

Clearly Audible (6 - 15 dB)

Moderately Intrusive (16 - 25 dB)

Highly Intrusive (>25 dB)

0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.013 - Level Crossing Work - Typical -
Out of Hours Night-time

APPENDIX C-43

H:\Projects-SLR\610-SvSYD\610-031317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.egg



0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317



Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.014 - Removal of Signal Gantry and
Footings - Approved Daytime Hours

APPENDIX C-44

H:\Projects-SLR\610-SvSYD\610-03\1317-00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2107 Analysis\Uranquinty Yard\610.031317 A21 CNVIS - Uranquinty V3.ggz




Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

W.014 - Removal of Signal Gantry and Footings - Out of Hours Daytime

APPENDIX C-45



Appendix D Receivers Triggering Additional Mitigation

A2I | Albury to Illabo – Uranquinty Yard

Construction Noise and Vibration Impact Statement

Martinus Rail

SLR Project No.: 610.031317.00001

11 July 2025

W.001 - Site Establishment / Demobilisation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
318985	25 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	-	-
318988	12 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	-	-
1111548	33 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
318989	33 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	-	-
319000	4 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	-	-
1111547	13 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	-	-
319001	13 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	-	-
319012	3 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319013	20 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319014	32 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319015	10-16 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319018	71-73 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	-	-
319019	58 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319072	1 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	-	-
319082	47 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319083	20 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	-	-
319084	29 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	-	-
319085	14 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319086	59 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	-	-
319087	61 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319088	43-45 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319089	37 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	-	-
319098	29 KING ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319099	50-52 BEST ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319100	31 KING ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319101	34-36 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319103	31-33 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319104	10 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319105	28 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319106	26 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319123	12 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319124	22 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319125	2 BEN ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
1111544	21 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319130	21 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	-	-
319131	2-4 KING ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319132	6-8 KING ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319135	18 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319141	17 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319142	19 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319198	26 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319199	13 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	-	-
319200	31 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319201	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	57	CO1	-	-
1111545	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	57	CO1	-	-
319202	18 TABER ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319208	23 KING ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	-	-
319209	2-8 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319225	4 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319226	5 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319227	10 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319230	57 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319232	9 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319239	45 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	-	-
319240	2A URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	-	-
319241	35 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319242	37 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	-	-
319243	9 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	-	-
319248	36 BEST ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319251	11 READ ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319252	17 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	-	-
319254	14 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319257	16 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319258	43 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319259	7 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319266	32 BEST ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319267	11 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	-	-
319268	13 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319269	14 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319270	7 BEST ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319272	28 BEST ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	-	-
319273	26-28 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319282	37 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	69	CO1, CO2	-	-
319289	12 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319290	8 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319291	4 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319292	5 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319298	33 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319331	16 TABER ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319332	28 KING ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319333	42-44 BEST ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	-	-
319353	5 BEN ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	-	-
319357	59-61 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319384	1-3 KING ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319385	10 KING ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319386	39 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	-	-
319387	42-44 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319388	27 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319392	47 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319394	41 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319410	13 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	-	-
319413	8 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	-	-
319464	51-53 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
319465	7 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319466	5 BEST ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319470	51 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319473	16 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319474	1 READ ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319515	2 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	-	-
319516	7 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319518	67 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	-	-
319526	38-40 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
319527	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	57	CO1	-	-
319528	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	56	CO1	-	-
319529	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	-	-
319530	3 BEN ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319532	5 CHURCHES PLAIN RD, URANQUINITY NSW 2652	49	44	44	35	46	CO1	-	-
319534	29 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-
319542	35 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	-	-
319547	28 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	-	-
319548	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319549	23 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319551	11 BEST ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319553	58 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	-	-
319554	6 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	-	-
319556	11 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	-	-
319557	30 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	-	-
319575	34 BEST ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319576	17 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	-	-
319577	11 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319578	24 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	-	-
319579	30 BEST ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	-	-
319580	22-24 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	-	-
319617	25 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319620	6 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	-	-
319621	2A O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's
accuracy or reliability for any purpose.

W.001 - Site Establishment / Demobilisation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319622	5 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319644	20 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319661	11 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	59	CO1	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319683	4 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319707	18 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319710	80 CONNORTON ST, URANQUINTY NSW 2652	45	45	-	-	47	CO1	-	-
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	74	CO1, CO2	-	-
319741	6 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319757	14 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319768	16 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319793	10 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319794	6 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319810	41 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320181	7 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320297	2 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320336	39 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	-	64	CO1	-	-
320448	35 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320453	2 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320458	3 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1111546	1 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	62	CO1	-	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320510	21 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320590	19 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
320625	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	59	CO1	-	-
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320875	15 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	-	-
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	-	-
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	62	CO1	-	-
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
320899	16 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	58	CO1	-	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321441	10 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's
accuracy or reliability for any purpose.

W.001 - Site Establishment / Demobilisation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321480	9 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321494	23 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
1106004	29 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1110598	4 Connorton St, Uranquinty NSW 2652	49	44	44	35	49	CO1	-	-

W.002 - Compound Operation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
201355	2 CASTLE ST, URANQUINITY NSW 2652	49	44	44	35	37	-	-	CO1
318985	25 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	43	-	-	CO1
318988	12 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
1111548	33 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
318989	33 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319000	4 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
1111547	13 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319001	13 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319009	56 URANQUINTRY CROSS RD, URANQUINITY NSW	49	44	44	35	39	-	-	CO1
319012	3 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319013	20 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319014	32 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319015	10-16 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319018	71-73 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319019	58 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319020	6 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	43	-	-	CO1
319072	1 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319082	47 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319083	20 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319084	29 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319085	14 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319086	59 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319087	61 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319088	43-45 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319089	37 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319098	29 KING ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319099	50-52 BEST ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319100	31 KING ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319101	34-36 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319102	4 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	39	-	-	CO1
319103	31-33 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319104	10 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319105	28 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319106	26 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319123	12 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319124	22 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319125	2 BEN ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1111544	21 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319130	21 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	43	-	-	CO1
319131	2-4 KING ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319132	6-8 KING ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319135	18 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319141	17 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319142	19 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319198	26 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319199	13 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319200	31 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319202	18 TABER ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319208	23 KING ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319209	2-8 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319224	14 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	40	-	-	CO1
319225	4 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319226	5 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319227	10 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319230	57 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319231	63 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	42	-	-	CO1
319232	9 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319239	45 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319240	2A URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319241	35 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319242	37 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319243	9 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319248	36 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319251	11 READ ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319252	17 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319254	14 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319257	16 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319258	43 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319259	7 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319266	32 BEST ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319267	11 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319268	13 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319269	14 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319270	7 BEST ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319272	28 BEST ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319273	26-28 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319279	106 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	41	-	-	CO1
319282	37 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319289	12 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319290	8 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319291	4 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319292	5 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319298	33 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319331	16 TABER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319332	28 KING ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319333	42-44 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319353	5 BEN ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319357	59-61 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319384	1-3 KING ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319385	10 KING ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319386	39 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319387	42-44 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319388	27 GUTTTLER ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319392	47 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319393	15 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	41	-	-	CO1
319394	41 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319410	13 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319413	8 YARRAGUNDRY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319464	51-53 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319465	7 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319466	5 BEST ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319470	51 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319473	16 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319474	1 READ ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319481	21 GRADYS RD, URANQUINITY NSW 2652	49	44	44	35	36	-	-	CO1
319515	2 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319516	7 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319518	67 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	43	-	-	CO1
319526	38-40 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	44	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319529	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319530	3 BEN ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319532	5 CHURCHES PLAIN RD, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319534	29 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319542	35 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319547	28 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319548	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319549	23 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319551	11 BEST ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319553	58 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319554	6 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319556	11 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319557	30 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319575	34 BEST ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (

W.002 - Compound Operation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319622	5 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319644	20 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319656	53 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	57	CO1	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319673	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319710	80 CONNORTON ST, URANQUINTY NSW 2652	45	45	-	-	46	CO1	-	-
319711	24 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319754	12 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319769	9 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319791	16 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319810	41 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320201	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320297	2 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320336	39 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320388	30 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	-	62	CO1	CO1	-
320448	35 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320458	3 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1111546	1 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320459	131 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	60	CO1	CO1	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320510	21 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320554	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320590	19 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320625	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	57	CO1	-	-
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320651	26 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320652	20 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320698	7 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320699	3 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44</						

W.002 - Compound Operation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	61	CO1	CO1	CO1, CO2, (RO, AO)*
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
320899	16 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	57	CO1	CO1	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321441	10 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321494	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321498	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321503	44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321532	2 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1000461	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1000482	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106064	25 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106072	35 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1106076	37 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106083	41 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106103	83 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
1106105	85 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1106108	87 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1110597	79 Connorton St, Urquinty NSW 2652	49	44	44	35	41	-	-	CO1
1110598	4 Connorton St, Urquinty NSW 2652	49	44	44	35	48	CO1	CO1	CO1

W.004 - Geotechnical Investigation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening '(>2 consecutive rest periods)	Additional Mitigation Night '(>2 consecutive sleep periods)
318988	12 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	59	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	60	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319232	9 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319267	11 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319413	8 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319527	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	57	CO1	-	-
319528	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	61	CO1	-	-
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319534	29 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319556	11 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319622	5 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319644	20 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319661	11 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	62	CO1	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.004 - Geotechnical Investigation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319683	4 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319707	18 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319710	80 CONNORTON ST, URANQUINTY NSW 2652	45	45	-	-	47	CO1	-	-
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319741	6 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319757	14 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319768	16 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319793	10 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319794	6 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319810	41 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320181	7 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320297	2 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320336	39 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	-	62	CO1	-	-
320448	35 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320453	2 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320458	3 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
1111546	1 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	61	CO1	-	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320510	21 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320590	19 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320625	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	62	CO1	-	-
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320682	-	75	75	-	-	79	CO1	-	-
1111549	-	75	75	-	-	81	CO1	-	-
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320875	15 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	63	CO1	-	-
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
320899	16 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321441	10 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321480	9 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321494	23 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.004 - Geotechnical Investigation

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321532	2 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
1105988	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
1106004	29 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106040	1 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
1106062	29 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1106063	23 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1106076	37 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1110598	4 Connorton St, Uranquinty NSW 2652	49	44	44	35	47	CO1	-	-

W.005 - Track Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
201358	1268 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
201374	1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
201388	5 HARVEYS RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
201392	1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
201402	45 HANGING ROCK RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
201424	190 RODHAMS RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
201427	153 RODHAMS RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
318988	12 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	45	CO1	CO1	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319020	16 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1	CO1	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	67	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	67	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319232	9 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319267	11 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319363	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319406	18-20 KING ST, URANQUINTY NSW 2652	55	55	55	-	58	CO1	CO1	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319413	8 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	73	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*

W.005 - Track Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening Night* (>2 consecutive rest periods)	Additional Mitigation Night* (>2 consecutive sleep periods)
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO, AO)*
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
319556	11 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
319557	30 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO, AO)*
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319576	17 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO, AO)*
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO, AO)*
319578	24 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO, AO)*
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	66	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO, AO)*
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO, AO)*
319622	5 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	71	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319644	20 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO, AO)*
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO, AO)*
319656	53 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	C01	C01	C01
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	66	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO, AO)*
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	70	C01	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO, AO)*
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO, AO)*
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	C01	C01	C01, C02, (RO, AO)*
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319673	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	49	C01	C01	C01
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO, AO)*
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO, AO)*
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO, AO)*
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO, AO)*
319710	80 CONNORTON ST, URANQUINTY NSW 2652	49	45	44	35	56	C01	-	-
319711	24 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO, AO)*
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	70	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO, AO)*
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO, AO)*
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
319754	12 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	48	C01	C01	C01
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO, AO)*
319769	9 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO, AO)*
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO, AO)*
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO, AO)*
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO, AO)*
319791	16 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO, AO)*
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO, AO)*
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO, AO)*
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO, AO)*
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO, AO)*
319810	41 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	66	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	C01	C01	C01
320003	12 GRADYS RD, URANQUINTY NSW 2652	60	60	60	45	49	-	-	C01
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
320201	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO, AO)*
320297	2 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO, AO)*
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO, AO)*
320336	39 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO, AO)*
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320388	30 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	55	70	C01	C01	-
320445	12 GRADYS RD, URANQUINTY NSW 2652	60	60	60	45	48	-	-	C01
320448	35 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	62	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO, AO)*
320458	3 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
1111546	1 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO, AO)*
320459	131 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	C01	C01	C01
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	69	C01	-	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO, AO)*
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO, AO)*
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO, AO)*
320510	21 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	68	C01, C02	C01, C02	C

W.005 - Track Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
1111549	-	75	75	-	-	57	CO1	-	-
320698	7 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	CO1
320699	3 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO,Alta)*
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,Alta)*
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,Alta)*
320852	28 MORGAN ST, URANQUINTY NSW 2652	70	70	-	-	72	CO1	-	-
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320882	190 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO,Alta)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO,Alta)*
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO,Alta)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO,Alta)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	70	CO1	CO1	CO1, CO2, (RO,Alta)*
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO,Alta)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO,Alta)*
320901	171 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320932	12 GRADYS RD, URANQUINTY NSW 2652	60	60	60	45	48	-	-	CO1
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO,Alta)*
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	62	CO1	CO1	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO,Alta)*
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO,Alta)*
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO,Alta)*
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1, CO2, (RO,Alta)*
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,Alta)*
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO,Alta)*
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO,Alta)*
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO,Alta)*
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321474	3 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO,Alta)*
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO,Alta)*
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO,Alta)*
321484	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO,Alta)*
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,Alta)*
321498	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321499	28 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO,Alta)*
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,Alta)*
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO,Alta)*
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO,Alta)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO,Alta)*
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1000481	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1000966	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO,Alta)*
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO,Alta)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
1106040	1 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO,Alta)*
1106062	29 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO,Alta)*
1106063	23 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO,Alta)*
1106064	25 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106066	27 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
1106072	35 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1106076	37 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,Alta)*
1106078	39 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1106080	22 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO,Alta)*
1106083	41 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO,Alta)*
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO,Alta)*
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106103	83 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1106105	85 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
110610									

W.006 - Track Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
201374	1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
201392	1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
318988	12 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
1111547	13 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319001	13 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	41	-	-	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319020	6 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319089	37 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319106	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319135	18 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319188	28 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319199	13 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319200	31 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	63	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	63	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319232	9 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319240	2A URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319243	9 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319252	17 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319257	16 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319268	43 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319259	7 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319267	11 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319269	14 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319289	12 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319290	8 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319291	4 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319292	5 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319298	33 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319388	27 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319413	8 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319481	21 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319527	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	60	CO1	-	-
319528	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	66	CO1	-	-
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319532	5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	49	44	44	35				

W.006 - Track Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening Night* (>2 consecutive rest periods)	Additional Mitigation Night* (>2 consecutive sleep periods)
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
319556	11 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
319557	30 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319576	17 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319578	24 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO.AO)*
319622	5 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319644	20 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319656	53 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO.AO)*
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	66	CO1	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO.AO)*
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319673	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1	CO1	CO1, CO2, (RO.AO)*
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO.AO)*
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO.AO)*
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO.AO)*
319710	80 CONNORTON ST, URANQUINTY NSW 2652	45	45	-	-	52	CO1	-	-
319711	24 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO.AO)*
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO.AO)*
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
319754	12 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO.AO)*
319769	9 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO.AO)*
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO.AO)*
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO.AO)*
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO.AO)*
319791	16 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO.AO)*
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO.AO)*
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319810	41 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO.AO)*
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO.AO)*
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
320201	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO.AO)*
320297	2 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO.AO)*
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO.AO)*
320336	39 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO.AO)*
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO.AO)*
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320388	30 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO.AO)*
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	-	66	CO1	CO1	-
320448	35 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO.AO)*
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO.AO)*
320458	3 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
1111546	1 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO.AO)*
320459	131 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	65	CO1	CO1	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO.AO)*
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO.AO)*
320510	21 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO.AO)*
320554	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO.AO)*
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO.AO)*
320590	19 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO.AO)*
320625	URANQUINTRY PUBLIC SCHOOL 67 PEARSON ST,	49	55	55	-	66	CO1	-	-
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO.AO)*
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO.AO)*
320651	26 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320652	20 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
320682	-	75	75	-	-	81	CO1	-	-
1111549	-	75	75	-	-	83	CO1	-	-
320698	7 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44					

W.006 - Track Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320875	15 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	66	CO1	CO1	CO1, CO2, (RO, AO)*
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320900	15 BEST ST, URANQUINTY NSW 2652	48	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320901	171 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	58	CO1	CO1	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	44	CO1	-	CO1
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321494	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321498	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321528	6 BEST ST, URANQUINTY NSW 2652	48	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1000481	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106010	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
1106064	25 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106072	35 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106076	37 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106083	41 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1106103	83 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1106105	85 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106108	87 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1110597	79 Connorton St, Uranguinty NSW 2652	49	44	44	35	44	-	-	CO1
1110598	4 Connorton St, Uranguinty NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*

W.007 - Track Tamping

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
201358	1268 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
201374	1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
201388	5 HARVEYS RD, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
201392	1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
201424	190 RODDAMS RD, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
318988	12 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	43	-	-	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319020	6 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	65	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	66	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319232	9 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319267	11 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319406	18-20 KING ST, URANQUINTY NSW 2652	55	55	55	-	56	CO1	CO1	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319413	8 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319481	21 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44					

W.007 - Track Tamping

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening Night* (>2 consecutive rest periods)	Additional Mitigation Night* (>2 consecutive sleep periods)
319548	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319549	23 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319551	11 BEST ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319553	58 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319554	6 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319556	11 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319557	30 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319575	34 BEST ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319576	17 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319577	11 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319578	24 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319579	30 BEST ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319580	22-24 BEST ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319617	25 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319620	6 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319621	2A O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319622	5 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319627	75 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319630	39 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319641	24 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319642	47 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319643	8 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319644	20 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
319645	35 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319647	15 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319649	20 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319656	53 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319657	18 BEST ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319658	2 BEST ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319659	8 BEST ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319660	3 DEANE ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
319661	11 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319662	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	68	CO1	-	-
319665	25-27 KING ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319666	30-32 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319667	10 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319669	59-61 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319671	63-65 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319672	60 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319673	10 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319683	4 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319685	23 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319686	25 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319687	5 RYAN ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319705	10 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319706	18 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319707	18 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319710	80 CONNORTON ST, URANQUINITY NSW 2652	45	45	-	-	54	CO1	-	-
319711	24 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
319712	9 BEST ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319722	7 BEN ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319723	14 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319725	1 KEY ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319726	18-20 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO AO)*
319736	12 BEN ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319740	3-5 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319741	6 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319754	12 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319757	14 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319758	6 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319759	23-25 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319760	9 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319768	16 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319769	9 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319770	13 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319771	11 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319772	9 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO AO)*
319780	22-24 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319791	16 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319792	3 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319793	10 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319794	6 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319795	13 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319796	21 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319808	22 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319810	41 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319812	22 TABER ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319813	45 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319814	49 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319816	55 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320003	12 GRADYS RD, URANQUINITY NSW 2652	60	60	60	45	47	-	-	CO1
320178	12 BEST ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320181	7 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320184	40 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
320186	35 DEANE ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320200	54-56 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
320201	10 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320232	34 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
320297	2 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
320318	47 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
320336	39 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
320346	26 BEST ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320385	46 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320388	30 KING ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320390	62-64 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320393	62-64 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO AO)*
320433	22 MORGAN ST, URANQUINITY NSW 2652	55	55	55	-	68	CO1	CO1	-
320445	12 GRADYS RD, URANQUINITY NSW 2652	60	60	60	45	46	-	-	CO1
320448	35 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320453	2 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
320458	3 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
1111546	1 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
320459	131 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320460	15 PEARSON ST, URANQUINITY NSW 2652	55	55	55	-	67	CO1	CO1	-
320476	16 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
320477	4 BEST ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320481	12 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
320508	15 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
320509	14-16 KING ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
320510	21 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320542	2 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	26	CO1	CO1	CO1, CO2, (RO AO)*
320554	16 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320558	67 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320585	17 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
320589	66 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
320590	19 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA

W.007 - Track Tamping

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320875	15 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320882	190 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	68	CO1	CO1	CO1, CO2, (RO, AO)*
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320901	171 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320932	12 GRADYS RD, URANQUINTY NSW 2652	60	60	60	45	46	-	-	CO1
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	60	CO1	CO1	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1	CO1	CO1
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321484	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321485	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321486	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321487	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321488	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1000461	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
1106064	25 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
1106072	35 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106076	37 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
1106083	41 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106103	83 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1106105	85 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106108	97 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1110597	79 Connorton St, Urquinty NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1110598	4 Connorton St, Urquinty NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*

W.008 - Drainage Work

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
319885	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
318988	12 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1	-	-
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	-	-
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319232	9 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319267	11 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319413	8 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319532	5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319534	29 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319556	11 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319557	30 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319576	17 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319578	24 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319622	5 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	-	-
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's
accuracy or reliability for any purpose.

W.008 - Drainage Work

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319644	20 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	56	CO1	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	-	-
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319810	41 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
320297	2 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320336	39 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	-	68	CO1	-	-
320448	35 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320458	3 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
1111546	1 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	66	CO1	-	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320510	21 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320554	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320590	19 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320625	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	56	CO1	-	-
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320662	-	75	75	-	-	82	CO1	-	-
1111549	-	75	75	-	-	84	CO1	-	-
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	69	CO1	-	-
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	58	CO1	-	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
321371	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's
accuracy or reliability for any purpose.

W.008 - Drainage Work

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
321474	3 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321480	9 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321484	23 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321532	2 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	-	-
1106004	29 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1106040	1 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
1106062	29 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1106063	23 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
1106066	27 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1110598	4 Connorton St, Uranquinty NSW 2652	49	44	44	35	53	CO1	-	-

W.009 - Signalling Work

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
318988	12 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1111547	13 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319001	13 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	40	-	-	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319016	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319020	6 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319089	37 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319131	24 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319135	18 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319199	13 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319200	31 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319232	9 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319240	2A URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319243	9 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319252	17 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319257	16 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319258	43 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319259	7 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319267	11 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319269	14 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319270	17 BEST ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319289	12 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319290	8 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319291	4 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319292	5 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319298	33 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319388	27 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AItA)*
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319413	8 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319481	21 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319532	5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319534	29 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319556	11 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319557	30 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319576	17 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319578	24 SPAUL ST, URANQUINTY NSW 2652								

W.009 - Signalling Work

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319622	5 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319644	20 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319656	53 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319673	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	55	-	-	CO1, CO2, (RO, AO)*
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319711	24 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319754	12 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319769	9 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319791	16 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319810	41 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320201	10 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320297	2 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320336	39 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320388	30 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320448	35 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320458	3 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1111546	1 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320459	131 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320510	21 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320554	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320590	19 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320651	26 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320652	20 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320698	7 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320699	3 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	60	-	-	CO1
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*

W.009 - Signalling Work

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321484	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321485	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321486	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321498	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321534	1-5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1000461	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106064	25 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106072	35 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106076	37 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106083	41 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106103	83 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1106105	85 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1106108	87 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
1110597	79 Connorton St, Urquinty NSW 2652	49	44	44	35	42	-	-	CO1
1110598	4 Connorton St, Urquinty NSW 2652	49	44	44	35	42	-	-	CO1

W.010 - Bridge Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
318988	12 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	40	-	-	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	48	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319131	24 KING ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319232	9 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319267	11 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319413	8 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319532	5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319534	29 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	44	CO1	CO1	CO1, CO2, (RO, AO)*
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319556	11 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319557	30 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319576	17 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319578	24 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319622	5 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.010 - Bridge Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319656	53 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319711	24 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319810	41 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320297	2 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320336	39 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320448	35 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320458	3 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1111546	1 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320510	21 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320554	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320590	19 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320651	26 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320699	3 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320878	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	50	-	-	CO1
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321371	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.010 - Bridge Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO,AO)*
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,AO)*
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321480	9 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321494	23 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,AO)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AllA)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO,AO)*
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106004	29 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
1110598	4 Connorton St, Uranquinty NSW 2652	49	44	44	35	48	CO1	CO1	CO1

W.011 - Bridge Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
318988	12 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	37	-	-	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319232	9 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319267	11 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319413	8 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319534	29 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319556	11 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
319683	4 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319707	18 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319741	6 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319757	14 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.011 - Bridge Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320510	21 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320590	19 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320875	15 GUTTLE ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	47	-	-	CO1
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321494	23 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1106004	29 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
1106040	1 GUTTLE ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
1110598	4 Connorton St, Uranquinty NSW 2652	49	44	44	35	45	CO1	CO1	CO1

W.012 - Level Crossing Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
201358	1268 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
201374	1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
201388	5 HARVEYS RD, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
201392	1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
201394	70 HANGING ROCK RD, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
201402	45 HANGING ROCK RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
201424	190 RODDAMS RD, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
201427	153 RODDAMS RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
201449	144 CHURCHES PLAIN RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
318986	12 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	50	CO1	CO1	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO AO)*
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319015	10-15 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319017	36 MORGAN ST, URANQUINTY NSW 2652	49	70			71	CO1	-	-
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	73	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319020	6 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO AO)*
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	79	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO AO)*
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	73	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO AO)*
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319131	24 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	64	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	64	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO AO)*
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO AO)*
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
319232	9 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	74	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO AO)*
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO AO)*
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319267	11 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1	CO1	CO1, CO2, (RO AO)*
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO AO)*
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO AO)*
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	77	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO AO)*
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO AO)*
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO AO)*
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO AO)*
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	76	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO AO)*
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319406	18-20 KING ST, URANQUINTY NSW 2652	55	55			65	CO1	-	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319413	8 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	74	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO AO)*
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*

W.012 - Level Crossing Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening Night* (>2 consecutive rest periods)	Additional Mitigation Night* (>2 consecutive sleep periods)
319530	3 BEN ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AIIA)*
319532	5 CHURCHES PLAIN RD, URANQUINITY NSW 2652	49	44	44	44	55	CO1	CO1	CO1, CO2, (RO, AIIA)*
319534	29 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AIIA)*
319542	35 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AIIA)*
319547	28 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319548	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AIIA)*
319549	23 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AIIA)*
319551	11 BEST ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319553	58 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319554	6 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
319556	11 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319557	30 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AIIA)*
319575	34 BEST ST, URANQUINITY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319576	17 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AIIA)*
319577	11 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
319578	24 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AIIA)*
319579	30 BEST ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319580	22-24 BEST ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319617	25 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AIIA)*
319620	6 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319621	2A O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319622	5 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319627	75 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319630	39 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	79	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319641	24 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319642	47 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319643	8 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
319644	20 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319645	35 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	75	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319647	15 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319649	20 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
319656	53 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
319657	18 BEST ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319658	2 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319659	8 BEST ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
319660	3 DEANE ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
319661	11 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319662	URANQUINITY PUBLIC SCHOOL, 67 PEARSON ST,	49	55	-	-	65	CO1	-	-
319665	25-27 KING ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319666	30-32 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
319667	10 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AIIA)*
319669	59-61 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319671	63-65 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319672	60 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319673	10 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319683	4 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319685	23 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319686	25 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319687	5 RYAN ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319705	10 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319706	18 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
319707	18 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319710	80 CONNORTON ST, URANQUINITY NSW 2652	45	45	-	-	55	CO1	-	-
319711	24 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AIIA)*
319712	9 BEST ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AIIA)*
319722	7 BEN ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AIIA)*
319723	14 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
319725	1 KEY ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AIIA)*
319726	18-20 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AIIA)*
319736	12 BEN ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AIIA)*
319740	3-5 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AIIA)*
319741	6 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319754	12 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AIIA)*
319757	14 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
319758	6 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319759	23-25 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319760	9 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319768	16 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AIIA)*
319769	9 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
319770	13 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
319771	11 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AIIA)*
319772	9 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
319780	22-24 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
319791	16 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
319792	3 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
319793	10 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
319794	6 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
319795	13 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319796	21 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319808	22 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AIIA)*
319810	41 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AIIA)*
319812	22 TABER ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
319813	45 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319814	49 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
319816	55 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AIIA)*
320003	12 GRADYS RD, URANQUINITY NSW 2652	60	60	60	45	50	-	-	CO1
320178	12 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
320181	7 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320184	40 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AIIA)*
320186	35 DEANE ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
320200	54-56 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320201	10 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320232	34 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320297	2 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AIIA)*
320318	47 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
320336	39 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320346	26 BEST ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320385	46 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	77	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIIA)*
320388	30 KING ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
320390	62-64 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320393	62-64 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320433	22 MORGAN ST, URANQUINITY NSW 2652	55	55	55	-	62	CO1	CO1	-
320445	12 GRADYS RD, URANQUINITY NSW 2652	60	60	60	45	49	-	-	CO1
320448	35 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320453	2 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIIA)*
320458	3 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AIIA)*
1111546	1 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
320459	131 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AIIA)*
320460	15 PEARSON ST, URANQUINITY NSW 2652	55	55	55	-	63	CO1	CO1	-
320476	16 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
320477	4 BEST ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AIIA)*
320481	12 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AIIA)*
320508	15 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO,

W.012 - Level Crossing Work - Peak

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
320651	26 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
320652	20 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
320698	7 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
320699	3 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	62	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320787	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	78	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO AO)*
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO AO)*
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	46	C01	C01	C01, C02, (RO AO)*
320882	190 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	41	-	-	C01
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO AO)*
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO AO)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	70	C01	C01	C01, C02, (RO AO)*
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	68	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	62	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
320901	171 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	C01
320932	12 GRADYS RD, URANQUINTY NSW 2652	60	60	60	45	50	-	-	C01
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	69	C01	C01	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO AO)*
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	76	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO AO)*
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO AO)*
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO AO)*
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	C01	C01	C01
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	71	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	46	C01	C01	C01
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321474	3 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO AO)*
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO AO)*
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO AO)*
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO AO)*
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
321494	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	66	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO AO)*
321498	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	48	C01	C01	C01
321499	28 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO AO)*
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	68	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO AO)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO AO)*
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	60	C01, C02	C01, C02	C01, C02, (RO AO)*
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	64	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO AO)*
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO AO)*
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	C01	C01	C01, C02, (RO AO)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
1000481	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1000905	42 MORGAN ST, URANQUINTY NSW 2652	70	70	-	-	75	C01	-	-
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	C01	C01	C01, C02, (RO AO)*
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	55	C01	C01	C01, C02, (RO AO)*
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	80	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	61	C01, C02	C01, C02	C01, C02, (RO AO)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	76	C01, C02	C01, C02, (RO)*	C01, C02, RO, (AO, AIIA)*
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	69	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
1106040	1 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	65	C01, C02	C01, C02	C01, C02, RO, (AO, AIIA)*
1106062	29 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	C01	C01	C01, C02, (RO AO)*
1106063	23 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	58	C01	C01	C01, C02, (RO AO)*
1106064	25 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
1106066	27 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
1106072	35 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02, (RO AO)*
1106076	37 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
1106078	39 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	C01	C01	C01, C02, (RO AO)*
1106080	22 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	C01	C01	C01, C02, (RO AO)*
1106083	41 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	C01	C01	C01
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	52	C01	C01	C01, C02, (RO AO)*
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	51	C01	C01	C01, C02

W.013 - Level Crossing Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night **(>2 consecutive sleep periods)
201332	970 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
201355	2 CASTLE ST, URANQUINTY NSW 2652	49	44	44	35	39	-	-	CO1
201358	1268 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	37	-	-	CO1
201374	1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
201388	5 HARVEYS RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
201392	1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
201424	190 RODDAMS RD, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
318988	12 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319009	56 URANQUINTY CROSS RD, URANQUINTY NSW	49	44	44	35	45	CO1	CO1	CO1
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319020	6 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	74	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AItA)*
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319131	2-4 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	59	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	59	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319232	9 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319267	11 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	76	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AItA)*
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319384	1-3 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AItA)*
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	76	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AItA)*
319406	18-20 KING ST, URANQUINTY NSW 2652	55	55	55	-	59	CO1	CO1	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319413	8 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	44	-	-	CO1
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319481	21 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AItA)*
319527	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	58	CO1	-	-
319528	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	58	CO1	-	-

W.013 - Level Crossing Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319548	8 BEN ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319549	23 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319551	11 BEST ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319553	58 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319554	6 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319556	11 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319557	30 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319575	34 BEST ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319576	17 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319577	11 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319578	24 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319579	30 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319580	22-24 BEST ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319617	25 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319620	6 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319621	2A O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319622	5 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319627	75 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319630	39 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	74	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319641	24 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319642	47 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319643	8 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319644	20 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319645	35 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	70	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
319647	15 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319649	20 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319656	53 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319657	18 BEST ST, URANQUINITY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
319658	2 BEST ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319659	8 BEST ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319660	3 DEANE ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319661	11 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
319662	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	60	CO1	-	-
319665	25-27 KING ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319666	30-32 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319667	10 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
319669	59-61 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319671	63-65 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319672	60 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319673	10 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
319683	4 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
319685	23 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319686	25 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319687	5 RYAN ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319705	10 BRIDGE ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
319706	18 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319707	18 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319710	80 CONNORTON ST, URANQUINITY NSW 2652	45	45	-	-	50	CO1	-	-
319711	24 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
319712	9 BEST ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319722	7 BEN ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319723	14 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319725	1 KEY ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319726	18-20 BAKER ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319736	12 BEN ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
319740	3-5 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319741	6 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
319754	12 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319757	14 YARRAGUNDY ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319758	6 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319759	23-25 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319760	9 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319768	16 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319769	9 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319770	13 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319771	11 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
319772	9 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319780	22-24 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
319791	16 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
319792	3 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319793	10 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
319794	6 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319795	13 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319796	21 PEARSON ST, URANQUINITY NSW 2652	49	44	44	35	62	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319808	22 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
319810	41 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
319812	22 TABER ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
319813	45 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
319814	49 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
319816	55 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320178	12 BEST ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
320181	7 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320184	40 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320186	35 DEANE ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
320200	54-56 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320201	10 HARDIMAN ST, URANQUINITY NSW 2652	49	44	44	35	44	-	-	CO1
320232	34 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320287	2 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320318	47 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320336	39 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320346	26 BEST ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320385	46 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	72	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
320388	30 KING ST, URANQUINITY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
320390	62-64 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	64	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320393	62-64 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320433	22 MORGAN ST, URANQUINITY NSW 2652	55	55	55	-	57	CO1	CO1	-
320448	35 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320453	2 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320458	3 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1111546	1 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320459	131 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
320460	15 PEARSON ST, URANQUINITY NSW 2652	55	55	55	-	58	CO1	CO1	-
320476	16 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320477	4 BEST ST, URANQUINITY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
320481	12 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320508	15 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320509	14-16 KING ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320510	21 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	61	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320542	2 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320554	15 SPAUL ST, URANQUINITY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
320558	67 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320585	17 CONNORTON ST, URANQUINITY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
320589	66 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320590	19 URANQUINTRY ST, URANQUINITY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320625	URANQUINITY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	60	CO1	-	-
320626	33 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320627	10 MORGAN ST, URANQUINITY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320642	59-61 O'CONNOR ST, URANQUINITY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320651	26 GUTTLER ST, URANQUINITY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
320652	20 HARDIMAN ST, URANQUINITY NSW 2652</								

W.013 - Level Crossing Work - Typical

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(≥2 consecutive rest periods)	Additional Mitigation Night *(≥2 consecutive sleep periods)
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320875	15 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
320876	1040 OLD STATION RD, URANQUINTY NSW 2652	49	44	44	35	41	-	-	CO1
320882	190 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	36	-	-	CO1
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	CO1	CO1, CO2, (RO, AO)*
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	65	CO1	CO1	CO1, CO2, (RO, AO)*
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320899	16 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
320901	171 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	38	-	-	CO1
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55	-	63	CO1	CO1	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
321429	11 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	42	-	-	CO1
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321442	23 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	40	-	-	CO1
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321494	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
321495	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
321496	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321498	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	CO1	CO1, CO2, (RO, AO)*
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	CO1	CO1
321534	1-3 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	CO1	CO1, CO2, (RO, AO)*
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	CO1	CO1, CO2, (RO, AO)*
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1000461	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	CO1	CO1, CO2, (RO, AO)*
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	CO1	CO1, CO2, (RO, AO)*
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	75	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	CO1	CO1, CO2, (RO, AO)*
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	71	CO1, CO2	CO1, CO2, (RO)*	CO1, CO2, RO, (AO, AIA)*
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	CO1, CO2	CO1, CO2, RO, (AO, AIA)*
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	CO1, CO2	CO1, CO2, (RO, AO)*
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	CO1	CO1, CO2, (RO, AO)*
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	CO1	CO1, CO2, (RO, AO)*
1106064	25 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106072	35 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1106076	37 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	CO1	CO1
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	CO1	CO1
1106083	41 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	CO1	CO1
1106103	83 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106105	85 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	43	-	-	CO1
1106108	87 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	CO1	CO1
1110597	79 Connorton St, Urquinty NSW 2652	49	44	44	35	47	CO1	CO1	CO1
1110598	4 Connorton St, Urquinty NSW 2652	49	44	44	35	47	CO1	CO1	CO1

W.014 - Removal of Signal Gantry and Footings

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
318985	25 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
318988	12 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
1111548	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
318989	33 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319000	4 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1111547	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319001	13 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319012	3 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319013	20 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319014	32 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319015	10-16 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319018	71-73 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319019	58 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319020	6 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319072	1 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319082	47 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319083	20 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319084	29 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319085	14 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319086	59 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319087	61 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319088	43-45 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319089	37 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319098	29 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319099	50-52 BEST ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319100	31 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319101	34-36 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319102	4 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319103	31-33 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319104	10 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319105	28 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319106	26 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319123	12 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319124	22 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319125	2 BEN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1111544	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319130	21 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319131	24 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319132	6-8 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319135	18 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319141	17 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319142	19 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319198	26 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319199	13 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319200	31 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319201	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	57	CO1	-	-
1111545	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	57	CO1	-	-
319202	18 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319208	23 KING ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319209	2-8 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319224	14 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319225	4 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319226	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319227	10 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319230	57 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319231	63 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319232	9 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
319239	45 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319240	2A URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319241	35 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319242	37 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319243	9 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319248	36 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319251	11 READ ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319252	17 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319254	14 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319257	16 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319258	43 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319259	7 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319266	32 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319267	11 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
319268	13 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319269	14 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319270	7 BEST ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319272	28 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319273	26-28 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319279	106 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319282	37 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	-	-
319289	12 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319290	8 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319291	4 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319292	5 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319298	33 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319331	16 TABER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319332	28 KING ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319333	42-44 BEST ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319353	5 BEN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319357	59-61 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319385	10 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319386	39 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319387	42-44 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319388	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319392	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	67	CO1, CO2	-	-
319393	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319394	41 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	72	CO1, CO2	-	-
319410	13 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319413	8 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319464	51-53 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
319465	7 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319466	5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319470	51 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319473	16 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319474	1 READ ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319515	2 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319516	7 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319518	67 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319526	38-40 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
319527	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	56	CO1	-	-
319528	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST,	55	55	-	-	56	CO1	-	-
319529	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319530	3 BEN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319532	5 CHURCHES PLAIN RD, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319534	29 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319542	35 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319547	28 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319548	8 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319549	23 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319551	11 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319553	58 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319554	6 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319556	11 URANQUINTRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319557	30 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319575	34 BEST ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319576	17 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319577	11 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319578	24 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's
accuracy or reliability for any purpose.


W.014 - Removal of Signal Gantry and Footings

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening (>2 consecutive rest periods)	Additional Mitigation Night (>2 consecutive sleep periods)
319579	30 BEST ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319580	22-24 BEST ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
319617	25 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319620	6 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319621	2A O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319622	5 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319627	75 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319630	39 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	73	CO1, CO2	-	-
319641	24 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
319642	47 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
319643	8 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319644	20 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319645	35 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	69	CO1, CO2	-	-
319647	15 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319649	20 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319656	53 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319657	18 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
319658	2 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319659	8 BEST ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319660	3 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319661	11 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319662	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	59	CO1	-	-
319665	25-27 KING ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319666	30-32 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319667	10 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319669	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319671	63-65 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319672	60 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
319683	4 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319685	23 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319686	25 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319687	5 RYAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319705	10 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
319706	18 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319707	18 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319710	80 CONNORTON ST, URANQUINTY NSW 2652	45	45	-	-	48	CO1	-	-
319711	24 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319712	9 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319722	7 BEN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319723	14 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319725	1 KEY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319726	18-20 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319736	12 BEN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
319740	3-5 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319741	6 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319754	12 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319757	14 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319758	6 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319759	23-25 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	63	CO1, CO2	-	-
319760	9 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319768	16 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319769	9 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319770	13 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
319771	11 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
319772	9 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
319780	22-24 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319791	16 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
319792	3 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319793	10 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
319794	6 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319795	13 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
319796	21 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319808	22 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
319810	41 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
319812	22 TABER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
319813	45 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
319814	49 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
319816	55 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320178	12 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320181	7 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320184	40 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
320186	35 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320200	54-56 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320232	34 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320297	2 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320318	47 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320336	39 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320346	26 BEST ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320385	46 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	-	-
320388	30 KING ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320390	62-64 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	62	CO1, CO2	-	-
320393	62-64 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320433	22 MORGAN ST, URANQUINTY NSW 2652	55	55	55	-	58	CO1	-	-
320448	35 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320453	2 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320458	3 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1111546	1 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
320459	131 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320460	15 PEARSON ST, URANQUINTY NSW 2652	55	55	55	-	58	CO1	-	-
320476	16 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
320477	4 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320481	12 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320508	15 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320509	14-16 KING ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320510	21 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	60	CO1, CO2	-	-
320542	2 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
320554	15 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320558	67 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
320585	17 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
320589	66 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320590	19 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320625	URANQUINTY PUBLIC SCHOOL 67 PEARSON ST.	55	55	-	-	59	CO1	-	-
320626	33 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
320627	10 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320642	59-61 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	64	CO1, CO2	-	-
320651	26 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320652	20 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320698	7 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
320699	3 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320711	9 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
320723	13-15 KING ST, URANQUINTY NSW 2652	49	44	44	35	42	CO1	-	-
320767	50 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	68	CO1, CO2	-	-
320789	8 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
320790	68 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	61	CO1, CO2	-	-
320801	22-24 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320820	12 TABER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320853	41 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
320875	15 GUTTLER ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320886	17-19 KING ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
320887	9-11 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320888	7 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
320889	1 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
320895	10 BEN ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
320897	30-34 MORGAN ST, URANQUINTY NSW 2652	60	60	60	45	65	CO1	-	-
320898	27 PEARSON ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
320899	16 YARRAGUNDRY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-

DISCLAIMER: Address data within this document is based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

W.014 - Removal of Signal Gantry and Footings

SLR ID	ADDRESS	NML Daytime	NML Daytime OOH	NML Evening	NML Night-time	Predicted Level LAeq(15min)	Additional Mitigation Daytime OOH	Additional Mitigation Evening *(>2 consecutive rest periods)	Additional Mitigation Night *(>2 consecutive sleep periods)
320900	15 BEST ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
321338	4 BEN ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321341	50-52 O'CONNOR ST, URANQUINTY NSW 2652	55	55	55		61	CO1	-	-
321365	1 BEN ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321366	44 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	70	CO1, CO2	-	-
321371	26 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321372	28 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321378	31 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321380	30 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
321382	36 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321383	21 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321384	27 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321428	12 GRADYS RD, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321435	9 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321436	5-7 KING ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321438	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321439	1 DEANE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321440	41 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321441	10 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	65	CO1, CO2	-	-
321445	3 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321447	1-3 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321449	4 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321450	51 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321465	26-28 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321468	5 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321469	16 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321470	2 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321471	65 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
321472	24 TABER ST, URANQUINTY NSW 2652	49	44	44	35	49	CO1	-	-
321473	37-39 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321474	3 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321475	30 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321476	31 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321477	21 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321478	38 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321479	20 TABER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
321480	9 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321484	23 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321485	78 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	55	CO1	-	-
321486	53 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321497	26 KING ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
321499	28 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
321500	7 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321501	5 SPAUL ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321503	46 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321528	6 BEST ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
321529	10 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321531	22 KING ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321532	2 YARRAGUNDY ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
321533	5 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
321534	1-5 BEST ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
321535	13 BEST ST, URANQUINTY NSW 2652	49	44	44	35	58	CO1	-	-
321551	12 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	54	CO1	-	-
321552	6066 OLYMPIC HWY, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1000453	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1000460	75 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1000461	77 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1000462	81 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
1000906	69 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1105892	6 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1105932	29 BAKER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1105942	18 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1105956	11 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1105958	26 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	53	CO1	-	-
1105968	43 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
1105969	13-15 BRIDGE ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1105990	48 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	73	CO1, CO2	-	-
1106004	29 URANQUINTY ST, URANQUINTY NSW 2652	49	44	44	35	56	CO1	-	-
1106008	52-54 MORGAN ST, URANQUINTY NSW 2652	49	44	44	35	66	CO1, CO2	-	-
1106010	48 O'CONNOR ST, URANQUINTY NSW 2652	49	44	44	35	57	CO1	-	-
1106030	14 TABER ST, URANQUINTY NSW 2652	49	44	44	35	50	CO1	-	-
1106040	1 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	59	CO1	-	-
1106062	29 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	51	CO1	-	-
1106063	23 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	52	CO1	-	-
1106064	25 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106066	27 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1106072	35 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
1106076	37 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1106078	39 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	48	CO1	-	-
1106080	22 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1106083	41 GUTTTLER ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106084	71 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106086	73 CONNORTON ST, URANQUINTY NSW 2652	49	44	44	35	45	CO1	-	-
1106091	5 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	47	CO1	-	-
1106099	18 HARDIMAN ST, URANQUINTY NSW 2652	49	44	44	35	46	CO1	-	-
1110597	79 Connorton St, Urquinty NSW 2652	49	44	44	35	46	CO1	-	-
1110598	4 Connorton St, Urquinty NSW 2652	49	44	44	35	48	CO1	-	-



Making Sustainability Happen