# EIS CONSISTENCY ASSESSMENT REPORT (MINOR) – URANQUINTY SUPPORTING WORKS (535.500)

A2I | Albury to Illabo



6-0052-210-EAP-W1-AS-0001

## Document Control

| | |
|---|---|
| **DOCUMENT TITLE** | **EIS CONSISTENCY ASSESSMENT REPORT (MINOR) – URANQUINTY SUPPORTING WORKS (535.500)** |
| **PREPARED BY** | Ellen Fowler and Constance Georgiou |
| **REVIEWED BY** | David Lamb |

## Endorsed by

| SIGNATURE | NAME | TITLE | DATE |
|---|---|---|---|
|  | David Lamb | Environment Lead (A2I) | 11/12/2025 |

## Approved by

| SIGNATURE | NAME | TITLE | DATE |
|---|---|---|---|
|  | Chris Standing | Environment, Approvals and Sustainability Manager (A2P) | 11/12/2025 |

## Revision History

| REVISION | REVISION DATE | DESCRIPTION |
|---|---|---|
| A | 15/10/2025 | For review and approval |
| B | 04/11/2025 | For review and approval |
| 0 | 11/11/2025 | For use |
| 0.1 | 17/11/2025 | For review and approval – minor update to include additional scope (access point) |
| 1 | 26/11/2025 | For use |
| 1.1 | 11/12/2025 | For review and approval – minor update to include additional scope (access works) |

**Disclaimer:** This document has been prepared by ARTC for internal use and may not be relied on by any other party without ARTC's prior written consent. Use of this document shall be subject to the terms of the relevant contract with ARTC.

ARTC and its employees shall have no liability to unauthorised users of the information for any loss, damage, cost or expense incurred or arising by reason of an unauthorised user using or relying upon the information in this document, whether caused by error, negligence, omission or misrepresentation in this document.

Copyright of this material is vested in ARTC, subject to the Copyright Act 1968. This material, including the ARTC logo, is copyright. None of this material may be reproduced, altered or transmitted in whole or in part without prior written permission from ARTC which must be directed to IR Director Business Services.

**© Australian Rail Track Corporation Limited 2021**

# Table of Contents

**Glossary** ..... **5**

**1 Introduction** ..... **7**
1.1 Background ..... 7
1.1.1 Division 5.2 approval ..... 7
1.1.2 EPBC Act referral ..... 7
1.1.3 Project changes ..... 7
1.2 Purpose of consistency assessment ..... 8

**2 Proposed Change** ..... **9**
2.1 Description of Proposed Change ..... 9
2.1.1 Methodology ..... 10
2.2 Need ..... 11
2.3 Location and setting ..... 11
2.4 Construction hours ..... 11

**3 Consultation** ..... **12**

**4 Environmental Assessment** ..... **13**
4.1 Environmental risk review ..... 13
4.2 Traffic and transport ..... 14
4.2.1 Existing environment ..... 14
4.2.2 Impact assessment ..... 17
4.2.3 Conclusion ..... 17
4.3 Noise and vibration ..... 17
4.3.1 Existing environment ..... 17
4.3.2 Construction hours ..... 20
4.3.3 Impact assessment ..... 20
4.3.4 Conclusion ..... 24
4.4 Aboriginal heritage ..... 24
4.4.1 Existing environment ..... 24
4.4.2 Impact assessment ..... 25
4.4.3 Conclusion ..... 26
4.5 Non-Aboriginal heritage ..... 26
4.5.1 Existing environment ..... 26
4.5.2 Impact assessment ..... 29
4.5.3 Conclusion ..... 30
4.6 Biodiversity ..... 31
4.6.1 Existing environment ..... 31
4.6.2 Impact assessment ..... 32
4.6.3 Conclusion ..... 32
4.7 Hydrology and flood risk ..... 32
4.7.1 Existing environment ..... 32
4.7.2 Impact assessment ..... 33
4.7.3 Conclusion ..... 34
4.8 Soils and contamination ..... 34
4.8.1 Existing environment ..... 34
4.8.2 Impact assessment ..... 36
4.8.3 Conclusion ..... 37
4.9 Air quality ..... 37
4.9.1 Existing environment ..... 37
4.9.2 Impact assessment ..... 38
4.9.3 Conclusion ..... 38
4.10 Landscape and visual ..... 38

4.10.1 Existing environment ..... 38
4.10.2 Impact assessment ..... 41
4.10.3 Conclusion ..... 41
4.11 Matters of national environmental significance ..... 41
4.12 Environmental management measures ..... 42

**5 Consistency assessment ..... 44**

**6 Monitoring and Reporting ..... 45**

**7 Conclusion ..... 45**

**8 Certification ..... 46**

## Appendices

**Appendix A Construction Noise and Vibration Impact Statement (SLR) ..... 47**

**Appendix B Construction Noise and Vibration Impact Statement – Addendums ..... 48**

**Appendix C Heritage Assessment (OzArk) ..... 49**

**Appendix D Biodiversity Assessment Report Memo (ECE) ..... 50**

**Appendix E Unexpected Finds Procedure (Heritage and Human Remains) ..... 51**

**Appendix F Unexpected Finds Procedure (Flora and Fauna) ..... 52**

**Appendix G Unexpected Finds Procedure (Contamination) ..... 53**

## List of tables

Table 4-1: Consistency assessment review ..... 13
Table 4-2: Noise catchment area ..... 18
Table 4-3: NCA and noise management levels ..... 18
Table 4-4: Exceedance comparisons for W.001 (daytime OOH) ..... 21
Table 4-5: Exceedance comparisons for W.002 (night-time OOH) ..... 22
Table 4-6: Noise exceedances for W.010A (approved daytime) ..... 22
Table 4-7: Noise exceedances for W.010A (daytime OOH) ..... 23
Table 4-8: Heritage items that intersect or are adjacent to the Proposed Change ..... 26
Table 4-9: Existing flood conditions ..... 33
Table 4-10: Existing soil characteristics ..... 34
Table 4-11: Areas of Environmental Concern in relation to the Proposed Change ..... 35
Table 4-12: Air quality data (2016 to 2020) ..... 38
Table 4-13: Matters of national environmental significance ..... 41
Table 4-14: Additional mitigation measures ..... 42
Table 5-1: Consistency questions ..... 44

## List of figures

Figure 2-1: Additional area extent for Proposed Change shown by yellow line ..... 9
Figure 4-1: EAD mapped key road links and intersections at Uranquinty ..... 16
Figure 4-2: EAD mapped NCA 09 in relation to the Proposed Change ..... 19
Figure 4-3: EAD mapped Site Investigation Zone 8 in relation to Uranquinty ..... 25
Figure 4-4: EAD mapped location of known non-Aboriginal heritage items near the Proposed Change ..... 28
Figure 4-5: HA mapped location of LEP listed items near the Proposed Change (OzArk) ..... 29

Figure 4-6: EAD mapped locations of AECs in relation to the Proposed Change ..... 36
Figure 4-7: EAD mapped locations of viewpoint 10 and 11 in relation to the Proposed Change ..... 40

# Glossary

Specific terms and acronyms used throughout this strategy are listed and described in the table below.

| TERM | DEFINITION |
|---|---|
| Action Management Plan | *EPBC Act:*<br>In relation to an action, means a plan for managing the impacts of the action on a matter protected by a provision of Part 3, such as a plan for conserving habitat of a species. |
| AHD | Australian Height Datum |
| AHIMS | Aboriginal Heritage Information Management System |
| A2I | Albury to Illabo section of the Inland Rail Program |
| ARTC | Australian Rail Track Corporation |
| Asl | Above sea level |
| ASS | Acid Sulfate Soils |
| BARM | Biodiversity Assessment Report Memo (East Coast Ecology, December 2025) |
| Change | Macquarie Dictionary:<br>A variation, adjustment, alteration, deviation or transformation to the Project scope, construction methodology or design. |
| CNVIS | Construction Noise and Vibration Impact Statement (SLR, July 2025) |
| CNVIS Addendum | An addendum to the endorsed CNVIS |
| CoA | Condition(s) of Approval |
| Construction | Includes work required to construct the CSSI as defined in the Project Description described in the documents listed in Condition A1 including commissioning trials of equipment and temporary use of any part of the CSSI but excluding Low Impact Work which is carried out or completed prior to approval of the CEMP. |
| Consistent | Macquarie Dictionary:<br>Agreeing or accordant; compatible; not self-opposed or self-contradictory; constantly adhering to the same principles, course, etc. |
| Consistent with | Means that carrying out the Project (as approved) will comply with the terms of the approval despite the Proposed Change. (See Barrick Australia Ltd v. Williams [2009] NSWCA 275) |
| Compatible | Macquarie Dictionary:<br>Capable of existing in harmony. Capable of orderly, efficient integration with other elements in a system. |
| DAWE | *Former* Australian Government Department of Agriculture, Water and Environment |
| DCCEEW | Department of Climate Change, Energy and the Environment and Water |
| Division 5.2 Approval | An approval under Division 5.2 of the NSW Environmental Planning and Assessment Act 1979 for State Significant Infrastructure / Critical State Significant Infrastructure. |
| EAD | Environmental Assessment Documentation |
| EIS | Environmental Impact Statement |
| HA | Heritage Assessment (OzArk, December 2025) |
| IRPL | Inland Rail Pty Ltd (subsidiary of ARTC) |
| LEP | Local Environment Plan |
| MR | Martinus Rail, the principal contractor appointed by IRPL to construct the A2I section of the Inland Rail program. |
| NCA | Noise Catchment Area |

| | |
|---|---|
| NML | Noise Management Level |
| Modification of an Approval | Section 5.25 Environmental Planning and Assessment Act 1979: Means changing the terms of the Division 5.2 approval, including revoking or varying a condition of the approval or imposing an additional condition on the approval. |
| PIR | Preferred Infrastructure Report |
| $PM_{2.5}$ | Particles with a diameter of 2.5 micrometres or less |
| $PM_{10}$ | Particles with a diameter of 10 micrometres or less |
| PNL | Predicted Noise Level |
| Proposed Change | Additional CIZ extensions required at Uranquinty Yard clearances to support wider scope of work associated with these enhancement sites. |
| RAP | Recognised Aboriginal Party |
| Sensitive Receivers | Includes residences, educational institutions (including preschools, schools, universities, TAFE colleges), health care facilities (including nursing homes, hospitals), religious facilities (including churches), childcare centres and passive recreation areas (including outdoor grounds used for teaching). Receivers that may be considered to be sensitive include commercial premises including film and television studios, research facilities, entertainment spaces, temporary accommodation such as caravan parks and camping grounds, restaurants, office premises, and retail spaces and industrial premises as identified by the Planning Secretary. |
| SHR | State Heritage Register |
| SSI | State Significant Infrastructure |
| UMM | Updated Mitigation Measure(s) |
| Uranquinty | Uranquinty Yard clearances enhancement site |

# 1 Introduction

## 1.1 Background

### 1.1.1 Division 5.2 approval

ARTC prepared an Environmental Impact Statement (EIS) for the Inland Rail – Albury to Illabo Project which was placed on public exhibition from 17 August 2022 to 28 September 2022. The EIS identified a range of environmental, social and planning issues associated with the construction and operation of the Albury to Illabo (A2I) Project and proposed measures to mitigate and manage those potential impacts.

In accordance with section 5.17(6)(b) of the EP&A Act, on 13 April 2023 the Planning Secretary directed ARTC to submit a Preferred Infrastructure Report (PIR) that provides further assessment of traffic and transport, noise and vibration, and air quality impacts. The PIR was also prepared to consider changes to the exhibited Project that have arisen as a consequence of these further assessments and related submissions.

The Inland Rail – Albury to Illabo Project was assessed as part of the following documents:

- Inland Rail – Albury to Illabo Environmental Impact Statement (ARTC, August 2022),
- Albury to Illabo Response to Submissions (ARTC, November 2023),
- Albury to Illabo Preferred Infrastructure Report (ARTC, November 2023),
- Albury to Illabo Preferred Infrastructure Report Response to Submissions (ARTC, February 2024),
- Inland Rail – Albury to Illabo (SSI-10055) Response to request for additional information – Air Quality Assessment (letter dated 1 May 2024),
- Part 1 - Revised Technical Paper 8: Biodiversity Development Assessment Report (WSP, February 2024),
- Part 2 - Revised Technical Paper 8: Biodiversity Development Assessment Report (WSP, February 2024).

The Minister for Planning and Public Spaces approved the Albury to Illabo Project under section 5.19 of the *Environmental Planning and Assessment Act 1979* (EP&A Act) on 8 October 2024. The approval incorporated the Minister's Conditions of Approval.

For the purposes of this consistency assessment, the approval issued by the NSW Minister for Planning and Public Spaces for the A2I Project is referred to as the Division 5.2 approval.

### 1.1.2 EPBC Act referral

The A2I Project was referred to the Australian Government Minister for the Environment under the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) due to potential for impacts on protected matters on 2 June 2020 (EPBC Referral No 202/8670). On 29 June 2020, the former Australian Government Department of Agriculture, Water and Environment (DAWE) notified that the proposal is not a controlled action, and hence approval under the EPBC Act is not required.

### 1.1.3 Project changes

The Project has not been subject to a modification under section 5.25 of the EP&A Act.

The following consistency assessments have been prepared to support the undertaking of the Project:

- EIS Consistency Assessment Report (Minor) Kildare Catholic College (MR, April 2025)
- EIS Consistency Assessment Report (Minor) Cassidy Parade and Pearson Cassidy (MR, April 2025)
- EIS Consistency Assessment Report (Small Scale) Wagga Traffic Investigations (MR, May 2025)
- EIS Consistency Assessment Report (Minor) Edmondson Street Utilities (MR, July 2025)

- EIS Consistency Assessment Report (Minor) Edmondson Street Timing (MR, July 2025)
- EIS Consistency Assessment Report (Minor) Diver Platforms Stage B (MR, August 2025)
- EIS Consistency Assessment Report (Minor) Junee Precinct (MR, August 2025)
- EIS Consistency Assessment Report (Minor) Albury Precinct (MR, September 2025)
- EIS Consistency Assessment Report (Minor) Wagga Stage B (MR, September 2025)
- EIS Consistency Assessment Report (Minor) Junee to Illabo Clearances (MR, September 2025)
- EIS Consistency Assessment Report (Minor) Riverina Highway Site Establishment (MR, September 2025)
- EIS Consistency Assessment Report (Minor) Wagga Wagga Traffic Mitigations (MR, October 2025)
- EIS Consistency Assessment Report (Minor) Bomen Yard Construction Boundary Changes (MR, November 2025)
- EIS Consistency Assessment Report (Small Scale) Albury North Signal Hut (MR, November 2025)
- EIS Consistency Assessment Report (Minor) Signalling Scope Stage B (MR, November 2025)
- EIS Consistency Assessment Report (Minor) Culcairn Site Establishment (MR, November 2025)
- EIS Consistency Assessment Report (Minor) The Rock & Table Top Site Establishment (MR, November 2025)

## 1.2 Purpose of consistency assessment

This consistency assessment has been prepared in accordance with the Inland Rail Pty Ltd (IRPL) specification for NSW Consistency Assessments (0-0000-902-EEC-00-SP-0001_1). The purpose of this consistency assessment is to:

- Describe the Proposed Change relative to the Division 5.2 approval.
- Assess the environmental impacts associated with the Proposed Change relative to the Division 5.2 approval.
- Determine if the Proposed Change is consistent with the Division 5.2 approval or whether further approval is required either for a modification application or a new Project.

# 2 Proposed Change

## 2.1 Description of Proposed Change

The EAD identified the indicative proposal sites to enable construction of the reference design for the Albury to Illabo (A2I) section of the Inland Rail program. Further detailed design, construction planning, and site surveys have identified refinements to the construction methodology and resulted in the requirement to adjust the construction boundary as defined in the Division 5.2 approval and described in the EAD.

The Proposed Change relates to the construction impact zone (CIZ) at the following enhancement site:

- Uranquinty Yard clearances enhancement site (Uranquinty Yard)

This Consistency Assessment (CA) considers the Proposed Change, which involves extending the approved construction boundary. This includes adjustments to the CIZ to allow for adequate space and access for supporting works associated with the wider scope of activities at Uranquinty.

For the purpose of this Consistency Assessment, the areas proposed to be expanded are referred to as the 'proposed CIZ extension areas'. The proposed CIZ extension areas fall within the existing rail corridor and connect to adjacent public roads where access points are proposed. The proposed CIZ extension areas are shown in greater detail in relation to key environmental constraints in Figure 2-1.





**Figure 2-1: Additional area extent for Proposed Change shown by yellow line**

### 2.1.1 Methodology

Chapter 8 of the EIS provides an overview of construction activities for the Project and describes construction activities planned for each of the enhancement sites. The Proposed Change would enable these construction activities to occur and would not introduce additional activities at these enhancement sites.

**Work plan**

Construction activities, including the required plant and equipment, that would be undertaken within the proposed CIZ are described below:

Site establishment activities

- Minor trimming and clearing of vegetation
- Establishment of site compound
- Preparation of laydown areas
- Upgrade and maintenance of existing access and haul roads

Site operational activities

- Operation of site compound
- Use of laydown and stockpile areas
- Facilitation of two-way construction traffic (including material, plant and equipment deliveries)
- Adequate access and space to allow for storage of track machines

Sandy Creek works

- Access point and track works to enable Sandy Creek bridge works

**Plant and equipment**

Plant and equipment required for these works include:

- Hand tools
- Light vehicles
- Compressor
- Mobile crane
- Plate compactor
- Crane franna (20-tonne)
- Elevated work platform (EWP)
- Excavator – slasher
- Excavator (15-tonne)
- Front end loader
- Generator
- Roller – static
- Tractor – slasher
- Truck – medium rigid (20-tonne)
- Truck & Dog
- Truck – vacuum (NDD)

- Water cart

## 2.2 Need

The EAD identified the 'Proposal site area' to enable construction of the reference design, which forms the construction boundary, as defined in the Division 5.2 approval. Further detailed design and site surveys resulted in the requirement to adjust the approved construction boundary to allow for adequate space and access for site establishment and operational activities and supporting works associated with the wider scope of activities at Uranquinty.

The Proposed Change is required for constructability of the Project, which is not adequately considered as part of the reference design in the EIS.

## 2.3 Location and setting

The Proposed Changes relate to the Uranquinty Yard clearances enhancement site, located in the Wagga Wagga Precinct. The enhancement site is shown in Figure 2-1 above.

Aspect specific location and setting information as it relates to the Proposed Change is contained in the subsections below.

## 2.4 Construction hours

The works associated with the Proposed Change will be timetabled to be carried out during the approved standard construction hours as per the Project's Environment Protection Licence #21984 (EPL), where possible. The standard construction hours are as follow:

- 7:00am to 6:00pm Monday to Friday, inclusive
- 7:00am to 6:00pm Saturday and
- At no time on Sundays or public holidays.

The Proposed Change activities may occur outside of standard construction hours, and the standard construction hours as stated under CoA E69 and EPL L4.1 condition. Any out-of-hours works (OOHW) within the extended CIZ would be implemented in accordance with CoA E71 and EPL L4.3, L4.4, L4.5 and L4.6 conditions.

# 3 Consultation

Inland Rail does not always carry out consultation for consistency assessments. However, in some cases consultation may be carried out to:

- Help identify the nature and scale of the impacts.
- Involve the community in the options considerations for the Proposed Change.
- Manage community expectations for the Project.
- Provide the best design outcome that minimises environmental impacts.

As considered above, Martinus Rail has undertaken ongoing consultation with asset owners in relation to determining a suitable design and to coordinate construction impacts on existing operational utilities.

Consultation with each of the affected landowners where works are proposed outside the construction boundary would be undertaken prior to commencement of works.

Where vegetation removal is proposed on land not owned by Inland Rail, consultation will be carried out with the property owner including confirming any revegetation/rehabilitation requirements. This will be undertaken in accordance with the Community Communication Strategy (IRPL, 2024), prior to the removal of vegetation.

Where a proposed CIZ extension is subject to the preparation of a land licence/agreement, works will only occur following the approval of that land licence/agreement. Any land licence/agreements required as part of this CA will be provided to IRPL prior to commencement of works.

The community would be notified in accordance with Section 7.1 of the Community Communication Strategy (IRPL, 2024), including where works may be required outside of the approved construction hours for A2I, prior to commencement of works. Any complaints, feedback or enquiries would be handed in accordance with Section 8 of the Community Communication Strategy.

# 4 Environmental Assessment

## 4.1 Environmental risk review

An environmental risk review of the proposed activities has been undertaken and is provided below in Table 4-1. Assessments of potential impacts are provided in greater detail for:

- Traffic and transport (Section 4.2)
- Noise and vibration (Section 4.3)
- Aboriginal heritage (Section 4.4)
- Non-Aboriginal heritage (Section 4.5)
- Biodiversity (Section 4.6)
- Hydrology and flood risk (Section 4.7)
- Soils and contamination (Section 4.8)
- Air quality (Section 4.9)
- Landscape and visual (Section 4.10)

**Table 4-1: Consistency assessment review**

| ISSUE | Y/N | NOTES |
|---|---|---|
| Are works required outside the IR property acquisition boundary, or land not previously impact on by Project works? | Yes | For works occurring outside of the IRPL acquisition boundary, land licence/agreements will be prepared where required. These will be managed by the MR Communications Team (as discussed in Section 3 above). |
| Will the works result in any changes to form or functionality of the approved Project? | No | The Proposed Change would not impact on the form of functionality of the approved project. The Proposed Change is required to improve constructability of the approved Project following detailed design and would involve the same construction activities and operation as in the EAD. |
| Are there any potential impacts on traffic and transport associated with the works? | Yes | The Proposed Change may result in localised and short-term traffic and transport impacts during construction. Potential traffic and transport impacts are considered in greater detail in Section 4.2. |
| Are there any potential noise and vibration impacts associated with the works? | Yes | The Proposed Change may result in short-term noise impacts during construction. Potential noise impacts are considered in greater detail in Section 4.3. |
| Are there any potential impacts on known Aboriginal heritage items or sites located in the vicinity of the works? | Yes | The Proposed Change is located within Investigation Zone 8 which requires further investigation as noted in the EAD. Potential impacts are therefore considered in greater detail in Section 4.4. |
| Are there any potential impacts on non-Aboriginal heritage items or sites located in the vicinity of the works? | Yes | The Proposed Change is located in proximity to known non-Aboriginal heritage items and sites. These impacts are therefore considered in greater detail in Section 4.5. |
| Are the works within 50m of an EEC or threatened species? | Yes | The Proposed Change is located in areas where several threatened species have been sighted. These impacts are therefore considered in greater detail in Section 4.6. |
| Do the works require clearing of native vegetation or habitat trees? | No | Minor trimming and clearing of non-native vegetation will be required for the Proposed Change. These impacts are considered in greater detail in Section 4.6. |
| Are the works within 40m of a waterway or water body? | Yes | The Proposed Change is partially located within Sandy Creek. Potential impacts are therefore considered in greater detail in Section 4.7. |

| | | |
|---|---|---|
| Are the works located on flood prone land? | Yes | The Proposed Change is located on flood prone land. These impacts are considered in greater detail in Section 4.7. |
| Are the works located on bushfire prone land? | No | The Proposed Change is not located on bushfire prone land. |
| Do the works involve ground disturbance of more than 2 hectares? | No | The additional construction impact zone required as part of the Proposed Change is under 2 hectares. The extent of ground disturbance required for the Proposed Change would be less than the proposed CIZ. |
| Are the works in an area of known salinity hazard risk? | Yes | The Proposed Change is located in areas of low salinity hazard. The impacts associated with salinity, are discussed in greater detail in Section 4.8. |
| Are the works in an area of known acid sulfate soil risk? | Yes | The Proposed Change is located in an area of a low probability for acid sulfate soils occurrence. The impacts associated with acid sulfate soils are discussed in greater detail in Section 4.7.3. |
| Will works require temporary or permanent placement of surplus spoil material? | Yes | The Proposed Change may require temporary placement of surplus spoil material; this material will be accommodated within the proposed stockpile/laydown sites and reused/disposed of in accordance with Chapter 23 of the EIS. |
| Are the works in an area of known contamination risk? | Yes | The Proposed Change is located in an area noted as a general contamination risk and intersects multiple area of environmental concern (AEC) sites discussed in the EAD. Potential impacts associated with contamination are considered in greater detail in Section 4.7.3. |
| Are there any potential air quality impacts associated with the works? | Yes | The Proposed Change has the potential to result in minor and short-term air quality impacts during construction. Potential air quality impacts are discussed in greater detail in Section 4.9. |
| Are there any potential landscape and visual impacts associated with the works? | Yes | The Proposed Change would result in potential minor and short-term landscape and visual impacts during construction. Potential landscape and visual impacts are discussed in greater detail in Section 4.10. |
| Will works result in any operational impacts further to those detailed in the approved Project? | No | The Proposed Change is required to facilitate construction related activities within the rail corridor and adjoining lands. The Proposed Change would not represent an increase in operational impact compared to that which was assessed as part of the Project. |

## 4.2 Traffic and transport

### 4.2.1 Existing environment

The following discussion is drawn from the EAD (EIS, Chapter 9 and Technical Paper 1).

The Uranquinty Yard clearances enhancement site is connected to Wagga Wagga by the Olympic Highway running north-south between them. Key roads within Uranquinty Yard are as follows (and presented in Figure 4-1):

Olympic Highway

- Two-way, two-lane state-controlled highway that runs from the Hume Highway l8km north of Albury (23km north of the Murray River) to the Mid-Western Highway at Cowra.
- In the vicinity of Uranquinty Yard, the highway is generally rural and features 3.7m wide lanes, areas of sealed and unsealed shoulders, and has a posted speed limit of 50, residential accesses and a school zone and subsequently has a lower speed limit than outside of the Uranquinty area.
- Material, plant and equipment deliveries will be undertaken via existing access points at Olympic Highway

Yarragundry Street/Uranquinty Cross Road

- Two-way, two-lane locally controlled urban road that generally runs north south and provides access to Uranquinty town centre, the Uranquinty power station, and provides cross connectivity within Uranquinty via a rail level crossing north of Olympic Highway.
- In the vicinity Uranquinty Yard, the road generally features 3.4m wide lanes, areas of sealed and unsealed shoulders, and has a posted speed limit of 50km/h through the Uranquinty urban area and 100km/h in the rural area.

Hanging Rock Road

- Two-way, one lane locally controlled rural road that generally runs northwest from Uranquinty Cross Road and provides rural residential access.
- In the vicinity of Uranquinty Yard, the road generally features a 4.4m sealed width (approx.) and unsealed shoulders, and has a posted speed limit of 100km/h.





**Figure 4-1: EAD mapped key road links and intersections at Uranquinty**

On-street kerbside parking is generally allowed on the urban road network in the vicinity of Uranquinty Yard unless signed otherwise and demand for this parking would be low due to provision of off-street parking within industrial, retail, and residential uses in the surrounding area.

### 4.2.2 Impact assessment

The Proposed Change would result in potential minor and short-term traffic and transport impacts. The number and type of construction vehicles required for the proposed works are aligned with the EAD, therefore, no increase in construction traffic is anticipated.

In the instance any footpath or road closures are required to support the works, closures will be set up as the associated Traffic Guidance Schemes (TGS) and will be implemented during the approved construction hours (as noted in Section 2.4). There are no 24/7 footpath or road closures anticipated for these construction hours.

### 4.2.3 Conclusion

The traffic and transport impacts are generally in accordance with the impacts considered as part of the EAD and would be managed in accordance with traffic management as part of the broader A2I Project and in accordance with the Infrastructure Approval.

All applicable mitigation measures in the Conditions of Approval (CoAs) and Updated Mitigation Measures (UMMs) will be implemented, with any additional mitigation measures outlined in Table 4-12.

## 4.3 Noise and vibration

### 4.3.1 Existing environment

Common noise and vibration sources in the subject area are train movements along the operational rail corridor, major road traffic and local traffic. Potentially sensitive receivers are those that may be affected by changes in noise and vibration levels within the work area. Consistent with the adopted standards and guidelines, sensitive receivers in the work areas may include residential dwellings, schools and education institutions, places of worship, childcare centres, medical facilities, commercial property and industrial premises.

The existing vibration environment in close proximity to the railway line includes vibration from existing freight train movements on the alignment. Additional sources of vibration may be associated with operation of industrial premises, road traffic operations and construction activities typical of the environment. Adjacent heritage structures are considered as vibration sensitive receivers due to the potential for cosmetic damage; however, a heritage structure should not be assumed to be more sensitive to vibration, unless it is structurally unsound, as per CoA E41.

**Noise catchment areas**

Noise catchment areas (NCAs) were defined in the EIS to classify groups of sensitive receivers that are likely to have a similar existing noise environment and experience similar impacts from construction of the Project. These were determined through reference to aerial imagery and land use maps and verified during background noise monitoring.

A Construction Noise and Vibration Impact Statement (CNVIS) (Doc No: 6-0052-210-EEC-W1-AS-0001_0) (SLR, July 2025) was prepared for Uranquinty Yard, and is presented under Appendix A.

Addendums to the endorsed CNVIS (CNVIS Addendum) have been prepared for the scope of works associated at Uranquinty Yard (involving the additional CIZ extensions not assessed in the endorsed CNVIS). The CNVIS Addendums are noted below and presented under Appendix B:

- CNVIS Addendum 1 (Doc No: 6-0052-210-EEC-W1-AS-0001_ADD)
- CNVIS Addendum 2 (Doc No: 6-0052-210-EEC-W1-AS-0001_ADD2)

The NCA description, approximate number of sensitive receivers, Rating Background Levels (RBLs) and Noise Management Levels (NMLs) associated with the Proposed Change are shown in Table 4-2, Table 4-3 and Figure 4-2 below.

**Table 4-2: Noise catchment area**

| ENHANCEMENT SITE | NCA ID | APPROXIMATE NUMBER OF RECEIVERS IN NCA | DESCRIPTION | RBL (dBA) | | |
|---|---|---|---|---|---|---|
| | | | | DAY[1] | EVENING[1] | NIGHT[1] |
| **Uranquinty Yard clearances enhancement site** | NCA 09 | 355 | The township of Uranquinty is residential in nature and affected by noise sources including the rail corridor, Olympic Highway and local road traffic. | 39 | 39 (41[2]) | 30 |

Note 1: Time periods defined as - Day: 7am to 6pm Monday to Saturday, 8am to 6pm Sunday; Evening, 6pm to 10pm; Night 10pm to 7am Monday to Saturday, 10pm to 8am Sunday (EAD)

Note 2: The evening RBL data has been reduced to the daytime period RBL in this case (bracketed figures indicates the measured value)

**Table 4-3: NCA and noise management levels**

| NCA ID | NOISE MANAGEMENT LEVEL (NML) | | | |
|---|---|---|---|---|
| | APPROVED HOURS (RBL + 10dB) | OUT OF HOURS[1,2] | | |
| | | DAYTIME (RBL + 5dB) | EVENING (RBL + 5dB) | NIGHT-TIME (RBL +5dB) |
| **NCA 09** | 49 | 44 | 44 | 35 |

Note 1: Approved Construction Hours are Monday to Saturday 7 am to 6 pm, as defined in CoA E69 (CNVIS)

Note 2: Work outside of the Approved Hours is defined as OOHW = Out of Hours Work. Daytime out of hours is Sunday and public holidays between 8 am to 6 pm. Evening is 6pm to 10pm Monday – Sunday (including public holidays). Night-time is 10pm to 7am Monday – Saturday and 10pm to 8am Sunday (including public holidays (CNVIS)





**Figure 4-2: EAD mapped NCA 09 in relation to the Proposed Change**

### 4.3.2 Construction hours

The construction hours for the enhancement sites are as discussed in Section 2.4, with the following also noted:

**Highly noise intensive works**

'Highly noise intensive works' as per the Project Approval are defined as:

- use of power saws, such as used for cutting timber, rail lines, masonry, road pavement or steel work
- grinding metal, concrete or masonry
- rock drilling
- line drilling
- vibratory rolling
- bitumen milling or profiling
- jackhammering, rock hammering or rock breaking
- impact piling; and
- tamping (for rail projects).

As outlined in Condition of Approval (CoA) E70, any highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken between:

- 8:00am to 6:00pm Monday to Friday
- 8:00am to 1:00pm Saturday, and
- If continuously, then not exceeding (3) hours, with a maximum cessation of work of not less than an hour.

**Out-of-hours work**

In accordance with CoA E73, where out-of-hours work (OOHW) is required for:

- For carrying out work that if carried out during standard hours would result in a high risk to construction personnel or public safety based on a risk assessment carried out in accordance with AS/NZS ISO 31000:2009: "Risk management; or
- Where the relevant roads authority has advised the Proponent in writing that carrying out the work during standard hours would result in a high risk to road network performance and a road occupancy licence will not be issued; or
- Where the relevant utility service operator has advised the Proponent in writing that carrying out the work during standard hours would result in a high risk to the operation and integrity of the utility network; or
- Work undertaken in a rail possession for operational or safety reasons.
- This will be regulated through the OOHW Protocol except as permitted by an EPL.

### 4.3.3 Impact assessment

**Predicted noise levels**

The Proposed Change activities have been incorporated and assessed in the CNVIS Addendums (Appendix B). The Proposed Change has been assessed utilising SLR Predict, the A2I noise and vibration management tool.

The Proposed Change activities are referred to as 'Work Scenarios', with the following noted:

- Work Scenario 1 (W.001) as site establishment activities - under CNVIS Addendum 1
- Work Scenario 2 (W.002) as site operation activities - under CNVIS Addendum 1

- Work Scenario 10A (W.010A) as Sandy Creek access works - under CNVIS Addendum 2

W.001

CNVIS Addendum 1 has assessed the revised work area, which consists of the work area identified in the endorsed CNVIS and additional work area identified in this Consistency Assessment. The revised work area encompasses three compound areas previously assessed in the endorsed Uranquinty Yard CNVIS, and additional areas not previously assessed for scenario W.001.

The highest generating items of plant and equipment in this work scenario (front end loader and articulated dump truck) have been considered, as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

Table 4-4 provides a summary of the exceedances identified for daytime out of hours, as the most affected period. It compares the following:

- W.001 exceedances identified in the Uranquinty Yard CNVIS
- W.001 exceedances identified in the SLR Predict results for the Proposed Change

**Table 4-4: Exceedance comparisons for W.001 (daytime OOH)**

| ASSESSMENT RESULTS | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE | |
|---|---|---|
| | CNVIS – W.001 | SLR PREDICT – W.001 REVISED WORK AREA |
| **Total Lw (dBA)** | **115** | **114** |
| Noticeable (1-5 dB) | 100 | 85 |
| Clearly Audible (6-15 dB) | 134 | 136 |
| Moderately Intrusive (16-25 dB) | 52 | 63 |
| Highly Intrusive (>25 dB) | 3 | 13 |

Table 4-4 shows a similar level of impacts resulting from the revised work area (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is a decreased number of receivers experiencing noticeable (1-5 dB exceedance) level of noise, however, there is an increase in the number of receivers experiencing clearly audible, moderately intrusive and highly intrusive (>5 dB exceedance) noise levels, likely due to the increased size of the work area.

W.002

CNVIS Addendum 1 has assessed the revised work area, which consists of the work area identified in the endorsed CNVIS and additional work area identified in this Consistency Assessment. The revised work area encompasses three compound areas previously assessed in the endorsed Uranquinty Yard CNVIS, and additional areas not previously assessed for scenario W.002.

The highest generating items of plant and equipment in this work scenario (front end loader and compressor) have been considered, as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

Table 4-5 provides a summary of the exceedances identified for night out of hours, as the most affected period. It compares the following:

- W.002 exceedances identified in the Uranquinty Yard CNVIS
- W.002 exceedances identified in the SLR Predict results for the Proposed Change

**Table 4-5: Exceedance comparisons for W.002 (night-time OOH)**

| ASSESSMENT RESULTS | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE | |
|---|---|---|
| | CNVIS – W.002 | SLR PREDICT – W.002 REVISED WORK AREA |
| **Total Lw (dBA)** | **113** | **115** |
| Noticeable (1-5 dB) | 21 | 4 |
| Clearly Audible (6-15 dB) | 176 | 126 |
| Moderately Intrusive (16-25 dB) | 116 | 136 |
| Highly Intrusive (>25 dB) | 28 | 75 |
| Above Sleep Disturbance (>Screening level) | 267 | 191 |
| Above Sleep Awake (>65 dB) | 12 | 32 |

Table 4-5 shows an overall increase in the intensity of impacts resulting from the revised work area (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is an increased number of receivers experiencing both a moderately intrusive (16-25 dB) level of noise and a highly intrusive level of noise (>25 dB exceedance), which is likely due to the increased size of the work area.

W.010A

CNVIS Addendum 2 has assessed the additional work scenario (W.010A) required for the Proposed Change and will enable the works associated with Sandy Creek bridge. This work area required for the new work scenario has been identified in this CA.

The full plant and equipment list (plate compactor and excavator – at 100% utilisation) has been considered as a worst-case scenario within a 15-minute assessment period.

There is a limitation in allowing a comparison of the SLR Predict results with other work scenarios in the endorsed CNVIS due to the difference in location, distance and plant and equipment. Due to this limitation, this new work scenario was assessed on its own, with a comparison of affected receivers between daytime hours and daytime OOH. Table 4-6 and Table 4-7 provide a summary of the exceedances identified through various assessments, with the following noted:

- W.010A exceedances identified in the SLR Predict results during approved daytime
- W.010A exceedances identified in the SLR Predict results during daytime OOH

**Table 4-6: Noise exceedances for W.010A (approved daytime)**

| ASSESSMENT RESULTS | NUMBER OF RESIDENTIAL RECEIVERS WITH NML ECEEDANCE |
|---|---|
| | SLR PREDICT – W.010A (APPROVED DAYTIME) |
| **Total Lw (dBA)** | **108** |
| Clearly Audible (1-10 dB) | 4 |
| Moderately Intrusive (11-20 dB) | 0 |
| Highly Intrusive (>20 dB) | 0 |

**Table 4-7: Noise exceedances for W.010A (daytime OOH)**

| ASSESSMENT RESULTS | NUMBER OF RESIDENTIAL RECEIVERS WITH NML ECEEDANCE |
|---|---|
| | SLR PREDICT – W.010A (DAYTIME OOH) |
| **Total Lw (dBA)** | **108** |
| Noticeable (1-5 dB) | 10 |
| Clearly Audible (6-15 dB) | 4 |
| Moderately Intrusive (16-25 dB) | 0 |
| Highly Intrusive (>25 dB) | 0 |

Table 4-6 shows four affected residential receivers with the potential to experience clearly audible (1-20 dB) noise impacts, with Table 4-7 showing 14 affected residential receivers with the potential to experience noticeable (1-5 dB) and clearly audible (6-15 dB) noise impacts.

Compared to other work scenarios in the endorsed CNVIS, the number of affected receivers is very small, as the work area, for W.010A, is located on the western edge of town with minimal receivers in close proximity.

The receivers potentially affected by the new work scenario (W.010A) are also identified as being impacted by the following scenarios, in the endorsed CNVIS, such as:

- W.003 – contamination sampling
- W.004 – geotechnical investigation
- W.005 – track work – peak
- W.006 – track work – typical
- W.010 – Sandy Creek bridge work – peak
- W.011 – Sandy Creek bridge work – typical

### Ground-borne noise

The Proposed Change does not require any ground-borne noise-intensive equipment; therefore, no ground-borne noise impacts are expected.

### Vibration impacts

The Proposed Change does not require any vibration-intensive equipment; therefore, no vibration impacts are expected.

### Cumulative impacts

There is potential for cumulative construction impacts from multiple construction activities being completed in different areas of the Proposed Change.

As noted in the CNVIS since the construction scenarios required for various stages of the Project would generally require similar items of equipment, concurrent construction work being completed near to a particular area could theoretically increase the worst-case noise levels in this report by around 3 dB (ie a logarithmic adding of two sources of noise at the same level).

The likelihood of worst-case noise levels being generated by two different work activities at the same time is, however, considered low and rather than increase construction noise levels, the impact of concurrent work would generally be a limited to a potential increase in the duration, and annoyance, of noise impacts on the affected receivers. In practice, construction noise levels in any one location would vary and would be frequently much lower than the worst-case scenario assessed due to construction staging moving work around within the study area and, in many cases, only a few items of equipment being used at any one time

Feasible and reasonable steps to consult and coordinate with other construction projects when they become aware of them and if they have the potential to impact the same receivers concurrently, to minimise

cumulative impacts of noise and vibration and maximise respite for affected sensitive receivers (in accordance with CoA E72 and E83).

### 4.3.4 Conclusion

Feasible and reasonable management and mitigation measures will be implemented as required to minimise noise and cumulative impacts for the scope of works as per the Proposed Change.

All applicable mitigation measures in the CoAs and UMMs will be implemented, with any additional mitigation measures outlined in Table 4-14.

## 4.4 Aboriginal heritage

### 4.4.1 Existing environment

The following discussion is drawn from the EAD (EIS, Chapter 10 and Technical Paper 2 – Aboriginal Cultural Heritage Assessment Report (ACHAR)) for Uranquinty Yard, and the Heritage Assessment (HA) prepared by OzArk for the Proposed Change area.

The study area for the ACHAR included the length of the existing railway corridor from Albury to Illabo, with a specific focus on the 14 enhancement sites that could be directly or indirectly impacted by the Project.

The HA (presented under Appendix C) was prepared through a series of site walkovers and desktop assessments in relation to the location and activities associated with the Proposed Change, and its subsequent potential impact to Aboriginal heritage.

#### Site Investigation Zone 8

Uranquinty Yard is located within Site Investigation Zone 8 (shown in Figure 4-3), which traverses three soil landscapes, Belfrayden, O'Briens Creek and Pearson, also largely alluvial and transferral. The topography of this area is very flat, punctuated only by the course of Sandy Creek through the surrounding plains. All three soil landscapes would favour the preservation of archaeological sites (ACHAR).





**Figure 4-3: EAD mapped Site Investigation Zone 8 in relation to Uranquinty**

The general proximity of the zone to Sandy Creek indicates the possibility of archaeological potential in the area. However, the majority of this investigation zone is within previously disturbed and developed land. A relatively undisturbed area remains to the southeast side of the rail lines within this investigation zone.

### 4.4.2 Impact assessment

AHIMS search

An AHIMS search completed on 30 September 2025 (Appendix 1 of Appendix C) which noted no Aboriginal sites have been registered within the search area. There are no other sources of information to indicate that Aboriginal objects are likely in the CIZ extension area.

Landform

The CIZ extension extends across flat alluvial plains, situated approximately 200 metres above sea level. The CIZ extension is also intersected by a non-perennial watercourse, Sandy Creek. This landform is defined in the *Due Diligence Code of Practice* as archaeologically sensitive (land within 200 metres of waters).

Visual inspection

A visual inspection of the CIZ was completed by the Project Archaeologist on 1 October 2025. No Registered Aboriginal Party (RAP) representatives attended the inspection.

The CIZ extension area was noted as being heavily disturbed by the construction of the Uranquinty township and various elements of railway or road infrastructure. Ground surface visibility was recorded as very low outside of the existing tracks due to vegetation and extensive spreading of ballast material.

Areas of potential archaeological sensitivity at Sandy Creek, identified at the desktop level, were considered during the visual inspection to have low archaeological potential, owing to the existing disturbance from the establishment of the railway and associated bridge.

### 4.4.3 Conclusion

The assessment for Aboriginal heritage using the Due Diligence Code has determined that the proposed CIZ extension has a low likelihood of harming Aboriginal objects areas of archaeological potential. No previously recorded Aboriginal sites are within, or near to, the CIZ extension, and it was determined that due to land use disturbance, there is a very low likelihood of intact, subsurface archaeological deposits. Therefore, no further archaeological investigation is required.

The works may proceed with caution and in the unlikely event that Aboriginal objects are encountered, refer to the Unexpected Heritage Finds and Human Remains Procedure in Appendix E.

All applicable mitigation measures in the CoAs and UMMs will be implemented, with any additional mitigation measures outlined in Table 4-14.

## 4.5 Non-Aboriginal heritage

### 4.5.1 Existing environment

The following discussion is drawn from the EAD (EIS, Chapter 11 and Technical Paper 3 - Non-Aboriginal Statement of Heritage Impact (NASoHI)) for Uranquinty Yard, and the Heritage Assessment (HA) prepared by OzArk for the Proposed Change area.

The study area for the EAD included the length of the existing railway corridor from Albury to Illabo, with a specific focus on the 14 enhancement sites that could be directly or indirectly impacted by the Project.

The HA (presented under Appendix C) was prepared through a series of site walkovers and desktop assessments in relation to the location and activities associated with the Proposed Change, and its subsequent potential impact to non-Aboriginal heritage.

A desktop search was conducted on the following databases to identify any potential previously recorded heritage items within the CIZ extension. The results of this search are summarised in Table 4-8 and shown in Figure 4-3 below.

**Table 4-8: Heritage items that intersect or are adjacent to the Proposed Change**

| ENHANCEMENT SITE | HERITAGE NAME | HERITAGE LISTING | DISTANCE FROM PROPOSED CHANGE |
|---|---|---|---|
| **Uranquinty Yard clearances enhancement site** | ▸ Uranquinty Silos | ▸ Local Environmental Plan (LEP) for Wagga Wagga 2010 (I296) | ▸ Partially within the CIZ extension |
| | ▸ Memorial Avenue | ▸ Local Environmental Plan (LEP) for Wagga Wagga 2010 (I304) | ▸ Partially within the CIZ extension |
| | ▸ St Patrick's Roman Catholic Church | ▸ Local Environmental Plan (LEP) for Wagga Wagga 2010 (I288) | ▸ Outside of the CIZ extension |

| ENHANCEMENT SITE | HERITAGE NAME | HERITAGE LISTING | DISTANCE FROM PROPOSED CHANGE |
|---|---|---|---|
| | ▸ Uranquinty General Store | ▸ Local Environmental Plan (LEP) for Wagga Wagga 2010 (I290) | ▸ Outside of the CIZ extension |
| | ▸ Uranquinty hotel | ▸ Local Environmental Plan (LEP) for Wagga Wagga 2010 (I289) | ▸ Outside of the CIZ extension |





**Figure 4-4: EAD mapped location of known non-Aboriginal heritage items near the Proposed Change**




**Figure 4-5: HA mapped location of LEP listed items near the Proposed Change (OzArk)**

### 4.5.2 Impact assessment

#### Summary of significance

The State Heritage Register (SHR) summarises the significance of the LEP listed items Memorial Avenue (LEP I304) and the Uranquinty Silos (LEP I296) as below.

Uranquinty Silos

- The concrete silos are commonly found dolled along railway lines and are the first structures associated with large-scale grain handling in the region and have a landmark quality. Built 1920 and received the first wheat delivery in 1920-21 season. Constructed by the Government as part of the original scheme to establish a grain elevator system in New South Wales. Uranquinty silos had a capacity of 150,000 bushels [4050 tonnes]. Comprised of workhouse, elevator and two concrete bins.
- The SHR lists the large concrete silos as locally significant.

Memorial Avenue

- A row of white cedars which line the west side of Pearson Steet (northern block only). This avenue of white cedar trees has local significance as it was planted to commemorate each soldier who went to war from Uranquinty.
- The SHR lists the row of white cedars which line the west side of Pearson Street as locally significant.

Uranquinty Hotel

- Long low building with a prominent central gable projection featuring decorative half timbering to the gable end. The hip roof is clad with corrugated iron. Built in the 1880s. The hotel forms an important community focus and is an attractive element in the main street of Uranquinty.
- The SHR lists the Uranquinty Hotel as locally significant.

Uranquinty General Store

- Brick construction with a corrugated iron roof and an awning verandah. The building was originally a bakery; the bakehouse still stands at the rear of the store.
- The former general store was until recent times the focus of the Uranquinty community and is of historical and social significance.

St Patrick's Roman Catholic Church

- A red brick church with a steeply pitched gable roof with exposed rafters. Features include buttresses and timber lancet windows. White painted render detailing to the buttresses and window heads.
- The SHR lists St Paatrick's Roman Catholic Church as holding historical and social significance to the Roman Catholic community of Uranquinty and district.

**Visual inspection**

A visual inspection of the CIZ extension was undertaken by the Project Archaeologist on 1 October 2025. The CIZ extension intersects the curtilages of the two LEP-listed items – Memorial Avenue (LEP I304) and Uranquinty Silos (LEP I296) – however is predominately located within the LEP curtilage for Uranquinty Silos.

The visual inspection identified a rail track line associated with the Uranquinty Silos which runs parallel to the main rail line on the western side of the Silos. The track line was noted as no longer in service. The track line extends across and outside of the LEP curtilage and is not included on the SHR as being of significance in relation to the Silos. However, as noted in the HA, the track line should be avoided where possible (best practice).

The Memorial Avenue trees are in good condition, and it is considered that the proposed works will have a negligible impact on the heritage fabric of this item, being physically separated by a fence line.

The proposed activities will avoid all structures and heritage listed trees associated with the Uranquinty Silos and Memorial Avenue, which have been identified as holding local heritage significance. All parking and laydown areas are located at a suitable distance from the Uranquinty Silos as to not impact the viewshed to and from the item. Additionally, the proposed works within the LEP-listed curtilages will be limited to within existing areas of disturbance, and as such there is negligible risk of harm to listed heritage items.

All physical elements associated with the Uranquinty Silos and Memorial Avenue are extant. Therefore, there is negligible potential for archaeological deposits associated with these items to be present within the LEP curtilages.

The remainder of the CIZ extension extends across areas outside of LEP-listed curtilages. These areas were assessed during the visual inspection as being disturbed by the construction of rail and road infrastructure. As such, they have a low likelihood of containing unrecorded, significant, historic archaeological deposits.

### 4.5.3 Conclusion

The proposed activities associated with the CIZ extension do not entail any ground disturbing works within the curtilages of the two LEP-listed items and primarily include activities such as temporary laydown/stockpiling areas, work compounds, and use of existing access tracks.

All heritage fabric within LEP and SHR curtilages will be avoided, and it is considered that there will be negligible impact to the heritage values of both Memorial Avenue and Uranquinty Silos as a result of the proposed works within the CIZ extension.

Additionally, it is assessed that the CIZ extension will have a negligible impact on the heritage values of the Uranquinty Hotel, Uranquinty General Store and St Patricks Roman Catholic Church.

In the unlikely event that historic objects are encountered, refer to the Unexpected Heritage Finds and Human Remains Procedure in Appendix E.

All applicable mitigation measures in the CoAs and UMMs will be implemented, with any additional mitigation measures outlined in Table 4-14.

## 4.6 Biodiversity

### 4.6.1 Existing environment

A Biodiversity Assessment Report Memo (BARM) (East Coast Ecology, December 2025) (Appendix D) has been prepared for the Proposed Change area, referenced as 'Subject Land'.

The Subject Land is mapped as occurring on both the 'Belfrayden' and 'O'Briens Creek' soil landscapes, characterised by gently undulating plain of thick alluvial clay sequence and gently undulating plains of alluvial sediments, respectively. The Subject Land occurs on gently inclined terrain, ranging from 209m above sea level (asl) in the southern extent to 216m asl in the northern extent.

**Vegetation communities**

Field surveys revealed the following vegetation community types, located within the Proposed Change, described by WSP (2024):

Miscellaneous Ecosystems – 'Ornamental Plantings' (MEOP)

- The Subject Land displayed historical and ongoing residential and community use comprised of ornamental native and exotic species planted for aesthetic purposes and was therefore determined to have limited ecological function (WSP, 2024).
- Area within the Subject Land noted as 0.01ha.

Miscellaneous Ecosystems – 'Highly Disturbed areas with no or limited Native Vegetation' (MEHD)

- The Subject Land displayed a long history of disturbance from infrastructure (rail and road) and industrial use, the Subject Land is comprised of no or limited native species and is dominated by exotic species, and provides limited ecological function (WSP, 2024).
- Area within the Subject Land noted as 1.25ha.

**Threatened flora**

As noted in the BARM (Appendix D), BioNet and PMST searches revealed seven threatened flora species occur, or have the potential to occur, within a 5km radius of the Proposed Change area.

**Threatened fauna**

As noted in the BARM (Appendix D), BioNet and PMST searches revealed 33 threatened fauna species occur, or have the potential to occur, within a 5km radius of the Proposed Change area.

**Species polygons**

As noted in the BARM (Appendix D), one species polygon was mapped in the initial BDAR (WSP, 2024) as occurring within the Subject Land:

- *Crinia sloanei* (Sloane's Froglet)

The BDAR (WSP, 2024) stipulates the following:

- "Sloane's Froglet species polygon will occur in the proposal site, where mapped potential habitat (including 15 metre buffer) occurs in association with a native vegetation community (PCT) and is not dissected by a road, rail corridor or urban development".

On the basis that no PCT's were identified within the Subject Land and the urban context of the area, the species polygon mapping is not relevant to the site, nor or any impacts to the Sloane's Froglet expected for the facilitation of the proposal.

**Migratory species**

As noted in the BARM (Appendix D), BioNet and PMST searches revealed seven migratory species occur, or have the potential to occur, within a 5km radius of the Proposed Change area.

### 4.6.2 Impact assessment

**Vegetation communities**

As noted, the potential impact to vegetation communities has been assessed in the BARM (Appendix D). The Proposed Change area will impact:

- 0.01ha of MEOP
- 1.25ha of MEHD
- Total potential impact noted as 1.26ha.

**Threatened flora**

The results from the site assessment, including targeted flora surveys and habitat assessment, were used to assess each species' likelihood of occurrence within the Subject Land. After carrying out the assessment, the assessor determined that the habitat is substantially degraded such that all potential threatened flora species are unlikely to occur within the Subject Land.

**Threatened fauna**

The degraded vegetation within the Subject Land would only provide low-quality foraging habitat for threatened species. There was no breeding habitat identified (in the form of hollow-bearing trees, rocky outcrops/caves, large trees or human-made structures).

On the basis that the Subject Land is highly degraded and vacant of high-quality foraging and/or breeding habitat, it was determined that potential threatened fauna is unlikely to utilise the Subject Land in preference of surrounding areas.

**Migratory species**

These species are unlikely to occur due to the lack of suitable habitat in the Subject Land (i.e. ornamental tree dominated), and these species do not breed in Australia.

### 4.6.3 Conclusion

As noted in the BARM, the potential impacts on biodiversity identified for the Proposed Change can be appropriately managed in accordance with the Conditions of Approval and through implementation of the Updated Mitigation Measures outlined in the Construction Biodiversity Management Plan for the Project.

All applicable mitigation measures in the CoAs and UMMs will be implemented, with any additional mitigation measures outlined in Table 4-14.

## 4.7 Hydrology and flood risk

### 4.7.1 Existing environment

The following discussion has been drawn from the EAD (EIS, Chapter 18 and Technical Paper 11).

The Proposed Change is located within the Murrumbidgee catchments of the Murray-Darling Basin, with sections of the Proposed Change area partially located within Sandy Creek on the south-western corner (as shown in Figure 2-1).

### Sensitive receiving environments

According to the EAD, a sensitive receiving environment is one that has a high conservation value or supports human uses of water that are particularly sensitive to degraded water quality. In the context of this proposal, sensitive receiving environments are considered to be:

- nationally important wetlands
- national parks, nature reserves and state conservations areas
- threatened ecological communities associated with aquatic ecosystems
- known and potential habitats for threatened fish
- key fish habitats
- recreational swimming areas
- areas that contribute to aquaculture and commercial fishing
- groundwater dependent ecosystem

The Proposed Change will involve access point and track works at the Sandy Creek to enable and support the wider scope of works associated with Uranquinty Yard. Sandy Creek is considered a sensitive receiving environment, with the following noted from the EAD:

- Ephemeral flow type
- Key fish habitat
- Potential for threatened species

### Flood risk

The frequency of flood events is generally referred to in terms of their annual exceedance probability (AEP). For example, for a 5% AEP flood, there is a five per cent probability (or a one in 20 chance) that there would be floods of a greater magnitude in any given year. For a 1% AEP flood, there is a one per cent probability (or a one in 100 chance) that there would be floods of greater magnitude each year. The probable maximum flood (PMF) is the largest flood that could be expected to occur at a particular location, usually estimated from probable maximum precipitation.

Existing flood conditions for the Proposed Change area are presented in Table 4-9 below.

**Table 4-9: Existing flood conditions**

| ENHANCEMENT SITE | EXISTING FLOOD CONDITIONS | DRAINAGE | FLOOD RISK WITHIN AND AROUND ENHANCEMENT SITE FOR EVENTS UP TO 1% AEP | PMF FLOOD DEPTH |
|---|---|---|---|---|
| **Uranquinty Yard clearances enhancement site** | ▸ Located within Sandy Creek floodplain<br>▸ Overland flooding depth of 0.5–1 m within the rail corridor in the 1% AEP | ▸ Concrete culvert at chainage 535.52km<br>▸ No other formal drainage infrastructure | ▸ 1% AEP | ▸ Greater than 1m |

## 4.7.2 Impact assessment

### Sensitive receiving environments

The Proposed Change's access point and track works are consistent with what has been described and assessed in the EAD. MR has discussed these works with the Department of Climate Change, Energy, the Environment and Water (DCEEW). DCEEW provided confirmation that a Controlled Activity Approval under the Water Management Act 2000 will not be required due to section 5.23 (g) of the EP&A Act.

As per DCCEW's advice, the Proposed Change can proceed and will be managed as per the *Controlled activities – Guidelines for riparian corridors on waterfront land* (DCCEEW), 2025).

**Flood risk**

Construction activities on flood-prone land have the potential to temporarily affect flooding behaviour. Without the implementation of appropriate management measures, potential impacts include:

- cause damage to construction sites, machinery, plant and equipment
- detrimentally impact downstream watercourses through increased flow rates in drainage lines, changes in scour, bank erosion and transport of sediments, and
- obstruct the passage of floodwater and overland flow, which could exacerbate existing flooding conditions and pose a safety risk to the public.

Considering the limited duration and scope of the works, no significant impacts to flood behaviour are anticipated for events up to and including the 1% AEP.

### 4.7.3 Conclusion

Construction activities at the Proposed Change area would be short term and would be prepared with consideration of existing hydrology and flooding behaviour.

These potential impacts would be generally in accordance with the impacts considered as part of the EAD and would be managed as per all applicable mitigation measures in the CoAs and UMMs, with any identified additional mitigation measures outlined in Table 4-14.

## 4.8 Soils and contamination

### 4.8.1 Existing environment

The following discussion is drawn from the EAD (EIS, Chapter 20 and Technical Paper 13).

The enhancement sites in the Wagga Wagga Precinct (including the Proposed Change area) are located at an elevation of about 190 to 200 mAHD at the south of the Murrumbidgee River. The topography generally slopes to the north to the Murrumbidgee River; however, there are localised high points along the Olympic Highway that drain to various tributaries of the Murrumbidgee River.

Existing soil characteristics for the Proposed Change area are presented in Table 4-10 below.

**Table 4-10: Existing soil characteristics**

| ENHANCEMENT SITE | LANDSCAPE | SOIL | CHARACTERISTICS |
|---|---|---|---|
| **Yerong Creek Yard clearances enhancement site** | ▸ Pearson soil landscape in the south<br>▸ O'briens Creek soil landscape<br>▸ Belfrayden soil landscape in the northeast | ▸ Moderately deep red sodosols in the west<br>▸ Moderately deep red and brown sodosols in the centre<br>▸ Red Chromosols and red Dermosols in the northeast | ▸ Strong acidity, local water logging and stream bank erosion<br>▸ Erosion hazard is higher on the sodosols. |

**Saline soils**

The Proposed Change is located on land mapped as having 'low' land salinity hazard.

### Acid sulfate soils

The Proposed Change is located in areas described as low probability of acid sulfate soils (ASS) occurrence.

### Naturally acidic soils

The Proposed Change is located in areas described as naturally acidic soils, where the upper 0.3m ranges from pH 4.5 to pH 5.5 and is considered very strongly acidic to strongly acidic. At these enhancement sites, the selection of construction materials and subsurface construction would consider the aggressivity of the soil.

### Contamination

The Proposed Change area is located within an existing rail corridor, which is considered to contain a general level of risk associated with contamination from historical development and activities associated with its operation. A range of sites adjacent to the rail corridor that would be considered to have associated contaminated risk were identified, including agricultural land.

The sources for these general contamination risks include:

- fill used in construction of the existing rail line, which may be contaminated
- weed-suppression activities
- buildings potentially containing hazardous materials
- rail line ballast potentially containing heavy metals and other contaminants
- contamination from maintenance activities undertaken at sidings and near silos or other areas
- use of chemicals on agricultural land
- machinery storage and maintenance, refuelling and spray rig filling, agricultural sheds and silos

The Proposed Change is located in proximity of several Areas of Environmental Concern (AEC). Description of the AEC and potential contaminants of concern as presented in Table 4-11 and shown in Figure 4-6.

**Table 4-11: Areas of Environmental Concern in relation to the Proposed Change**

| ENHANCEMENT SITE | AEC | DESCRIPTION OF AEC | POTENTIAL CONTAMINANT OF CONCERN |
|---|---|---|---|
| **Uranquinty Yard clearances enhancement site** | AEC 29 | ▸ Dumped metal drums | ▸ TRH, BTEX, PAHs, asbestos, lead containing dust and/or paint |
| | AEC 30 | ▸ Uranquinty RFS | ▸ TRH, BTEX, PAHs The RFS have advised that this site has not been identified as a location where there has been historical use of PFAS. Therefore, this contaminant was not considered further. |
| | AEC 31 | ▸ Service station—historical chemical storage at the Uranquinty RFS building | ▸ TRH, BTEX, PAHs and/or lead |





**Figure 4-6: EAD mapped locations of AECs in relation to the Proposed Change**

### 4.8.2 Impact assessment

Excavation and ground disturbance activities would expose and disturb soils. If not adequately managed, this could result in (EIS, Chapter 20):

- erosion of exposed soil and stockpiled materials
- dust generation
- an increase in sediment loads entering the stormwater system and/or local runoff, and, therefore, nearby receiving waterways
- increase in salinity levels in soil
- ASS conditions
- mobilisation of contaminated sediments, with resultant potential for environmental and human health impacts

**Soil erosion**

Construction would temporarily expose the natural ground surface and sub-surface through the removal of vegetation, overlying structures (such as existing roads) and excavation. The exposure of soil to runoff and wind can increase soil erosion potential; particularly, where construction activities are undertaken in soil landscapes characterised by dispersive soils, given their susceptibility to erosion.

**Contamination**

There is a general contamination risk present within the Proposed Change area, based on the general setting within an existing rail corridor and land uses that occur in and adjacent to the area.

As noted in the EIS (Chapter 20), the risk of contamination within the Proposed Change area is considered to be low within the context of the continuing railway land use; however, some discrete areas of medium risk have been identified, such as areas of waste within the rail corridor, fill used in the construction of the existing rail line and structures containing hazardous materials (such as lead paint and asbestos).

Based on the intensity of historical activities observed within the rail corridor, including the presence of operational facilities, development in the surrounding area, the Proposed Change area is considered to have a higher likelihood of contamination being present.

A Sampling, Analysis, and Quality Plan (SAQP) has been developed and approved for all sites across the alignment. The SAQP will be utilised to inform the scope of any site investigations required for Uranquinty Yard.

### 4.8.3 Conclusion

Construction activities at the Proposed Change area would be short term and would be prepared with consideration of the existing soils and contamination characteristics of the area.

All applicable mitigation measures in the CoAs and UMMs will be implemented, with any identified additional mitigation measures outlined in Table 4-14.

## 4.9 Air quality

### 4.9.1 Existing environment

The following discussion is drawn from the EAD (EIS, Chapter 22 and Technical Paper 14).

Regional air quality is mainly influenced by rural activities, industrial activities, vehicle emissions, railway operations, power generation, waste management and extraction activities. Dust from paved and unpaved roads, and domestic solid and liquid fuel burning in the region, also contribute to the local air shed.

As noted in the EAD, air quality data has been sourced from monitoring stations in Wagga Wagga North, with the results summarised in Table 4-12 below, alongside the air quality impact assessment criterion for each pollutant specified in the *Approved Methods for the Modelling and Assessment of Air Pollutants in New South Wales* (NSW EPA, 2016).

**Table 4-12: Air quality data (2016 to 2020)**

| MONITORING STATION | POLLUTANT | AVERAGING PERIOD | AIR QUALITY IMPACT ASSESSMENT CRITERIA | YEAR | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | | 2016 | 2017 | 2018 | 2019 | 2020 |
| **Wagga Wagga North** | $PM_{2.5}(g/m^3)$ | Maximum 24-hour average | 25 | Not available | **40.8** | **90.2** | **129.4** | **559.5** |
| | | Annual average | 8 | Not available | **8.5** | **8.9** | **11.0** | **12.9** |
| | $PM_{10}(g/m^3)$ | Maximum 24-hour average | 50 | **114.7** | **171.6** | **127.2** | **251.7** | **259.4** |
| | | Annual average | 25 | 20.7 | 20.4 | **26.9** | **34.7** | 21.9 |

Note 1: Exceedances of the air quality impact assessment criteria shown in **bold** (EAD)

### 4.9.2 Impact assessment

#### Dust emissions

The following activities have the potential to generate dust during construction (EIS, Chapter 22):

- vegetation clearing and grubbing
- construction of access points and roads
- dirt, mud, or other materials tracked onto a paved public roadway by a vehicle leaving a construction site (generally referred to as egress)
- erosion of unsealed surfaces
- materials handling and loading at laydown areas, and vehicle movements on unsealed roads/surfaces.

The UMMs outlined in the EAD will be implemented, as appropriate, to minimise the risk of impacts to air quality during the activities associated with the Proposed Change.

### 4.9.3 Conclusion

Potential impacts to air quality as a result of the Proposed Change are considered to be short-term and minor in nature. All applicable mitigation measures in the CoAs and UMMs will be implemented, with any additional mitigation measures outlined in Table 4-14.

## 4.10 Landscape and visual

### 4.10.1 Existing environment

The following discussion is drawn from the EAD (EIS, Chapter 18 and Technical Paper 10).

A common feature of the landscape and visual catchment across all precincts is the operational rail corridor of the Main South Line. This corridor has been largely cleared of native vegetation and generally consists of grassland with a few scattered trees. The Proposed Change does not pass through or near any national parks or state forests.

#### Landscape character

The landscape character area of the Uranquinty rural town centre is noted as local sensitivity.

#### Viewpoints

The following viewpoints were selected as representative of the potential range of views at the Proposed Change area. The locations of these viewpoints are shown in Figure 4-7.

Viewpoint 10

- View east from Pearson Street
- This view would be experienced by residents in adjoining residential properties and from vehicles travelling on Pearson Street. The historic station platform, silos and adjacent 'Memorial Avenue' trees are important local features in the view.
- Day-time sensitivity is noted local

Viewpoint 11

- View north from rail corridor parkland reserve
- Viewed by park users engaged in recreational activities. The view includes glimpses to the 'Memorial Avenue' trees.
- Day-time sensitivity is noted local





**Figure 4-7: EAD mapped locations of viewpoint 10 and 11 in relation to the Proposed Change**

### 4.10.2 Impact assessment

**Landscape character**

Landscape character impacts may occur, primarily due to the scale of the works occurring during construction and/or due to the higher sensitivity of the landscape character unit, such as:

Construction work within and external to the rail corridor, which requires the trimming and removal of vegetation.

**Viewpoints**

The Proposed Change is not expected to result in any impacts to the existing viewpoints within the Yerong Creek site.

**Night-time visual**

The Proposed Change activities may occur outside of standard construction hours, with the potential for minor-moderate light spill impacts affecting neighbouring residential properties. Generally, lighting would be designed to minimise light spill beyond the construction area.

### 4.10.3 Conclusion

Potential impacts to landscape character (excluding non-Aboriginal heritage) and viewpoints are considered to be short-term and minor in nature. For a detailed consideration on the impact of the Proposed Change area to heritage items and sites (including associated viewpoints) refer to Section 4.5.

All applicable mitigation measures in the Conditions of Approval (CoAs) and Updated Mitigation Measures (UMMs) will be implemented, with any additional mitigation measures outlined in Table 4-14.

## 4.11 Matters of national environmental significance

As discussed in Section 1.1, the A2I Project was referred to the Australian Government Minister for the Environment under the EPBC Act due to potential for impacts on protected matters on 2 June 2020 (EPBC Referral No 202/8670). On 29 June 2020, DAWE notified that the proposal is not a controlled action, and hence approval under the EPBC Act is not required.

The Proposed Change is considered against matters of national environmental significance and impacts on Commonwealth land in accordance with the EPBC Act in Table 4-13, which determined that there would be no impacts on matters of national environmental significance, and no referral is required.

**Table 4-13: Matters of national environmental significance**

| FACTOR | IMPACT (YES/NO) | IMPACT DESCRIPTION |
|---|---|---|
| Any impact on a World Heritage property? | No | No, there are no impacts on a World Heritage property resulting from the proposed works. |
| Any impact on a National Heritage place? | No | No, there are no impacts on a National Heritage place resulting from the proposed works. |
| Any impact on a wetland of international importance? | No | No, there are no impacts on a wetland of international importance resulting from the proposed works. |
| Any impact on a listed threatened species or communities? | No | No, there are no impacts to threatened species, populations or ecological communities are expected as a result of the proposed activity. |
| Any impacts on listed migratory species? | No | No, there are no impacts to threatened species, populations or ecological communities are expected as a result of the proposed activity. |

| FACTOR | IMPACT (YES/NO) | IMPACT DESCRIPTION |
|---|---|---|
| Any impact on a Commonwealth marine area? | No | No, there are no impacts on a Commonwealth marine area resulting from the proposed works. |
| Does the proposal involve a nuclear action (including uranium mining)? | No | No, the proposal does not involve a nuclear action, including uranium mining. |
| Additionally, any impact (direct or indirect) on Commonwealth land? | No | The Proposed Change is not located in proximity to and would not have any direct or indirect impact on, any Commonwealth land, as per a review of the publicly available 'Commonwealth Owned Land' dataset provided by the Commonwealth Department of Finance (dated 27 August 2024). |

## 4.12 Environmental management measures

Table 4-14 outlines any changes to relevant CoAs and UMMs, called EMMs in this document, that will be implemented as additional management measures for the Proposed Change.

**Table 4-14: Additional mitigation measures**

| ASPECT | NATURE AND EXTENT OF IMPACTS (NEGATIVE AND POSITIVE) DURING CONSTRUCTION (IF CONTROL MEASURES IMPLEMENTED) OF THE PROPOSED CHANGE, RELATIVE TO THE APPROVED PROJECT | PROPOSED CONTROL MEASURES IN ADDITION TO PROJECT COA AND UMM | MINIMAL IMPACT YES/NO | ENDORSED | |
|---|---|---|---|---|---|
| | | | | Yes/No | Comments |
| **Traffic and transport** | The Proposed Change's scope of works would not result in an increase in the level of impact assessed as part of the A2I EAD and would not impact on the Project's ability to comply with relevant CoAs and UMMs. | No additional mitigation measures required. | Yes | | |
| **Noise and vibration** | The Proposed Change's scope of works would not result in an increase in the level of impact assessed as part of the A2I EAD and would not impact on the Project's ability to comply with relevant CoAs and UMMs. | No additional mitigation measures required. | Yes | | |
| **Aboriginal heritage** | A HA has been prepared for the Proposed Change and has concluded the works may proceed with caution and potential impacts on Aboriginal Heritage can be appropriately managed in accordance with the CoAs and UMMs. | No additional mitigation measures required. | Yes | | |
| **Non-Aboriginal heritage** | A HA has been prepared for the Proposed Change and has concluded that the works may proceed, with potential impacts on non-Aboriginal heritage can be appropriately managed in accordance with the CoAs and UMMs. | No additional mitigation measures required. | Yes | | |

| | | | | | |
|---|---|---|---|---|---|
| **Biodiversity** | The potential impacts on biodiversity identified for the Proposed Change can be appropriately managed in accordance with the Conditions of Approval and through implementation of the Updated Mitigation Measures outlined in the Construction Biodiversity Management Plan for the Project. | No additional mitigation measures required. | Yes | | |
| **Hydrology and flood risk** | Potential impacts to hydrology and flood risk would be generally in accordance with the impacts considered as part of the EAD and would be managed as per all applicable mitigation measures in the CoAs and UMMs. | ▸ The proposed Sandy Creek access works will be undertaken and managed in accordance with *Controlled activities – Guidelines for riparian corridors on waterfront land* (DCCEEW), 2025). | Yes | | |
| **Soils and contamination** | There are no changes from the approved Project as noted in the EAD. | No additional mitigation measures required. | Yes | | |
| **Air quality** | The residual air quality impacts would be negligible to low risk and short-term. | No additional mitigation measures required. | Yes | | |
| **Landscape and visual** | Potential impacts to landscape character, viewpoints, and night-time visuals are considered to be short-term and minor in nature. | No additional mitigation measures required. | Yes | | |

# 5 Consistency assessment

Table 5-1 presents a set of questions that assist Inland Rail to determine whether the Proposed Change can be considered consistent with the Minister's approval.

**Table 5-1: Consistency questions**

| CONSISTENCY QUESTION | DISCUSSION | CONSISTENT |
|---|---|---|
| Q1) Are the proposed works being carried out as part of an approved project? E.g. Are works "generally in accordance with" project documents and plans, where relevant? | As considered throughout this document, the Proposed Change is being carried out in accordance with the EAD. | Yes |
| Q2) Is the modification such a radical transformation of the project as a whole, as to be, in reality, an entirely new project?<br>Note: If answered Yes, a new project application may be required. | The Proposed Change does not constitute a modification, is not a radical transformation of the Project as a whole and is not an entirely new Project. | Yes |
| Q3) Are the proposed works a modification that is considered "consistent with" the project as approved? This will require the work in question to have environmental impacts contemplated by the approval (such as EA / EIS, CEMP, spoil management plan, heritage management plan or the like), including documents forming part of the approval, or as a minimum, very few additional impacts. | The Proposed Change, as considered in Chapter 2 is considered "consistent with" the Infrastructure Approval. The Proposed Change is considered to be consistent with the impacts contemplated by the EAD outlined in CoA 1 of the Infrastructure Approval. | Yes |
| Q4) When considering all previous consistency assessments and the potential cumulative impacts, are the proposed works still considered 'consistent with' the project as approved? | The Proposed Change is considered "consistent with" the Project, including any potential cumulative impacts. Any subsequent consistency assessments would be subject separate consideration for potential cumulative impacts. | Yes |

# 6 Monitoring and Reporting

There are no further monitoring or reporting required as a result of the Proposed Change.

# 7 Conclusion

Based on the consistency assessment in this report, the Proposed Change is considered:

☒Consistent with the Ministers Conditions of Approval, and the Updated Mitigation Measures.

☐~~Not consistent with the Ministers Conditions of Approval, and the Mitigation Measures. A modification to the Project approval must be prepared and submitted to the Department of Planning Infrastructure and Environment for approval.~~

# 8 Certification

## Author

This consistency assessment provides a true and fair review of the Proposed Change for the Inland Rail – Albury to Illabo Project.

| **Name:** | **Signature:** |
|---|---|
| David Lamb |  |
| **Position:** | **Date:** |
| Environment Lead (A2I) | 11/12/2025 |
| **Organisation:** | |
| Martinus Rail | |

## Inland Rail

The Proposed Change, subject to the implementation of all the environmental requirements of the Project, is consistent with the Division 5.2 approval.

| **Name:** | **Signature:** |
|---|---|
| | |
| **Position:** | **Date:** |
| | |
| **Organisation:** | |
| | |

| **Name:** | **Signature:** |
|---|---|
| | |
| **Position:** | **Date:** |
| (Manager) | |
| **Organisation:** | |
| | |

I have examined the Proposed Changes by reference to the Division 5.2 approval in accordance with Section 5.25(2) of the EP&A Act. I consider that the proposal is consistent with the Division 5.2 approval.

I agree / do not agree with the recommendations of the [Insert above signatory e.g. PEL] and approve / do not approve of the carrying out the Proposed Change in accordance with those recommendations.

# Appendix A Construction Noise and Vibration Impact Statement (SLR)

# A2I | Albury to Illabo – Uranquinty Yard

## Construction Noise and Vibration Impact Statement


### Martinus Rail

1/23-27 Waratah Street, Kirrawee, NSW 2232

Prepared by:

**SLR Consulting Australia**

Tenancy 202 Submarine School, Sub Base Platypus, 120 High Street, North Sydney NSW 2060, Australia




SLR Project No.: 610.031317.00001

Client Reference No.: R22

11 July 2025

Revision: v1.0

## Revision Record

| Revision | Date | Prepared By | Checked By | Authorised By |
|---|---|---|---|---|
| v1.0 | 11 July 2025 | Adam Sirianni | Steven Luzuriaga |  |
| | | | | |
| | | | | |

# Basis of Report

This report has been prepared by SLR Consulting Australia (SLR) with all reasonable skill, care and diligence, and taking account of the timescale and resources allocated to it by agreement with Martinus Rail (the Client). Information reported herein is based on the interpretation of data collected, which has been accepted in good faith as being accurate and valid.

This report is for the exclusive use of the Client. No warranties or guarantees are expressed or should be inferred by any third parties. This report may not be relied upon by other parties without written consent from SLR.

SLR disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the work.

# Table of Contents

**Basis of Report** ..... **i**
**Acronyms and Abbreviations** ..... **v**
**Compliance Table** ..... **1**
**1.0 Introduction** ..... **6**
**2.0 Project Description** ..... **6**
2.1 Scope of this CNVIS ..... 6
2.2 Hours of work ..... 7
2.2.1 Highly Noise Intensive Work ..... 7
2.3 Variation to hours of work ..... 7
2.4 Justification of Out of Hours Work (OOHW) ..... 8
**3.0 Existing Environment** ..... **8**
3.1 Background Noise Levels ..... 8
**4.0 Assessment Criteria** ..... **10**
4.1 Construction Noise and Vibration Guidelines ..... 10
4.2 Noise Management Levels ..... 10
4.2.1 Residential Receivers ..... 10
4.2.2 Other Sensitive Land Uses and Commercial Receivers ..... 11
4.2.3 Ground-borne Noise ..... 12
4.3 Vibration Criteria ..... 13
4.3.1 Heritage Buildings or Structures ..... 15
4.3.2 Buried Pipework and Utilities ..... 16
4.3.3 Minimum Working Distances for Vibration Intensive Work ..... 17
4.4 Traffic on Surrounding Roads ..... 18
**5.0 Noise Assessment** ..... **19**
5.1 Work Scenarios ..... 19
5.1.1 Modelling Scenarios and Equipment ..... 22
5.2 Predicted Noise Levels ..... 22
5.3 Ground-borne Noise ..... 25
**6.0 Vibration Assessment** ..... **25**
6.1 Cosmetic Damage Assessment ..... 32
6.2 Human Comfort Assessment ..... 32
**7.0 Construction Traffic Assessment** ..... **33**
**8.0 Mitigation and Management Measures** ..... **34**
8.1 Site Specific Mitigation Measures ..... 34
8.2 Respite ..... 38

8.3 Additional Mitigation and Management Measures for Out of Hours Work ..... 39
8.3.1 Receivers Eligible for Additional Mitigation Measures - Noise ..... 41
8.3.2 Receivers Eligible for Additional Mitigation Measures – Vibration ..... 41
8.4 Community Notification ..... 42
8.5 Consultation with Affected Receivers ..... 42
8.5.1 Consultation approach ..... 42
8.5.2 Consultation for this CNVIS ..... 43
8.5.3 Consultation outcomes ..... 43
8.6 Occupational Noise Exposure ..... 44
8.7 Monitoring ..... 45
**9.0 Cumulative Impacts ..... 47**

# Tables in Text

Table 1 Ambient Noise Levels ..... 8
Table 2 Construction Noise and Vibration Standards and Guidelines ..... 10
Table 3 Residential Noise Management Levels ..... 11
Table 4 NMLs for 'Other Sensitive' Receivers ..... 11
Table 5 Internal ground-borne NMLs ..... 12
Table 6 Human Comfort Vibration – Vibration Dose Values for Intermittent Vibration ..... 13
Table 7 Human Comfort Vibration – Preferred and Maximum Weighted Root Mean Square Values for Continuous and Impulsive Vibration Acceleration ($m/s^2$) 1–80 Hz ..... 14
Table 8 Cosmetic Damage – BS 7385 Transient Vibration Values for Minimal Risk of Damage ..... 14
Table 9 Cosmetic Damage – DIN 4150 Guideline Values for Short-term Vibration on Structures ..... 14
Table 10 Heritage Items Nearby Construction Work Areas ..... 15
Table 11 Guideline Values for Short Term Vibration on Buried Pipework ..... 17
Table 12 Recommended Minimum Working Distances from Vibration Intensive Equipment ..... 17
Table 13 RNP/NCG Criteria for Assessing Traffic on Public Roads ..... 18
Table 14 Work Scenario Descriptions ..... 19
Table 15 Scenarios and Periods of Work ..... 20
Table 16 Exceedance Bands and Impact Colouring ..... 22
Table 17 Overview of NML Exceedances ..... 23
Table 18 Vibration Intensive Equipment ..... 25
Table 19 Construction Traffic Assessment ..... 33

Table 20 Site Specific Mitigation Measures ..... 34
Table 21 Additional Mitigation Measures ..... 39
Table 22 Airborne Noise – Additional Mitigation Measures Matrix ..... 40
Table 23 Vibration – Additional Mitigation Measures Matrix ..... 40
Table 24 Key Stakeholders for this CNVIS ..... 44
Table 25 Indicative Monitoring Locations ..... 46

## Figures in Text

Figure 1 Receiver Classifications ..... 9
Figure 2 Construction Work Locations ..... 21
Figure 3 Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.005) 27
Figure 4 Minimum Working Distances – Ballast Tamping (W.007, W.012) ..... 28
Figure 5 Minimum Working Distances – Vibratory Roller:<50 kN (1–2 tonne) (W.008) .... 29
Figure 6 Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.012) 30
Figure 7 Minimum Working Distances – Large Hydraulic Hammer (W.014) ..... 31
Figure 8 Hierarchy of Work Practices and Mitigation Measures ..... 34

## Appendices

**Appendix A Acoustic Terminology**
**Appendix B Modelling Scenarios and Equipment**
**Appendix C Noise Impact Maps**
**Appendix D Receivers Triggering Additional Mitigation**

# Acronyms and Abbreviations

| | |
|---|---|
| AA | The Acoustics Advisor for the CSSI approved by the Planning Secretary |
| A2I | Albury to Illabo section of the Inland Rail project |
| ARTC | Australian Rail Track Corporation |
| AS | Australian Standard |
| AV:ATG | Assessing Vibration: a technical guideline (DEC, 2006) |
| BS | British Standard |
| dBA | A-weighted decibel (referenced 20 µPa) |
| DPHI | Department of Planning, Housing and Infrastructure |
| CCHMP | Construction Cultural Heritage Management Plan |
| CEMP | Construction Environmental Management Plan |
| CNVF | Inland Rail NSW Construction Noise and Vibration Framework |
| CNVIS | Construction Noise and Vibration Impact Statement |
| CNVMP | Construction Noise and Vibration Management Plan |
| CSSI | Critical Stage Significant Infrastructure |
| DEC | Department of Environment and Conservation |
| DECC | Department of Environment and Climate Change (now NSW EPA) |
| DIN | Deutches Institut für Normung (German Institute for Standardisation) |
| EIS | Environmental Impact Statement |
| EP&A Act | Environmental Planning and Assessment Act 1979 |
| EPA | Environment Protection Authority |
| EPL | Environmental Protection Licence |
| ER | The Environmental Representative(s) for CSSI approved by the Planning Secretary. |
| HNA | Highly Noise Affected |
| Hz | Hertz |
| ICNG | Interim Construction Noise Guideline (DECC, 2009 |
| IR | Inland Rail |
| ISO | International Standards Organisation |
| km | Kilometres |
| km/h | Kilometres per hour |
| $L_{Aeq}$ | Equivalent continuous noise level, providing a representation of the cumulative level of noise exposure over a defined period. |
| $L_{Aeq(15hour)}$ | The equivalent continuous noise level for the 15-hour daytime period of 7.00 am to 10.00 pm |
| $L_{Aeq(9hour)}$ | The equivalent continuous noise for the 9-hour night-time period of 10.00 pm to 7.00 am |

| | |
|---|---|
| $L_{Aeq(1hour)}$ | The equivalent continuous noise for the 1-hour daytime or night-time period that has the potential to result in the greatest noise impact to sensitive receivers. |
| $L_{Amax}$ | The maximum noise level during the measurement or assessment period. The $L_{AFmax}$ or Fast is averaged over 0.125 of a second and the $L_{ASmax}$ or Slow is averaged over 1-second. |
| m | Metres |
| mm | Millimetres |
| mm/s | Millimetres per second |
| m/s | Metres per second |
| MR | Martinus Rail |
| NCA | Noise Catchment Area |
| NML | Noise Management Level |
| NSW | New South Wales |
| NPfI | Noise Policy for Industry |
| OOHW | Out of hours work |
| PPV | Peak Particle Velocity |
| RBL | Rating Background Level |
| TfNSW | Transport for New South Wales |
| VDV | Vibration Dose Value |

# Compliance Table

| CoA | Requirement | Reference |
|---|---|---|
| A1 | The Proponent must carry out the CSSI in accordance with the terms of this approval and generally in accordance with the:<br>a) Inland Rail – Albury to Illabo Environmental Impact Statement (ARTC, August 2022)<br>b) Albury to Illabo Response to Submissions (ARTC, November 2023)<br>c) Albury to Illabo Preferred Infrastructure Report (ARTC, November 2023)<br>d) Albury to Illabo Preferred Infrastructure Report Response to Submissions (ARTC, February 2024)<br>e) Inland Rail – Albury to Illabo (SSI-10055) Response to request for additional information – Air Quality Assessment (letter dated 1 May 2024)<br>f) Part 1 - Revised Technical Paper 8: Biodiversity Development Assessment Report (WSP, February 2024)<br>g) Part 2 - Revised Technical Paper 8: Biodiversity Development Assessment Report (WSP, February 2024) | **The CNVMP** |
| A2 | The CSSI must only be carried out in accordance with all procedures, commitments, preventative actions, performance criteria and mitigation measures set out in the documents listed in Condition A1 unless otherwise specified in, or required under, this approval. | **The CNVMP** |
| C9 | The Construction Noise and Vibration Sub-plan must include, but not limited to:<br>a) measures to reduce construction to standard ICNG hours where sensitive land uses are likely to be noise affected for more than 3 months;<br>b) an approach to assess and manage construction fatigue from noise impacts on sensitive receivers on an ongoing basis;<br>c) noise sensitive periods identified by the community, religious, educational institutions, noise and vibration-sensitive businesses and critical working areas and measures to ensure noise levels above the NMLs do not occur during sensitive periods in accordance with Condition E76;<br>d) mitigation for construction traffic noise impacts from additional construction traffic and road diversions;<br>e) the location of all heritage items, non-heritage structures and infrastructure likely to be impacted by vibration and measures to manage vibration impacts at those items and structures; and<br>f) vibration levels at a range of distances from vibration intensive equipment such as excavators and vibratory rollers before undertaking works with the specific type and size of equipment. | **The CNVMP** |
| E68 | A detailed land use survey must be undertaken to confirm sensitive land use(s) (including critical working areas such as operating theatres and precision laboratories) potentially exposed to construction noise and vibration, construction ground-borne noise and operational noise. The survey may be undertaken on a progressive basis but must be undertaken in any one area before the commencement of work which generates construction or operational noise, vibration or ground-borne noise in that area. The results of the survey must be included in the Noise and Vibration CEMP sub-plan required by Condition C8. | **The CNVMP, Section 3.0, Figure 1** |
| E69 | Work must be undertaken during the following hours:<br>a) 7:00am to 6:00pm Mondays to Fridays, inclusive;<br>b) 7:00am to 6:00pm Saturdays; and<br>c) at no time on Sundays or public holidays. | **Section 2.2** |

| CoA | Requirement | Reference |
|---|---|---|
| E70 | Except as permitted by an EPL, highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken:<br>a) between the hours of 8:00 am to 6:00 pm Monday to Friday;<br>b) between the hours of 8:00 am to 1:00 pm Saturday; and<br>c) if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour.<br>For the purposes of this condition, 'continuously' includes any period during which there is less than one hour between ceasing and recommencing any of the work. | **Section 2.2.1**, **Section 8.2** |
| E71 | Notwithstanding Conditions E69 and E70, work may be undertaken outside the hours specified in the following circumstances (a, b, or c):<br>a) Safety and Emergencies, including:<br>i. for the delivery of materials required by the NSW Police Force or other authority for safety reasons; or<br>ii. where it is required in an emergency to avoid injury or the loss of life, to avoid damage or loss of property or to prevent environmental harm.<br>On becoming aware of the need for emergency work in accordance with Condition E71(a), the AA, the ER, the Planning Secretary and the EPA must be notified of the reasons for such work. Best endeavours must be used to notify all noise and/or vibration affected residents and owners/occupiers of properties identified sensitive land use(s) of the likely impact and duration of those work.<br>b) Work, that meets the following criteria:<br>i. construction that causes $L_{Aeq(15\ minute)}$ noise levels:<br>• no more than 5 dB(A) above the rating background level at any residence in accordance with the ICNG, and<br>• no more than the 'Noise affected' NMLs specified in Table 3 of the ICNG at other sensitive land use(s); and<br>ii. construction that causes $L_{AFmax}$ noise levels no more than 15 dB above the rating background level at any residence during the night period as defined in the ICNG. and<br>iii. construction that causes:<br>• continuous or impulsive vibration values, measured at the most affected residence no more than the preferred values for human exposure to vibration, specified in Table 2.2 of *Assessing Vibration: a technical guideline* (DEC, 2006), or<br>• intermittent vibration values measured at the most affected residence no more than the preferred values for human exposure to vibration, specified in Table 2.4 *of Assessing Vibration: a technical guideline* (DEC, 2006).<br>c) By Approval, including:<br>i. where different construction hours, such as those for a rail possession, are permitted under an EPL in force in respect of the CSSI; or<br>ii. works which are not subject to an EPL that are approved under an Out-of-Hours Work Protocol as required by Condition E72; or<br>iii. negotiated agreements with directly affected residents and sensitive land use(s). | **Section 2.3** |
| E72 | An Out-of-Hours Work Protocol must be prepared to identify a process for the consideration, management and approval of work which is outside the hours defined in Conditions E69, and that are not subject to an EPL. The Protocol must be approved by the Planning Secretary before commencement of the Out-of-Hours Work. The Protocol must be prepared in consultation with the ER, AA and EPA. | **The CNVMP, Section 2.4** |

| CoA | Requirement | Reference |
|---|---|---|
| | The Protocol must include:<br>a) identification of low and high-risk activities and an approval process that considers the risk of activities, proposed mitigation, management, and coordination, including where:<br>i. the ER and AA review all proposed out-of-hours activities and confirm their risk levels,<br>ii. low risk activities can be approved by the ER in consultation with the AA, and<br>iii. high risk activities that are approved by the Planning Secretary;<br>b) a process for the consideration of out-of-hours work against the relevant NML and vibration criteria;<br>c) a process for selecting and implementing mitigation measures for residual impacts in consultation with the community at each affected location, including respite periods. The measures must take into account the predicted noise levels and the likely frequency and duration of the out-of-hours works that sensitive land use(s) would be exposed to, including the number of noise awakening events;<br>d) procedures to facilitate the coordination of out-of-hours work including those approved by an EPL or undertaken by a third party, to ensure appropriate respite is provided; and<br>e) notification arrangements for affected receivers for approved out-of-hours work and notification to the Planning Secretary of approved low risk out-of-hours works.<br>This condition does not apply if the requirements of Condition E71 are met. | |
| E73 | Except as permitted by an EPL, out-of-hours work that may be regulated through the Out-of-Hours Work Protocol as per Condition E72, but is not limited to:<br>a) Carrying out work that if carried out during standard hours would result in a high risk to construction personnel or public safety based on a risk assessment carried out in accordance with AS/NZS ISO 31000:2009: "Risk management; or<br>b) where the relevant roads authority has advised the Proponent in writing that carrying out the work during standard hours would result in a high risk to road network performance and a road occupancy licence will not be issued; or<br>c) where the relevant utility service operator has advised the Proponent in writing that carrying out the work during standard hours would result in a high risk to the operation and integrity of the utility network; or<br>d) work undertaken in a rail possession for operational or safety reasons.<br>*Note: Other out-of-hours works can be undertaken with the approval of an EPL, or through the project's Out-of-Hours Work Protocol for works not subject to an EPL.* | **Section 2.3** |
| E74 | Mitigation measures must be implemented with the aim of achieving the following construction noise management levels and vibration objectives:<br>a) construction 'Noise affected' NMLs established using the Interim Construction Noise Guideline (DECC, 2009);<br>b) vibration criteria established using *the Assessing vibration: a technical guideline* (DEC, 2006) (for human exposure);<br>c) Australian Standard AS 2187.2 - 2006 "*Explosives - Storage and Use - Use of Explosives*";<br>d) BS 7385 Part 2-1993 "*Evaluation and measurement for vibration in buildings Part 2*" as they are "applicable to Australian conditions"; and<br>e) the vibration limits set out in the *German Standard DIN 4150-3: Structural Vibration- effects of vibration on structures* (for structural damage). | **The CNVMP, Section 4.0**, **Section 8.0** |

| CoA | Requirement | Reference |
|---|---|---|
| | Work that exceeds the noise management levels and/or vibration criteria must be managed in accordance with the Noise and Vibration CEMP sub-plan.<br>*Note: The ICNG identifies 'particularly annoying' activities that require the addition of 5 dB(A) to the predicted level before comparing to the construction NML.* | |
| E75 | Mitigation measures must be applied when the following residential ground-borne noise levels are exceeded:<br>a) evening (6:00 pm to 10:00 pm) — internal $L_{Aeq(15\ minute)}$: 40 dB(A); and<br>b) night (10:00 pm to 7:00 am) — internal $L_{Aeq(15\ minute)}$: 35 dB(A).<br>The mitigation measures must be outlined in the Noise and Vibration CEMP sub-plan, including in any Out-of-Hours Work Protocol, required by Condition E72. | **Section 4.2.3** |
| E76 | Noise generating work in the vicinity of community, religious, educational institutions, noise and vibration-sensitive businesses and critical working areas (such as exam halls, theatres, laboratories and operating theatres) resulting in noise levels above the NMLs must not be timetabled during sensitive periods, unless other reasonable arrangements with the affected institutions are made at no cost to the affected institution. | **Section 8.0** |
| E77 | At no time can noise generated by construction exceed the National Standard for exposure to noise in the occupational environment of an eight-hour (8hr) equivalent continuous A-weighted sound pressure level of $L_{Aeq,8h}$ of 85 dB(A) for any employee working at a location near the CSSI. | **Section 8.6** |
| E78 | Construction Noise and Vibration Impact Statements (CNVIS) must be prepared for work that may exceed the noise management levels, vibration criteria and/or ground-borne noise levels specified in Condition E74 and Condition E75 at any residence outside construction hours identified in Condition E69, or where receivers will be highly noise affected. The CNVIS must include specific mitigation measures identified through consultation with affected sensitive land use(s) and the mitigation measures must be implemented for the duration of the works. A copy of the CNVIS must be provided to the AA and ER prior to the commencement of the associated works. The Planning Secretary may request a copy/ies of CNVIS. | **This report, Section 8.5** |
| E79 | Owners and occupiers of properties at risk of exceeding the screening criteria for cosmetic damage must be notified before work that generates vibration commences in the vicinity of those properties. If the potential exceedance is to occur more than once or extend over a period of 24 hours, owners and occupiers are to be provided a schedule of potential exceedances on a monthly basis for the duration of the potential exceedances, unless otherwise agreed by the owner and occupier. These properties must be identified and considered in the Noise and Vibration CEMP Sub-plan required by Condition C8 and the Community Communication Strategy required by Condition B1. | **Section 8.0** |
| E80 | Vibration testing must be undertaken before and during vibration generating activities that have the potential to impact on heritage items to identify minimum working distances to prevent cosmetic damage. In the event that the vibration testing and attended monitoring shows that the preferred values for vibration are likely to be exceeded, the construction methodology must be reviewed and, if necessary, additional mitigation measures implemented. | **Section 6.1, Section 8.0** |
| E81 | Advice from an independent heritage specialist must be sought on methods and locations for installing equipment used for vibration, movement and noise monitoring at heritage-listed structures.<br>*Note: The heritage specialist is to provide advice prior to installing equipment that may impact the heritage significance or structural integrity of the heritage listed structures.* | **Section 8.0** |
| E83 | All work undertaken for the delivery of the CSSI, including those undertaken by third parties (such as utility relocations), must be coordinated to ensure respite periods are provided. This must include: | **Section 8.0, Section 8.2** |

| CoA | Requirement | Reference |
|---|---|---|
| | a) rescheduling work to provide respite to impacted noise sensitive land use(s) so that the respite is achieved; or<br>b) the provision of alternative respite or mitigation to impacted noise sensitive land use(s); and<br>c) the provision of documentary evidence to the AA in support of any decision made in relation to respite or mitigation.<br>The consideration of respite must also include all other CSSI, SSI and SSD projects which may cause cumulative and/or consecutive impacts at receivers affected by the delivery of the CSSI. | |
| E119 | The Proponent must coordinate Work with adjoining Inland Rail Projects, including any work to relocate or connect utilities, to minimise cumulative and consecutive noise and vibration impacts and maximise respite for affected sensitive land uses. Coordination and mitigation measures must be detailed in the Construction Noise and Vibration management Sub-plan required by Condition C9. | **Section 8.0, Section 8.2, Section 9.0** |
| E122 | Property damage caused directly or indirectly (for example from vibration or from groundwater change) by the construction or operation must be rectified at no cost to the owner. Alternatively, compensation may be provided for the property damage as agreed with the property owner. | **Section 6.1** |

# 1.0 Introduction

SLR Consulting Australia Pty Ltd (SLR) has been engaged by Martinus Rail (MR) to prepare a construction noise and vibration impact statement (CNVIS) for the clearance work at the Uranquinty Yard in Uranquinty, NSW. This site forms part of the Albury to Illabo (A2I) section of Inland Rail (the Project). This assessment has been prepared in accordance with the Construction Noise and Vibration Management Plan (CNVMP) for the A2I section of the Project.

This report assesses the potential construction noise and vibration impacts for the work associated with the Uranquinty Yard clearance site. An explanation of the specialist acoustic terminology used in this report is provided in **Appendix A**.

# 2.0 Project Description

Inland Rail is an approximate 1,600 kilometres (km) freight rail network that will connect Beveridge and Kagaru via regional Victoria, New South Wales and Queensland. The Inland Rail route would involve using approximately 1,000 km of existing track (with enhancements and upgrades where necessary) and 600 km of new track, passing through 30 local government areas. Inland Rail will accommodate double-stacked freight trains up to 1,800 metres (m) long and 6.5 m high.

The Albury to Illabo (A2I) section (the Project) forms a key component of the Inland Rail program. It is a 185 km section of existing rail corridor located in regional NSW between the towns of Albury and Illabo. Works would include track realignment, lowering and/or modification within the existing rail corridor, modification, removal or replacement of bridge structures (rail, road and/or pedestrian bridges), raising or replacing signal gantries, level-crossing modifications and other associated works. This CNVIS is associated with the Uranquinty Yard clearance work.

Relevant noise and vibration conditions from the Conditions of Approval (CoA) are detailed within the compliance table at the beginning of this document and will be complied with during the work.

## 2.1 Scope of this CNVIS

The focus of this CNVIS is the clearance work associated with the Uranquinty Yard site. Work at this site includes:

- Site Establishment
- Site Compound Operation
- Geotechnical Investigation and Contamination Sampling (SAQP)
- Track Work and subsequent track tamping
- Drainage Work
- Signalling Work
- Sandy Creek Bridge Upgrade Work
- Level Crossing Work
- Gantry Modification

Further details of work activities are outlined in **Section 5.1**. The work areas are surrounded by mostly suburban residential, some commercial, industrial, and educational receivers. Additionally, there are places of worship and childcare centres at various setback from the main areas of work. The Project location, work areas and surrounding receivers are shown in **Figure 1**

## 2.2 Hours of work

In accordance with the Construction Noise and Vibration Management Plan (CNVMP) and CoA E69 construction work must be undertaken within the approved standard construction hours:

a) 7:00am to 6:00pm Monday to Friday, inclusive;

b) 7:00am to 6:00pm Saturday and

c) At no time on Sundays or public holidays.

### 2.2.1 Highly Noise Intensive Work

As outlined in the CoA E70, any highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken:

a) Between 08:00am – 06:00pm Monday to Friday;

b) Between 08:00am – 01:00pm Saturday; and

c) If continuously, then not exceeding (3) hours, with a maximum cessation of work of not less than one hour.

The CoA defines 'highly noise intensive works' as those identified as annoying under the Interim Construction Noise Guideline (ICNG) and include:

- Use of power saws, such as used for cutting timber, rail lines, masonry, road pavement or steel work;
- Grinding metal, concrete or masonry;
- Rock drilling;
- Line drilling;
- Vibratory rolling;
- Bitumen milling or profiling;
- Jackhammering, rock hammering or rock breaking;
- Impact piling; and
- Tamping (for rail projects).

## 2.3 Variation to hours of work

Notwithstanding CoA E69 and E70, work may be undertaken outside the hours specified in the CoA E71 circumstances (a, b, or c):

a) Safety and Emergencies

b) Work, that meets specific criteria

c) By Approval

Note: refer to **Compliance Table** for further detail.

## 2.4 Justification of Out of Hours Work (OOHW)

Work activities that may be required or proposed to be undertaken outside of standard working hours will be managed in accordance with the OOHW Protocol as defined in CoA E72 and E73, unless the work is regulated by an EPL.

All work on or adjacent to roads would be carried out in accordance with a relevant Traffic Control Plan (TCP), Road Occupancy Licence (ROL) and/or rail possession to facilitate safe work near live road/rail traffic. Where an ROL/rail possession cannot be obtained for the approved project hours and/or proposed works cannot be undertaken safely during these hours, some works will be required to be undertaken outside of standard hours (ie Out of Hours Work, OOHW).

As outlined in the ICNG, work undertaken on public infrastructure may need to be undertaken outside the recommended standard hours. For this project the need is based on a requirement to sustain the operational integrity of public infrastructure, as works to restore operation of the infrastructure provide benefit to the greater community (ie more than just local residents).

Further detail around the specific work tasks, duration and justification of OOHW must be identified in the OOHW permit, required by the OOHW Protocol or EPL.

# 3.0 Existing Environment

The existing ambient noise environment was described in Environmental Impact Statement (EIS), Technical Paper 6 – Noise and Vibration (Non-Rail) for the Albury to Illabo project. This section provides details of the existing ambient noise environment relevant to the Uranquinty clearance work.

The noise catchment area (NCA) used is consistent with the NCAs described in the EIS and is shown in **Figure 1** with receiver classifications. Sensitive land uses and receiver classifications within the project area were confirmed through a detailed land use survey undertaken in August 2024. Results of the land use survey have been incorporated into the receiver classifications shown in **Figure 1**.

## 3.1 Background Noise Levels

Background noise levels have been referenced from the baseline noise survey undertaken as part of the EIS and reproduced in the CNVMP. The background noise levels relevant to the Uranquinty Yard enhancement site are summarised in **Table 1**.


**Table 1 Ambient Noise Levels**

| Noise Monitoring Location | NCA | Rating background Level (RBL) dBA NPfI defined time periods[1] | | |
|---|---|---|---|---|
| | | Daytime period | Evening period | Night-time period |
| 7[3] | NCA09 | 39 | 39 (41[2]) | 30 |

Note 1: The assessment periods are the daytime which is 7 am to 6 pm Monday to Saturday and 8 am to 6 pm on Sundays and public holidays, the evening which is 6 pm to 10 pm, and the night-time which is 10 pm to 7 am on Monday to Saturday and 10 pm to 8 am on Sunday and public holidays. See the NSW EPA Noise Policy for Industry (NPfI).

Note 2: The evening RBL data has been reduced to the daytime period RBL in this case (bracketed figures indicates the measured value)

Note 3: Noise monitoring location was adopted from Location 7 (1-3 Plunkett Street, Yerong Creek) as outlined in the EIS, Technical Paper 06 - Noise and Vibration (Non-Rail).




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 26-Jun-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# Receiver Classifications

**FIGURE 1**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz

# 4.0 Assessment Criteria

## 4.1 Construction Noise and Vibration Guidelines

The standards and guidelines relevant to the Project are listed in **Table 2**. These guidelines aim to protect the community and environment from excessive noise and vibration impacts during construction of projects.

**Table 2 Construction Noise and Vibration Standards and Guidelines**

| Guideline/Policy Name | Where Guideline Used |
|---|---|
| *Inland Rail NSW Construction Noise and Vibration Framework* (CNVF) | Assessment and management protocols for airborne noise, ground-borne noise and vibration impacts for construction of NSW Inland Rail projects |
| *Interim Construction Noise Guideline* (ICNG) (DECC, 2009) | Assessment of airborne noise impacts on sensitive receivers |
| *Environmental Criteria for Road Traffic Noise* (ECRTN) (EPA, 1999) | Contains guidance for assessing potential sleep disturbance impacts |
| *Road Noise Policy* (RNP) (DECCW, 2011) | Assessment of construction traffic impacts |
| *BS 7385 Part 2-1993 Evaluation and measurement for vibration in buildings Part 2*, BSI, 1993 | Assessment of vibration impacts (structural damage) to non-heritage sensitive structures |
| *DIN 4150:Part 3-2016 Structural vibration – Effects of vibration on structures*, Deutsches Institut für Normung, 2016 | Screening assessment of vibration impacts (structural damage) to heritage sensitive structures, where the structure is found to be unsound |
| *Assessing Vibration: a technical guideline* (DEC, 2006) | Assessment of vibration impacts on sensitive receivers |
| *AS2187.2:2006 Explosives – Storage and use Part 2: Use of explosives* | Assessment of impacts from blasting activities |
| *Construction Noise and Vibration Guideline (Public Transport Infrastructure) (*CNVG-PTI) (Transport for NSW, 2023) | Utilised for minimum working distances for vibration intensive work. |

## 4.2 Noise Management Levels

The noise management levels (NMLs) for residential and other sensitive receivers have been adopted from the CNVMP, as determined in the EIS. Receiver types and locations are shown **Figure 1**.

### 4.2.1 Residential Receivers

Project-specific NMLs for residential receivers were determined for the NCA. NMLs for other sensitive receivers are fixed values adopted from the Interim Construction Noise Guideline (ICNG) (DECC, 2009) and outlined in the CNVMP. Residential NMLs for the NCA surrounding the Uranquinty Yard enhancement site is shown in **Table 3**.

**Table 3 Residential Noise Management Levels**

| NCA | Noise Management Level ($L_{Aeq(15minute)}$ - dB) | | | | Sleep disturbance Screening Level (RBL +15dB or 52 dB) | Sleep Awakening Reaction Level |
|---|---|---|---|---|---|---|
| | Approved Hours (RBL +10dB) | Out of Hours[1,2] | | | | |
| | | Daytime (RBL +5dB) | Evening (RBL +5dB) | Night-time (RBL +5dB) | | |
| NCA09 | 49 | 44 | 44 | 35 | 52 | 65 |

Note 1: The assessment periods are the daytime which is 7 am to 6 pm Monday to Saturday and 8 am to 6 pm on Sundays and public holidays, the evening which is 6 pm to 10 pm, and the night-time which is 10 pm to 7 am on Monday to Saturday and 10 pm to 8 am on Sunday and public holidays. See the NSW EPA Noise Policy for Industry (NPfI).

### Highly Noise Affected

In addition to the NMLs presented above, the ICNG highly noise affected level (>75 dBA) represents the point above which there may be strong community reaction to noise and is applicable to all residential receivers during approved project hours as outlined in the CNVMP and the ICNG.

### Sleep Disturbance

Where the sleep disturbance screening level (RBL + 15 dB or 52 dB, whichever is greater, see **Table 3**) is exceeded, further assessment is required to determine whether the 'awakening reaction' level of $L_{Amax}$ 65 dBA (external) would be exceeded and the likely number of these events. The awakening reaction level is the level above which residents are likely to be awoken from sleep.

## 4.2.2 Other Sensitive Land Uses and Commercial Receivers

The ICNG NMLs for 'other sensitive' non-residential land uses are shown in **Table 4**.

The ICNG references *AS2107:2016 Acoustics – Recommended design sound levels and reverberation times for building interiors* for criteria for 'other sensitive' receivers which are not listed in the guideline. Neither the ICNG nor AS2107 provide criteria for child care centres so the Association of Australian Acoustical Consultants *Guideline for Child Care Centre Acoustic Assessment* (GCCCAA) has been referenced.

**Table 4 NMLs for 'Other Sensitive' Receivers**

| Land Use | Noise Management Level $L_{Aeq(15minute)}$ (dB) (Applied when the property is in use) | |
|---|---|---|
| | Internal | External |
| **ICNG 'Other Sensitive' Receivers** | | |
| Classrooms at schools and other educational institutions | 45 | 55[1,5] |
| Hospital wards and operating theatres | 45 | 65[2] |
| Places of worship | 45 | 55[1] |
| Active recreation areas (characterised by sporting activities which generate noise) | - | 65 |
| Passive recreation areas (characterised by contemplative activities that generate little noise) | - | 60 |
| Commercial | - | 70 |
| Industrial | - | 75 |

| Land Use | Noise Management Level $L_{Aeq(15minute)}$ (dB) (Applied when the property is in use) | |
|---|---|---|
| | Internal | External |
| **Non-ICNG 'Other Sensitive' Receivers** | | |
| Hotel – daytime & evening[3] | 50 | 60[1,5] |
| Hotel – night-time[3] | 35 | 45[1,5] |
| Child care centres – activity areas[4] | 40 | 50[1,5] |
| Child care centres – sleeping areas[4] | 35 | 45[1,5] |
| Library[3] | 45 | 55[1] |
| Public Building[3] | 50 | 60[1] |
| Aged Care | Considered as Residential | |

Note 1: It is assumed that these receivers have windows partially open for ventilation which results in internal noise levels being around 10 dB lower than the external noise level.

Note 2: It is assumed that these receivers have fixed windows which conservatively results in internal noise levels being around 20 dB lower than the external noise level.

Note 3: Criteria taken from AS2107.

Note 4: Criteria taken from Association of Australian Acoustical Consultants Guideline for Child Care Centre Acoustic Assessment.

Note 5: Some receivers near highways or rail lines may have building façade mitigation and air-conditioning. Where evidence is provided a 20dB reduction from external to internal may be adopted.

### 4.2.3 Ground-borne Noise

Construction work can cause ground-borne (structure-borne or regenerated) noise impacts in nearby buildings when vibration intensive equipment is in use, such as during tunnelling or excavation work using tunnel boring machines, roadheaders or rockbreakers. Vibration can be transmitted through the ground and into nearby buildings, which can then create audible noise impacts inside the building.

Ground-borne noise NMLs are applicable where ground-borne noise levels are likely to be higher than airborne noise levels, which can occur where work is underground or where surface work is shielded by noise barriers, other structures or façade mitigation at the receiver. Ground-borne noise is generally found to generate impacts during the evening and night-time periods when ambient noise levels are often much lower, and ground-borne noise is more prominent.

The internal ground-borne noise NMLs for residential receivers are shown in **Table 5**.

**Table 5 Internal ground-borne NMLs**

| Receiver Type | Noise Management Level ($L_{Aeq(15minute)}$ – dBA) | | |
|---|---|---|---|
| | Daytime[1] | Evening[2] | Night-time[2] |
| Residential | n/a | 40 | 35 |

Note 1: Daytime ground-borne noise NMLs are not specified in the ICNG or CoA.

Note 2: Specified in the ICNG and CoA E75.

For other sensitive receivers, the ICNG does not provide guidance in relation to acceptable ground-borne noise levels. For the purpose of this CNVIS, the internal airborne NMLs presented in **Table 4** will also be adopted for ground-borne noise.

## 4.3 Vibration Criteria

The effects of vibration from construction work can be divided into three categories:

- Those in which the occupants of buildings are disturbed (**human comfort**). People can sometimes perceive vibration impacts when vibration generating construction work is located close to occupied buildings. Vibration from construction work tends to be intermittent in nature and the EPA's Assessing Vibration: a technical guideline (2006) (AV:ATG) provides criteria for intermittent vibration based on the Vibration Dose Value (VDV), as shown in **Table 6**. While the construction activities for the proposal are generally not expected to result in continuous or impulsive vibration impacts, corresponding criteria are provided in **Table 7**.
- Those where building contents may be affected (**building contents**). People perceive vibration at levels well below those likely to cause damage to building contents. For most receivers, the human comfort vibration criteria are the most stringent and it is generally not necessary to set separate criteria for vibration effects on typical building contents. Exceptions to this can occur when vibration sensitive equipment, such as electron microscopes or medical imaging equipment, are in buildings near to construction work. No such equipment has been identified in the study area.
- Those where the integrity of the building may be compromised (**structural/cosmetic damage**). If vibration from construction work is sufficiently high it can cause cosmetic damage to elements of affected buildings. Industry standard cosmetic damage vibration limits are specified in British Standard BS 7385 and German Standard DIN 4150. The limits are shown in **Table 8** and **Table 9**.

**Table 6 Human Comfort Vibration – Vibration Dose Values for Intermittent Vibration**

| Building Type | Assessment Period | Vibration Dose Value[1] ($m/s^{1.75}$) | |
|---|---|---|---|
| | | Preferred | Maximum |
| Critical Working Areas (eg operating theatres or laboratories) | Day or night-time | 0.10 | 0.20 |
| Residential | Daytime | 0.20 | 0.40 |
| | Night-time | 0.13 | 0.26 |
| Offices, schools, educational institutions and places of worship | Day or night-time | 0.40 | 0.80 |
| Workshops | Day or night-time | 0.80 | 1.60 |

Note 1: The VDV accumulates vibration energy over the daytime and night-time assessment periods, and is dependent on the level of vibration as well as the duration.

**Table 7 Human Comfort Vibration – Preferred and Maximum Weighted Root Mean Square Values for Continuous and Impulsive Vibration Acceleration ($m/s^2$) 1–80 Hz**

| Location | Assessment period | Preferred values | | Maximum values | |
|---|---|---|---|---|---|
| | | z-axis | x- and y-axis | z-axis | x- and y-axis |
| **Continuous vibration** | | | | | |
| Residential | Daytime | 0.010 | 0.0071 | 0.020 | 0.014 |
| | Night-time | 0.007 | 0.005 | 0.014 | 0.010 |
| Offices, schools, educational institutions and places of worship | Day or night-time | 0.020 | 0.014 | 0.040 | 0.028 |
| Workshops | Day or night-time | 0.04 | 0.029 | 0.080 | 0.058 |
| **Impulsive vibration** | | | | | |
| Residential | Daytime | 0.30 | 0.21 | 0.60 | 0.42 |
| | Night-time | 0.10 | 0.071 | 0.20 | 0.14 |
| Offices, schools, educational institutions and places of worship | Day or night-time | 0.64 | 0.46 | 1.28 | 0.92 |
| Workshops | Day or night-time | 0.64 | 0.46 | 1.28 | 0.92 |

**Table 8 Cosmetic Damage – BS 7385 Transient Vibration Values for Minimal Risk of Damage**

| Group | Type of Building | Peak Component Particle Velocity in Frequency Range of Predominant Pulse | |
|---|---|---|---|
| | | 4 Hz to 15 Hz | 15 Hz and Above |
| 1 | Reinforced or framed structures. Industrial and heavy commercial buildings | 50 mm/s at 4 Hz and above | |
| 2 | Unreinforced or light framed structures. Residential or light commercial type buildings | 15 mm/s at 4 Hz increasing to 20 mm/s at 15 Hz | 20 mm/s at 15 Hz increasing to 50 mm/s at 40 Hz and above |

Note 1: Where the dynamic loading caused by continuous vibration may give rise to dynamic magnification due to resonance, especially at the lower frequencies where lower guide values apply, then the guide values may need to be reduced by up to 50%.

**Table 9 Cosmetic Damage – DIN 4150 Guideline Values for Short-term Vibration on Structures**

| Group | Type of Structure | Guideline Values Vibration Velocity (mm/s) | | | | |
|---|---|---|---|---|---|---|
| | | Foundation, All Directions at a Frequency of | | | Topmost Floor, Horizontal | Floor Slabs, Vertical |
| | | 1 to 10 Hz | 10 to 50 Hz | 50 to 100 Hz | All frequencies | All frequencies |
| 1 | Buildings used for commercial purposes, industrial buildings and buildings of similar design | 20 | 20 to 40 | 40 to 50 | 40 | 20 |
| 2 | Residential buildings and buildings of similar design and/or occupancy | 5 | 5 to 15 | 15 to 20 | 15 | 20 |

| Group | Type of Structure | Guideline Values Vibration Velocity (mm/s) | | | | |
|---|---|---|---|---|---|---|
| | | Foundation, All Directions at a Frequency of | | | Topmost Floor, Horizontal | Floor Slabs, Vertical |
| | | 1 to 10 Hz | 10 to 50 Hz | 50 to 100 Hz | All frequencies | All frequencies |
| 3 | Structures that, because of their particular sensitivity to vibration, cannot be classified as Group 1 or 2 **and** are of great intrinsic value (eg heritage listed buildings) | 3 | 3 to 8 | 8 to 10 | 8 | 20[1] |

Note 1: It may be necessary to lower the relevant guideline value markedly to prevent minor damage.

### 4.3.1 Heritage Buildings or Structures

Heritage listed buildings and structures should be considered on a case-by-case basis but BS 7385 notes that buildings of historical value should not be assumed to be more sensitive to vibration, unless structurally unsound. Where a heritage building is deemed to be sensitive, the more stringent DIN 4150 Group 3 guideline values in **Table 9** can be applied.

#### Heritage Structures

**Table 10** includes heritage structures from the State Heritage Register, Local Heritage Items and Local Environment Plan that are within close proximity to the construction work areas for Uranquinty Yard Precinct.

**Table 10 Heritage Items Nearby Construction Work Areas**

| Heritage Item | Listing | Construction/Condition |
|---|---|---|
| Uranquinty Silos | Local (Wagga Wagga LEP) I296, | These concrete silos are commonly found dolled along railway lines, are the first structures associated with large-scale grain handling in the region and have a landmark quality.<br>The Uranquinty Silos are approximately 15m from the work area. |
| Uranquinty Hotel (34 Morgan Street, Uranquinty, New South Wales 2652) | Local (Wagga Wagga LEP) I289, | Long low building with a prominent central gable projection featuring decorative half timbering to the gable end. The hip roof is clad with corrugated iron. There are a series of doors and windows along the front elevation and a front verandah to either side of the projection.<br>The Uranquinty Silos are approximately 72 m from the work area. |
| St Patrick's Roman Catholic Church (22 Morgan Street, Uranquinty, New South Wales 2652) | Local (Wagga Wagga LEP) I288, | A red brick church with a steeply pitched gable roof with exposed rafters. Features include buttresses and timber lancet windows. White painted render detailing to the bullresses and window heads. There has been a sympathetic extension to the rear corner.<br>The St Patrick's Roman Catholic Church are approximately 82 m from the work area. |
| Uranquinty General Store (29 Pearson Street, Uranquinty, New South Wales 2652) | Local (Wagga Wagga LEP) I290, | This former general store was until recent times the focus of the Uranquinty community and is of historical and social significance. Brick construction with a corrugated iron roof and an awning verandah. There is a fixed timber bench on the footpath to the front of the building.<br>The Uranquinty General Store is approximately 69 m from the work area. |
| Uranquinty General Store Post Boxes (28 | Local (Wagga Wagga LEP) I291, | Filigree-fronted mailboxes. The top half is solid metal to accommodate a keyhole. The mailboxes are located on the front wall of the former general store, beneath the awning verandah. |

| Heritage Item | Listing | Construction/Condition |
|---|---|---|
| Morgan Street, Uranquinty, New South Wales 2652) | | The Uranquinty General Store Post Boxes are approximately 68 m from the work area. |
| Memorial Avenue | Local (Wagga Wagga LEP) I304, | This avenue of White Cedar trees has social significance as it was planted as a war memorial. Local significance. A row of White Cedars line the west side of Pearson Street (northern block only).<br>Memorial Avenue is approximately 72 m from the work area. |
| Uranquinty School (Pearson Street, Uranquinty, New South Wales 2652) | Local (Wagga Wagga LEP) I297, | Historical, aesthetic and social significance to the community of Uranquinty and district and a focus for the community.<br>An attractive red brick Federation era school building with a hip roof featuring half timbering to the gablets. A previously encircling verandah has been partly enclosed with weatherboard. The brick chimney is well detailed and there are air vents to the roof.<br>The Uranquinty School is approximately 65 m from the work area. |
| Uranquinty Hall | Local (Wagga Wagga LEP) I295, | Historical, aesthetic and social significance and an important focus for the town as a centre of recreation activities. Unusual wall detailing and intact interior.<br>Pressed metal hall with gable roof. Side walls are corrugated iron. Ripple iron to two metres, then pressed metal with a scale pattern. Interior original and very attractive with polished cypress pine stage and benches. Half timbering effect to front gable.<br>The Uranquinty Hall is approximately 100 m from the work area. |
| Ganawarra | Local (Wagga Wagga LEP) I294, | Historical, aesthetic and social significance to the town of Uranquinty, and an attractive element in the streetscape. Red brick residence with a corrugated iron hip roof and encircling bullnose verandah with decorative timber brackets.<br>Ganawarra is approximately 100 m from the work area. |

The heritage items located near the construction work zone in Uranquinty Yard include Uranquinty Hall, Uranquinty School, St Patrick's Roman Catholic Church, the Uranquinty General Store Post Boxes, and Memorial Avenue.

Further information on the heritage items in **Table 10** are provided in the Construction Cultural Heritage Management Plan (CCHMP). No structures nearby the work areas identified in this CNVIS are flagged as structurally unsound in the CCHMP.

Pre- and post-condition surveys of heritage structures are to be conducted when relevant (ie if the heritage buildings are within the minimum working distances for heritage items for nominated vibration-intensive equipment) refer to **Section 4.3.3** and **Section 6.1**.

### 4.3.2 Buried Pipework and Utilities

The German Standard DIN 4150-3:1999 “Structural Vibration Part 3: Effects of vibration in structures” provides guideline values for evaluating the effect of vibration on buried pipework. The values are based on the assumption that pipes have been manufactured and laid using current technology. Additional considerations may be required at junctions. The recommended limits for short term vibration to ensure minimal risk of damage are presented numerically in **Table 11**.

**Table 11 Guideline Values for Short Term Vibration on Buried Pipework**

| Line | Pipe Material | Guideline value at the Pipe[1,2] (PPV mm/s) |
|---|---|---|
| 1 | Steel (including welded pipes) | 100 |
| 2 | Clay, concrete, reinforced concrete, pre stressed concrete, metal (with or without flange) | 80 |
| 3 | Masonry, plastic[3] | 50 |

Note 1: Mounting equipment directly onto pipes may not be possible. If the vibration source is not immediately next to the pipework, measurements can be made on the ground surface to obtain an estimate. Generally, this vibration level will be greater than the level measured directly on the pipework.

Note 2: The guideline values may be reduced by 50% without further analysis when evaluating the effects of long-term vibration on buried pipework.

Note 3: Drainpipes shall be evaluated using the values given for Line 3.

### Buried Pipework and Utilities

No buried pipework or utilities have been identified in this CNVIS at risk of impact from vibration. Therefore, no additional consideration or assessment has been undertaken in relation to buried pipework and utilities. Where buried pipework or utilities are uncovered during works, they should be identified and managed in accordance with the measures outlined in the CNVMP.

## 4.3.3 Minimum Working Distances for Vibration Intensive Work

Minimum working distances for typical vibration intensive construction equipment have been sourced from the Transport for NSW (TfNSW) Construction Noise and Vibration Guideline (Public Transport Infrastructure) (CNVG-PTI) and are shown in **Table 12**. The minimum working distances are for both cosmetic damage (from BS 7385 and DIN 4150) and human comfort (from the NSW EPA Assessing Vibration: a technical guideline). They are calculated from empirical data which suggests that where work is further from receivers than the quoted minimum distances then impacts are not considered likely.

The minimum working distances listed in the CNVG were used to derive the minimum working distances required for cosmetic damage to industrial and heavy commercial buildings (also reinforced or framed structures). The following pseudo-power law relationship has been used in the derivations:

$$V_2 = V_1 \times \left(\frac{D_1}{D_2}\right)^B$$

where a site exponent value of B = 1.6 is adopted for the calculations, as per AS2187.2:2006

**Table 12 Recommended Minimum Working Distances from Vibration Intensive Equipment**

| Plant Item | Rating/Description | Minimum Distance | | | |
|---|---|---|---|---|---|
| | | Cosmetic Damage | | | Human Response (NSW EPA Guideline)[2] |
| | | Residential and Light Commercial (BS 7385) | Heritage Items[1] (DIN 4150, Group 3) | Industrial and Heavy Commercial (BS 7385) | |
| Vibratory Roller | <50 kN (1–2 tonne) | 5 m | 11 m | 3 m | 15 m to 20 m |
| | <100 kN (2–4 tonne) | 6 m | 13 m | 3 m | 20 m |
| | <200 kN (4–6 tonne) | 12 m | 25 m | 6 m | 40 m |

| Plant Item | Rating/Description | Minimum Distance | | | |
|---|---|---|---|---|---|
| | | Cosmetic Damage | | | Human Response (NSW EPA Guideline)[2] |
| | | Residential and Light Commercial (BS 7385) | Heritage Items[1] (DIN 4150, Group 3) | Industrial and Heavy Commercial (BS 7385) | |
| | <300 kN (7–13 tonne) | 15 m | 31 m | 8 m | 100 m |
| | >300 kN (13–18 tonne) | 20 m | 40 m | 10 m | 100 m |
| | >300 kN (>18 tonne) | 25 m | 50 m | 12 m | 100 m |
| Small Hydraulic Hammer | 300 kg (5 to 12 t excavator) | 2 m | 5 m | 1 m | 7 m |
| Medium Hydraulic Hammer | 900 kg (12 to 18 t excavator) | 7 m | 15 m | 4 m | 23 m |
| Large Hydraulic Hammer | 1,600 kg (18 to 34 t excavator) | 22 m | 44 m | 11 m | 73 m |
| Vibratory Pile Driver | Sheet piles | 2 m to 20 m | 5 m to 40 m | 1 to 10 m | 20 m |
| Piling Rig – Bored | ≤ 800 mm | 2 m (nominal) | 5 m | 1 m | 4 m |
| Jackhammer | Hand held | 1 m (nominal) | 3 m | 1 m | 2 m |
| Ballast Tamping[2] | N/A | 5 m | 10 m | 3 m | 30 m |

Note 1: Minimum working distances for heritage items that have been identified as structurally unsound or otherwise particularly sensitive to vibration. These distances have been calculated based on the 2.5 mm/s PPV criteria from DIN 4150 and the cosmetic damage minimum working distances presented in the CNVG-PTI with reference to BS 7385.

Note 2: Based on SLR measurement data. The human response minimum working distance for Ballast Tamping is determined based on a residential night-time preferred VDV criterion.

The minimum working distances are indicative and will vary depending on the particular item of equipment and local geotechnical conditions. The distances apply to cosmetic damage of typical buildings under typical geotechnical conditions.

## 4.4 Traffic on Surrounding Roads

The potential impacts from project related traffic on the surrounding public roads are assessed using the NSW EPA *Road Noise Policy* (RNP). An initial screening test is first applied to evaluate if existing road traffic noise levels are expected to increase by more than 2.0 dB. Where this is considered likely, further assessment is required using the RNP criteria shown in **Table 13**.

**Table 13 RNP/NCG Criteria for Assessing Traffic on Public Roads**

| Road Category | Type of Project/Land Use | Assessment Criteria (dB) | |
|---|---|---|---|
| | | Daytime (7 am – 10 pm) | Night-time (10 pm – 7 am) |
| Freeway/ arterial/ sub-arterial roads | Existing residences affected by additional traffic on existing freeways/arterial/sub-arterial roads generated by land use developments | $L_{Aeq(15hour)}$ 60 (external) | $L_{Aeq(9hour)}$ 55 (external) |
| Local roads | Existing residences affected by additional traffic on existing local roads generated by land use developments | $L_{Aeq(1hour)}$ 55 (external) | $L_{Aeq(1hour)}$ 50 (external) |

# 5.0 Noise Assessment

The potential construction noise levels from the Project have been predicted using ISO 9613:2 algorithm in SoundPLAN noise modelling software. The model includes ground topography, buildings and representative noise sources from the Project.

## 5.1 Work Scenarios

Noise modelling scenarios have been determined based on key Project noise generating stages, supplied by the Project team. A detailed description of each work scenario and the total sound power levels (LW) are provided in **Table 14**. A summary of construction work periods and schedule required for each scenario is shown in **Table 15**, as per the working hours defined in the CNVMP. The locations of the various work scenarios are shown in **Figure 2**.

**Table 14 Work Scenario Descriptions**

| ID | Scenario | Description | Total Lw |
|---|---|---|---|
| W.001 | Site Establishment / Demobilisation | • Site Compound delivery and set up<br>• Access road and laydown construction | 115 |
| W.002 | Compound Operation | • Operation of the site compound<br>Delivery of materials / equipment | 113 |
| W.003 | Contamination Sampling (SAQP) | • Contamination Sampling: Sampling and Analysis Quality Plan (SAQP) | 116 |
| W.004 | Geotechnical Investigation | • Geotechnical Investigation | 111 |
| W.005 | Track Work - Peak | • Track Work including highly noise intensive work | 120 |
| W.006 | Track Work - Typical | • Track Work excluding highly noise intensive work | 116 |
| W.007 | Track Tamping | • Tamping following track work | 118 |
| W.008 | Drainage Work | • Drainage Work | 117 |
| W.009 | Signalling Work | • Installation of Signalling Infrastructure | 114 |
| W.010 | Sandy Creek Bridge Work - Peak | • Bridge Work including highly noise intensive work | 115 |
| W.011 | Sandy Creek Bridge Work - Typical | • Bridge Work including highly noise intensive work | 112 |
| W.012 | Level Crossing Work - Peak | • Level Crossing Work including highly noise intensive work | 124 |
| W.013 | Level Crossing Work - Typical | • Level Crossing Work excluding highly noise intensive work | 119 |
| W.014 | Removal of Signal Gantry and Footings | • Removal of Signal Gantry and Footings | 120 |

## Table 15 Scenarios and Periods of Work

| ID | Scenario | Hours of Work | | | | Indicative Start Date | Likely Duration |
|---|---|---|---|---|---|---|---|
| | | Approved Hours | Out-of-Hours Work [4] | | | | |
| | | | Day OOH[1] | Evening[2] | Night[3] | | |
| W.001 | Site Establishment / Demobilisation | ✓ | ✓ | - | - | Jul-26 | 1 month |
| W.002 | Compound Operation | ✓ | ✓ | ✓ | ✓ | Jul-26 | 3 months |
| W.003 | Contamination Sampling (SAQP) | ✓ | - | - | - | Jul-25 | 2 weeks |
| W.004 | Geotechnical Investigation | ✓ | ✓ | - | - | Jul-26 | 1 month |
| W.005 | Track Work - Peak | ✓ | ✓ | ✓ | ✓ | Aug-26 | 2 months |
| W.006 | Track Work - Typical | ✓ | ✓ | ✓ | ✓ | Aug-26 | 2 months |
| W.007 | Track Tamping | ✓ | ✓ | ✓ | ✓ | Sep-26 | 1 months |
| W.008 | Drainage Work | ✓ | ✓ | - | - | Aug-26 | 2 months |
| W.009 | Signalling Work | ✓ | ✓ | ✓ | ✓ | Sep-25<br>Sep-26 | 4 months<br>1 month |
| W.010 | Sandy Creek Bridge Work - Peak | ✓ | ✓ | ✓ | ✓ | Jul-26 | 3 months |
| W.011 | Sandy Creek Bridge Work - Typical | ✓ | ✓ | ✓ | ✓ | Jul-26 | 3 months |
| W.012 | Level Crossing Work - Peak | ✓ | ✓ | ✓ | ✓ | Sep-26 | 1 month |
| W.013 | Level Crossing Work - Typical | ✓ | ✓ | ✓ | ✓ | Sep-26 | 1 month |
| W.014 | Removal of Signal Gantry and Footings | ✓ | ✓ | - | - | Jul-25 | 1 month |

Note 1: Daytime out of hours is 7 am to 8 am on Saturday, and 8 am to 6 pm on Sunday and public holidays.

Note 2: Evening is 6 pm to 10 pm Mondays to Saturdays.

Note 3: Night is 10 pm to 7 am for Mondays to Saturdays and 6 pm to 8 am for Sundays and public holidays.

Note 4: Where works are expected to occur outside of the standard working hours, further detail around the specific work tasks, duration and justification of OOHW must be identified in the OOHW permit, required by the OOHW Protocol or EPL.

Note 5: Works scenarios may occur simultaneously during enhancement works and the total duration for the completion of all works is expected to be approximately 3 months.

## Figure 2 Construction Work Locations



### 5.1.1 Modelling Scenarios and Equipment

The assessment uses 'realistic worst-case' scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario, as required by the ICNG. Sound power levels (LW) for the construction equipment used in the modelling are listed in **Appendix B**.

## 5.2 Predicted Noise Levels

The following overview is based on the predicted impacts at the most affected receivers and is representative of the worst-case noise levels that are likely to occur during construction.

The assessment shows the predicted 'mitigated' impacts based on the exceedance of the noise management levels, as per the categories in **Table 16**. The mitigation and management measures adopted for this CNVIS are provided in **Section 8.0**.

**Table 16 Exceedance Bands and Impact Colouring**

| Subjective Classification | Exceedance of Noise Management Level | | Impact Colouring |
|---|---|---|---|
| | Daytime | Out of Hours | |
| Negligible | No exceedance | No exceedance | |
| Noticeable | - | 1 to 5 dB | |
| Clearly Audible | 1 to 10 dB | 6 to 15 dB | |
| Moderately Intrusive | 11 to 20 dB | 16 to 25 dB | |
| Highly Intrusive | > 20 dB | > 25 dB | |

A summary of the number of buildings where NML exceedances were predicted for the various work scenarios is shown in **Table 17**. The number of receivers above the 'highly noise affected' (HNA) level are also included in the table. Maps of the predicted worst-case noise impacts are presented in **Appendix C**.

The assessment presents the combined predicted noise impacts for each scenario. Meaning, the worst-case result at each receiver is considered from all potential work areas where each scenario is to be undertaken.

The assessment is generally considered conservative as the calculations assume several items of construction equipment are in use at the same time within individual scenarios. As outlined in **Section 5.1.1,** the assessment uses 'realistic worst-case' scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario.

The exceedances shown in **Table 17** are therefore representative of a 'realistic worst-case' 15-minute period, and are unlikely to occur for extended periods of time throughout the entire construction period at any given receiver.

The indicative work durations presented in **Table 15** represent a window of time where the scenarios could occur, and does not represent the entire duration of the exceedances shown in **Table 17**.

In reality, there would frequently be periods when construction noise levels are much lower than the worst-case levels predicted as well as times when no equipment is in use and no noise impacts occur.

**Table 17 Overview of NML Exceedances**

| ID | Scenario | Number of Receivers | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | HNA[1] | With NML exceedance (dB)[2] | | | | | | | | | | | | | | | | |
| | | | Approved Daytime | | | Out of Hours | | | | | | | | | | | | | |
| | | | | | | Daytime OOH | | | | Evening | | | | Night-time | | | | Sleep Disturbance | Sleep Awakening |
| | | | 1-10 | 11-20 | >20 | 1-5 | 6-15 | 16-25 | >25 | 1-5 | 6-15 | 16-25 | >25 | 1-5 | 6-15 | 16-25 | >25 | >Screening Level | >65 dB |
| **Residential Receivers** | | | | | | | | | | | | | | | | | | | |
| W.001 | Site Establishment / Demobilisation | - | 134 | 52 | 3 | 100 | 134 | 52 | 3 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.002 | Compound Operation | - | 127 | 34 | 1 | 105 | 127 | 34 | 1 | 105 | 127 | 34 | 1 | 21 | 176 | 116 | 28 | 267 | 61 |
| W.003 | Contamination Sampling (SAQP) | - | 145 | 82 | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.004 | Geotechnical Investigation | - | 141 | 39 | - | 84 | 141 | 39 | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.005 | Track Work - Peak | - | 161 | 131 | 19 | 27 | 161 | 131 | 19 | 27 | 161 | 131 | 19 | 9 | 43 | 170 | 129 | 334 | 150 |
| W.006 | Track Work - Typical | - | 160 | 89 | - | 72 | 160 | 89 | - | 72 | 160 | 89 | - | 7 | 105 | 160 | 73 | 281 | 73 |
| W.007 | Track Tamping | - | 164 | 115 | 3 | 52 | 164 | 115 | 3 | 52 | 164 | 115 | 3 | 7 | 76 | 155 | 111 | 311 | 111 |
| W.008 | Drainage Work | - | 127 | 81 | 2 | 78 | 127 | 81 | 2 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.009 | Signalling Work | - | 93 | 26 | 2 | 103 | 93 | 26 | 2 | 103 | 93 | 26 | 2 | 21 | 213 | 83 | 23 | 121 | 16 |
| W.010 | Bridge Work - Peak | - | 44 | 10 | - | 67 | 44 | 10 | - | 67 | 44 | 10 | - | 115 | 144 | 40 | 7 | 172 | 19 |
| W.011 | Bridge Work - Typical | - | 32 | 5 | - | 41 | 32 | 5 | - | 41 | 32 | 5 | - | 86 | 114 | 21 | 4 | 92 | 10 |
| W.012 | Level Crossing Work - Peak | **10** | 206 | 97 | 27 | 10 | 206 | 97 | 27 | 10 | 206 | 97 | 27 | 4 | 29 | 212 | 108 | 320 | 63 |
| W.013 | Level Crossing Work - Typical | **1** | 174 | 39 | 11 | 105 | 174 | 39 | 11 | 105 | 174 | 39 | 11 | 10 | 134 | 159 | 46 | 249 | 42 |
| W.014 | Removal of Signal Gantry and Footings | - | 180 | 25 | 6 | 117 | 180 | 25 | 6 | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| **Other Sensitive Receivers** | | | | | | | | | | | | | | | | | | | |
| W.001 | Site Establishment / Demobilisation | n/a | 11 | - | - | 9 | 2 | - | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.002 | Compound Operation | n/a | 7 | - | - | 6 | 1 | - | - | 3 | 1 | - | - | - | - | 1 | - | n/a | n/a |
| W.003 | Contamination Sampling (SAQP) | n/a | 12 | 1 | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.004 | Geotechnical Investigation | n/a | 12 | - | - | 6 | 6 | - | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.005 | Track Work - Peak | n/a | 6 | 9 | - | 2 | 13 | - | - | 1 | 4 | - | - | 4 | - | 1 | - | n/a | n/a |
| W.006 | Track Work - Typical | n/a | 9 | 4 | - | 2 | 11 | - | - | 1 | 3 | - | - | - | - | 1 | - | n/a | n/a |
| W.007 | Track Tamping | n/a | 8 | 6 | - | 2 | 12 | - | - | 2 | 3 | - | - | 3 | - | 1 | - | n/a | n/a |
| W.008 | Drainage Work | n/a | 6 | 2 | - | 3 | 5 | - | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| W.009 | Signalling Work | n/a | 1 | - | - | 1 | - | - | - | 1 | - | - | - | - | 1 | - | - | n/a | n/a |
| W.010 | Sandy Creek Bridge Work - Peak | n/a | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | n/a | n/a |
| W.011 | Sandy Creek Bridge Work - Typical | n/a | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | n/a | n/a |
| W.012 | Level Crossing Work - Peak | n/a | 13 | 1 | - | 2 | 12 | - | - | - | 5 | - | - | 4 | - | 1 | - | n/a | n/a |
| W.013 | Level Crossing Work - Typical | n/a | 12 | - | - | 11 | 1 | - | - | 4 | 1 | - | - | - | - | 1 | - | n/a | n/a |
| W.014 | Removal of Signal Gantry and Footings | n/a | 11 | - | - | 10 | 1 | - | - | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a | n/a |

Note 1: Highly noise affected, based on ICNG definition (i.e. predicted LAeq(15minute) noise at residential receiver is greater than 75 dBA).
Note 2: Based on worst-case predicted noise levels

A summary of the predicted worst-case noise levels is shown below for each work area:

**Residential Receivers**

- 'Highly intrusive' noise impacts are predicted at the nearest residential receivers for *W.001*, *W.002*, *W.005*, *W.007, W.008, W.009* and *W.012* through *W.014* during approved daytime and daytime out-of-hours periods. The highest noise levels and impacts would be experienced by adjacent receivers when noisy construction work is conducted nearby.
- Highly intrusive' noise impacts are also predicted at the nearest residential receivers for *W.002*, *W.005, W.007*, *W.009, W.012* and *W.013* during evening out-of-hours.
- All scenarios with the potential to occur during the night-time out-of-hours periods are predicted to generate 'Highly intrusive' noise impacts at the nearest residential receivers. The highest noise levels and impacts would be experienced by adjacent receivers when noisy construction work is conducted nearby.
- For all other work scenarios, worst-case 'Moderately intrusive' noise impacts are predicted at the nearest residential receivers across all assessment periods.
- Ten residential receivers are predicted to be 'highly noise affected' during noise intensive level crossing works for scenario *W.012*. One receiver is predicted to remain HNA during typical works during *W.013.*
- Noise levels are predicted to exceed the sleep disturbance screening level for all scenarios occurring during the night-time. The 'awakening' criterion is exceeded at the nearest receivers for all work scenarios occurring during the night-time period.
- The addresses of the residential receivers impacted by out-of-hours works are provided in **Appendix D**.

**Other Sensitive Receivers**

- 'Moderately intrusive' noise impacts are predicted at the nearest 'other sensitive' receivers for scenarios *W.003*, *W.005* to *W.008* and *W.012* during the approved daytime periods, scenario and for scenarios *W.002*, *W.005* to *W.007*, *W.012* and *W.013* during night periods.
    - 'Clearly audible' to 'noticeable' worst-case impacts are predicted at the nearest 'other sensitive' receivers for all other scenarios during all assessment periods.
- 'Other sensitive' receivers should only be considered impacted 'when in use'.

For most scenarios, the noisiest work would only be required for a relatively short period of the total duration. Noise levels and impacts at other times would be much lower than the worst-case levels predicted, and there would often be times when noise levels are low, and no impacts occur.

A review of the predictions shows that both the sleep disturbance screening level and sleep awakening reaction level are likely to be exceeded when night work occurs near residential receivers. The receivers that would potentially be affected by sleep awakening impacts are the same receivers where 'moderately intrusive' and 'highly intrusive' night-time impacts have been predicted (refer to **Appendix C**).

All appropriate feasible and reasonable construction noise mitigation measures will be applied to work where exceedances of the NMLs are predicted. Construction noise mitigation measures are discussed in **Section 8.0.**

## 5.3 Ground-borne Noise

Ground-borne construction noise impacts from the Project are not anticipated as vibration intensive work with the potential to generate perceptible ground-borne noise, is not included in the scope of work. Vibration intensive work for the Project will be completed outdoors meaning airborne noise levels at the nearest receivers are expected to be higher than the corresponding internal ground-borne noise levels.

Where airborne noise levels are higher than ground-borne noise levels it is not necessary to evaluate potential ground-borne noise impacts and as such, they have not been considered further for this assessment.

# 6.0 Vibration Assessment

Vibration intensive items of equipment that would be required during work assessed in this CNVIS includes Vibratory Rollers, a Hydraulic Hammer, and a Ballast Tamper. These items of equipment are required during the work as shown in **Table 18**.

The potential impacts during vibration intensive work have been assessed using the Transport CNVG-PTI minimum working distances for cosmetic damage and human response shown in **Table 18**.

**Table 18 Vibration Intensive Equipment**

| ID | Scenario | Rating/Description | Minimum Distance | | | |
|---|---|---|---|---|---|---|
| | | | Cosmetic Damage | | | Human Response (NSW EPA Guideline) |
| | | | Residential and Light Commercial (BS 7385) | Heritage Items (DIN 4150, Group 3) | Industrial and Heavy Commercial (BS 7385) | |
| W.005 | Track Work - Peak | Vibratory Roller: <300 kN (13–18 tonne) | 20 m | 40 m | 10 m | 100 m |
| W.012 | Level Crossing Work - Peak | | | | | |
| W.007 | Track Tamping | Ballast Tamping | 5 m | 10 m | 3 m | 30 m |
| W.012 | Level Crossing Work - Peak | | | | | |
| W.008 | Drainage Work | Vibratory Roller: <50 kN (1–2 tonne) | 5 m | 11 m | 3 m | 15 m to 20 m |
| W.014 | Removal of Signal Gantry and Footings | Large Hydraulic Hammer - 1,600 kg (18 to 34 t excavator) | 22 m | 44 m | 11 m | 73 m |

Vibration offset distances have been determined from the TfNSW CNVG-PTI minimum working distances for cosmetic damage and human comfort (see **Table 12** and the assessment is summarised from **Figure 3** to **Figure 7**). The offset distances are representative of the highest vibration levels that would likely be experienced by the nearest receivers when work occurs nearby.

For most construction activities, vibration emissions are intermittent in nature and for this reason, higher vibration levels occurring over shorter time periods are allowed.

In the event that additional work is undertaken which requires the use of other items of plant identified than those identified in **Table 18**, a vibration impact assessment must be conducted prior to the commencement of work.

**Figure 3 Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.005)**




**Figure 4 Minimum Working Distances – Ballast Tamping (W.007, W.012)**



**Figure 5 Minimum Working Distances – Vibratory Roller:<50 kN (1–2 tonne) (W.008)**



**Figure 6 Minimum Working Distances – Vibratory Roller <300 kN (13-18 tonne) (W.012)**





**Figure 7 Minimum Working Distances – Large Hydraulic Hammer (W.014)**



## 6.1 Cosmetic Damage Assessment

**Figure 3** shows one commercial receiver has the potential to fall within the cosmetic damage minimum working distance for commercial structures during vibratory roller and works in *W.005.*

Before commencement of any work, a structural engineer must undertake condition surveys of all building, structures, utilities and the like identified as being at risk of damage. For this CNVIS, conditions surveys (based on 13-18T vibratory roller) are recommended for all buildings listed below.

- Uranquinty silos along Pearson Street to the north of the railway corridor.

After completion of construction, condition surveys must be undertaken by a structural engineer for all items for which pre-condition surveys were undertaken.

The results of the surveys must be documented in a Condition Survey Report for each item surveyed. Copies of Condition Survey Reports must be provided to the landowners of the items surveyed, and no later than one month before the commencement of construction and three months following the completion of construction.

Feasible and reasonable construction vibration mitigation measures should be applied where vibration intensive work is required within the minimum working distances. Construction vibration mitigation and management measures are discussed in **Section 8.0**.

In accordance with CoA E122, property damage caused directly or indirectly by the construction or operation must be rectified at no cost to the owner. Alternatively, compensation may be provided for the property damage as agreed with the property owner.

**Heritage Structures**

As identified above, the Uranquinty silos fall within the minimum working distances for residential and light commercial buildings when vibration intensive equipment is in use nearby.

As per CoA E80, vibration testing must be undertaken before and during vibration generating activities that have the potential to impact on heritage items to identify minimum working distances to prevent cosmetic damage. Advice must be sought on methods and locations for installing equipment as per CoA E81.

If other vibration intensive activities are required within minimum working distances to heritage structures, a building condition assessment should be undertaken of the heritage item/s to assess if they are considered to be sensitive to vibration prior to vibration work commencing.

## 6.2 Human Comfort Assessment

**Figure 3** and **Figure 6** show that several residential, places of worship, educational and commercial buildings around the railway corridor have the potential to fall within the minimum working distance for human comfort when Vibratory Rollers (13-18 tonne) are in use during *W.*005 and *W.012*. The greatest impacts expecting to occur during *W.005* due to the extent of the work area. Non-residential sensitive receivers within the human comfort minimum working distances for vibratory roller works include the Uranquinty Public School, Uranquinty silos, Uranquinty Hotel and Ampol Uranquinty store.

**Figure 7** shows that the nearest residential and commercial buildings around the railway corridor have the potential to fall within the minimum working distance for human comfort when large hydraulic hammers are in use during *W.014*.

**Figure 4** and **Figure 5** shows that only one commercial building within the railway corridor has the potential to fall within the minimum working distance for human comfort when a ballast tamper is in use during *W.007* and when a vibratory trench roller (1–2 tonne) is in use during *W.008.*

Occupants of these buildings may be able to perceive vibration at times when vibration intensive equipment is in use nearby. Where levels are perceptible, they would likely only be apparent for relatively short durations when vibration intensive equipment is in use nearby.

Feasible and reasonable construction vibration mitigation measures should be applied where vibration intensive work is required within the minimum working distances. Construction vibration mitigation and management measures are discussed in **Section 8.0**.

# 7.0 Construction Traffic Assessment

The EIS identified that during the construction phase of the project, heavy vehicles would be required for materials and equipment delivery while light vehicles will transport workers to and from the site. This additional road traffic may impact receivers along the proposed transport routes.

No additional information has been provided regarding construction road traffic, therefore a summary of the predicted daytime traffic noise levels from the EIS is shown in **Table 19**.

**Table 19 Construction Traffic Assessment**

| Traffic Route | Road Type | Predicted Construction Traffic Noise (Both Directions) LAeq (Period) | | Exceed base criterion? Day[1] (7am – 10pm) | Potential Increase > 2dB | Potential Noise Impact |
|---|---|---|---|---|---|---|
| | | Existing | Existing + Proposed | | | |
| **Uranquinty Yard clearances** | | | | | | |
| Olympic Highway | Arterial | 60.2 | 61.4 | Yes | No | No |
| Uranquinty Street | Sub-arterial | 39.2 | 44.2 | No | Yes | No |
| Yarragundry Street | Sub-arterial | 39.6 | 44.1 | No | Yes | No |
| Hanging Rock Road | Local | 37.1 | 46.4 | No | Yes | No |

Note 1: Freeway/arterial/sub-arterial roads: $L_{Aeq(15hour)}$ 60dBA(external)
Local roads: $L_{Aeq(1hour)}$ 55dBA (external)

The EIS found that construction traffic associated with the Uranquinty Yard work on public roads is compliant with the road traffic noise goals.

The EIS did not assess construction traffic during the night-time period, and no additional information has been provided regarding construction road traffic. Therefore, it is conservatively assumed that where night-time construction traffic is required, impacts would be experienced by residences along construction routes on sub-arterial and local roads within close proximity to the work sites. Night-time noise impacts are not anticipated on arterial roads.

Extended traffic diversions are not expected for the works assessed in this CNVIS, and any necessary diversions will be confined to daytime hours. Should night-time diversions be required for construction activities, a more detailed assessment will be undertaken and provided.

Mitigation and management measures to assist in minimising noise impacts from construction traffic are shown in **Section 8.0**.


# 8.0 Mitigation and Management Measures

Noise from the Project may be apparent at the nearest receivers at certain times during construction. The Project should apply all feasible and reasonable mitigation measures to minimise the impacts.

In accordance with CoA E74, works that exceed the noise management levels and/or vibration criteria must be managed in accordance with the CNVMP.

The Inland Rail NSW Construction Noise and Vibration Framework (CNVF) has been adopted as a guideline for this project and outlines a hierarchy of work practices and mitigation measures to minimise the impact of construction noise and vibration on the community. This hierarchy is shown in **Figure 8**.

**Figure 8 Hierarchy of Work Practices and Mitigation Measures**




The universal work practices (UWP) and standard mitigation measures (SMM) for the overall A2I project are outlined in the CNVMP. All mitigation and management measures outlined in the CNVMP will be adopted in accordance with CoA E74. Site specific mitigation measures are also outlined below in **Section 8.1**. These measures have been incorporated into the noise modelling assessment to provide mitigated results. Additional Management Measures (AMM) are outlined in **Section 8.3**.

## 8.1 Site Specific Mitigation Measures

**Table 20** outlines the mitigation and management measures that will be adopted to minimise potential noise and vibration impacts associated with this CNVIS at surrounding sensitive receivers. These measures have been considered in noise modelling based on the total scenario sound power levels, refer **Appendix B**.

**Table 20 Site Specific Mitigation Measures**

| Measure | Reference / Notes |
|---|---|
| **Project Planning** | |
| Use quieter and less vibration emitting construction methods where feasible and reasonable. | Best practice |
| Works will be completed during the approved daytime construction hours where possible, as outlined in **Section 2.2.**<br>Some unavoidable OOHW will be required due to road and rail traffic management restrictions, as outlined in **Section 2.3**. | Best practice<br>CoA E69<br>CoA E71 |
| Where OOHW is required, an OOHW Permit will be prepared, as required by the OOHW Protocol or EPL. | Best practice<br>CoA E71 |

| Measure | Reference / Notes |
|---|---|
| Further detail around the specific work tasks, duration and justification of OOHW must be identified in the OOHW permit. | CoA E72<br>CoA E73 |
| **Scheduling** | |
| Highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken:<br>a) Between 08:00am – 06:00pm Monday to Friday;<br>b) Between 08:00am – 01:00pm Saturday; and<br>c) if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour.<br>Refer **Section 8.2**. | Best practice<br>CoA E70 |
| Noise generating work in the vicinity of community, religious, educational institutions, noise and vibration-sensitive businesses and critical working areas (such as exam halls, theatres, laboratories and operating theatres) resulting in noise levels above the NMLs will not be timetabled during sensitive periods, unless other reasonable arrangements with the affected institutions can be made at no cost to the affected institution.<br>Refer to Community Consultation in **Section 8.5**. | Best practice<br>CoA E76 |
| All work undertaken for the delivery of the project including those undertaken by third parties (such as utility relocations), must be coordinated to ensure respite periods are provided. | Best practice,<br>CoA E83 |
| **Site Layout** | |
| Compounds and worksites have been designed to promote one-way traffic and minimise the need for vehicle reversing. | Best practice |
| Construction activities must be planned to minimise vehicle movements around the Site. | |
| Work compounds, parking areas, and equipment and material stockpiles will be positioned away from noise-sensitive locations and take advantage of existing screening from local topography. | |
| Equipment that is noisy will be started away from sensitive receivers where practicable. | |
| **Training** | |
| Training will be provided to all personnel on noise and vibration requirements for the project. Inductions and toolbox talks to be used to inform personnel of the location and sensitivity of surrounding receivers. | Best practice |
| The induction protocols must include awareness of noise generating activities and mitigation measures and techniques that should be implemented. | |
| Training must be conducted for appropriate community behaviours when access/egress the Site. | |
| **Plant and Equipment Source Mitigation** | |
| All plant and equipment must be maintained in a proper and efficient condition, operated in a proper and efficient manner, and feature standard noise reduction measures where applicable. | Best practice<br>CNVF |
| Plant and equipment must be selected with options to minimise noise such as covers, mufflers, shrouds and other noise suppression equipment. Low noise emission plant and equipment must be selected where available. | |
| Non-tonal reversing beepers (or an equivalent mechanism) must be fitted and used on all construction vehicles and mobile plant regularly used on site and for any out-of-hours work, including delivery vehicles. | |

| Measure | Reference / Notes |
|---|---|
| Stationary noise sources will be sited behind structures (or temporary screens) that act as barriers, or at the greatest distance from the noise-sensitive area (where practicable). Equipment will be oriented so that noise emissions are directed away from any sensitive areas. | |
| Noise generating equipment will be regularly checked and effectively maintained, including checking of hatches/enclosures regularly to ensure that seals are in good condition and doors close properly against seals. | |
| Noise monitoring spot checks of equipment will be completed to ensure individual items are operating as expected | |
| Dropping materials from a height will be avoided. | |
| Loading and unloading will be carried out as far as possible from noise sensitive areas. | |
| Where feasible, alternative methods will be considered for vibration intensive works (eg smaller sized equipment or static rolling, refer **Section 6.0**). Use of these methods will depend on the specific circumstances and therefore the worst-case scenario is included for the purpose of this CNVIS. | Best practice |
| **Construction Traffic** | |
| Construction traffic routes to site will be limited to major roads where possible. | Best practice |
| Trucks will not queue outside residential properties. | |
| Truck drivers will be instructed to avoid compression braking as far as practicable. | |
| Delivery vehicles should be fitted with straps rather than chains for unloading, wherever possible. | |
| Truck movements will be kept to a minimum where possible (eg trucks are fully loaded on each trip). | |
| **Screening** | |
| Install purpose-built screening or enclosures around long-term fixed plant that has the potential to impact nearby receivers | Best practice<br>CNVF |
| The layout of the site will take advantage of existing screening from local topography, where possible. Site huts, maintenance sheds and/or containers will be positioned between noisy equipment and the affected receivers. | |
| Implementation of temporary noise barriers for highly intensive noise activities, such as saw cutting or rock breaking. | |
| **Community Consultation** | |
| Regular communications on the activities and progress of the proposal shall be provided to the community (eg via newsletter, email and/or website). | Best practice<br>CNVF |
| A telephone, email and web-based community information service shall be established to allow the community to obtain additional information on construction activities, provide feedback or make a complaint. | Best practice<br>CNVF |
| Owners and occupiers of properties at risk of exceeding the screening criteria for cosmetic damage (and/or human comfort) must be notified before work that generates vibration commences in the vicinity of those properties.<br>If the potential exceedance is to occur more than once or extend over a period of 24 hours, owners and occupiers are to be provided a schedule of potential exceedances on a monthly basis for the duration of the potential exceedances, unless otherwise agreed by the owner and occupier. | Best practice<br>CoA E79 |
| Notification will be provided to all impacted residences along construction traffic routes (including temporary diversions). | Best practice |

| Measure | Reference / Notes |
|---|---|
| Where complaints are received, work practices will be reviewed and feasible and reasonable practices applied to minimise any further impacts. | Best practice |
| **Monitoring** | |
| Noise and/or vibration monitoring will be conducted (as appropriate) when noise/vibration intensive works are being undertaken in close proximity to sensitive receivers. | Best practice<br>CNVF<br>CoA E80<br>CoA E81 |
| Noise and vibration monitoring will be undertaken in accordance with the CNVMP and Monitoring Program. | |
| Advice from a heritage specialist must be sought on methods and locations for installing equipment used for vibration, movement and noise monitoring at heritage-listed structures. | |
| See **Section 8.7** for details of monitoring requirements. | |
| **Vibration** | |
| Where vibration generating works are required within the minimum working distances and considered likely to exceed the criteria:<br>• Different construction methods with lower source vibration levels (ie alternative equipment) will be investigated and implemented, where feasible (refer **Table 12**).<br>• Attended vibration measurements will be undertaken at the start of the works to determine actual vibration levels of the item. Vibration intensive works will cease if the monitoring indicates vibration levels are likely to, or do, exceed the relevant cosmetic damage criteria. Work methods will be modified prior to recommencing the activity.<br>Note: Small hydraulic hammers will be prioritised to reduce vibration impacts to surrounding receivers. | Best practice<br>CoA E80 |
| Vibration intensive works required within the minimum working distance at the same receiver must only be undertaken:<br>a) Between 08:00am – 06:00pm Monday to Friday;<br>b) Between 08:00am – 01:00pm Saturday; and<br>c) if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour.<br>Refer to **Section 8.2**. | Best practice<br>CoA E70 |
| Where works are required within the cosmetic damage minimum working distances, building condition surveys will be completed before and after the works to ensure no cosmetic damage has occurred.<br>Condition status of all Heritage structures that fall within the unsound heritage minimum working distance for the nominated vibration-intensive equipment should be confirmed prior to the commencement of works. | Best practice<br>CoA C9 |
| Property damage caused directly or indirectly (for example from vibration or from groundwater change) by the construction or operation must be rectified at no cost to the owner. Alternatively, compensation may be provided for the property damage as agreed with the property owner. | Best practice<br>CoA E122 |

## 8.2 Respite

In accordance with CoA E70, except as permitted by an EPL, highly noise intensive works that result in an exceedance of the applicable NML at the same receiver must only be undertaken:

*a) Between 08:00am – 06:00pm Monday to Friday;*

*b) Between 08:00am – 01:00pm Saturday; and*

*c) if continuously, then not exceeding three (3) hours, with a minimum cessation of work of not less than one hour.*

*For the purposes of this condition, 'continuously' includes any period during which there is less than one hour between ceasing and recommencing any of the work.*

In accordance with CoA E72 and E83, the procedure outlined in the OOHW Protocol must be implemented to coordinate OOHW (including those approved by an EPL or undertaken by a third party), to ensure appropriate respite is provided. This coordination must include:

a) rescheduling work to provide respite to impacted noise sensitive land use(s) so that the respite is achieved; or

b) the provision of alternative respite or mitigation to impacted noise sensitive land use(s); and

c) the provision of documentary evidence to the AA in support of any decision made in relation to respite or mitigation.

The consideration of respite must also include all other CSSI, SSI and SSD projects which may cause cumulative and/or consecutive impacts at receivers affected by the delivery of the CSSI.

Highly noise intensive works (as defined in **Section 2.2.1**) are required in various work scenarios. As outlined above, highly noise intensive work that results in an exceedance of the applicable NML is restricted to the hours shown above and must have respite periods as defined above.

CoA E70 applies to the following work scenarios where highly noise intensive works are proposed and the NML is predicted to be exceeded:

- W.005 - Track Work – Peak
- W.007 - Track Tamping
- W.008 - Drainage Work
- W.009 - Signalling Work
- W.010 - Sandy Creek Bridge Work - Peak
- W.012 - Level Crossing Work - Peak
- W.014 - Removal of Signal Gantry and Footings

In accordance with CoA E71, the work scenarios listed above require approval through the OOHW Protocol or and EPL to occur outside the hours listed above from CoA E70.

Respite offers are also required as part of the additional mitigation measured outlined in **Section 8.3**.

## 8.3 Additional Mitigation and Management Measures for Out of Hours Work

Where the 'mitigated' construction noise levels remain above the NMLs, the Additional Mitigation Measures Matrix (AMMM) adapted from in the CNVF and CNVMP is to be implemented. The approach, guided by the AMMM, is primarily aimed at pro-active engagement with affected sensitive receptors rather than additional noise reducing mitigation. OOHW has been divided into three periods (Day, Evening and Night) as adapted from the CNVF around the approved project hours (CoA E69).

Additional mitigation measures described in the CNVF and CNVMP are listed in **Table 21**. The additional mitigation measures for airborne noise are shown in **Table 22**. The additional mitigation measures for construction vibration are shown in **Table 23**.

**Table 21 Additional Mitigation Measures**

| Mitigation/Management Measure | Abbreviation |
|---|---|
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

Note 1: As outlined in the CNVF, Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: As outlined in the CNVF, Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: As outlined in the CNVF, RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

**Table 22 Airborne Noise – Additional Mitigation Measures Matrix**

| Time Period | | Exceedance of NML | Perception | Duration | Communication Category/ Management Measure |
|---|---|---|---|---|---|
| OOHW Daytime Period | Sunday 8am – 6pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | | 5-15 | Clearly audible | Any | CO1 |
| | | 16-25 | Moderately intrusive | Any | CO1, CO2 |
| | | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening Period | Monday – Sunday 6pm – 10pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | | 5-15 | Clearly audible | Any | CO1 |
| | | 16-25 | Moderately intrusive | Any | CO1, CO2 |
| | | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | | >2 consecutive rest periods[1] | CO1, CO2, RO |
| OOHW Night Period | Monday – Saturday 10pm – 7am<br>Sunday 10pm – 8am (including public holidays) | <5 | Noticeable | Any | CO1 |
| | | 5-15 | Clearly audible | Any | CO1 |
| | | 16-25 | Moderately intrusive | Any | CO1, CO2 |
| | | | | >2 consecutive sleep periods[1] | CO1, CO2, RO,AO |
| | | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | | >2 consecutive sleep periods[1] | CO1, CO2, RO, AO, AltA |

Note 1: Where the duration exceeds 2 consecutive rest/sleep periods, the corresponding additional mitigation measures will be provided for all periods where construction exceedances are expected to occur.

**Table 23 Vibration – Additional Mitigation Measures Matrix**

| Time Period | | Duration | Exceedance of 'preferred' value | Exceedance of 'maximum' value |
|---|---|---|---|---|
| OOHW Daytime Period | Sunday 8am – 6pm (including public holidays) | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period | Monday – Sunday 6pm – 10pm (including public holidays) | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period | Monday – Saturday 10pm – 7am<br>Sunday 10pm – 8am (including public holidays) | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

### 8.3.1 Receivers Eligible for Additional Mitigation Measures - Noise

The receivers eligible for additional mitigation and management measures due to construction noise from the project work are presented in **Appendix C** and **Appendix D**. Where work occurs for greater than two consecutive evening or nights, receivers may be eligible for respite offers (RO), agreements with owners (AO) or alternative accommodation (AltA) depending on the exceedance level and works period as detailed in **Table 22**.

As outlined in **Section 5.2**, 'highly intrusive' impacts at nearest residential receivers and some other sensitive receivers are predicted for most work scenarios due to the proximity to the work. The addresses of the 'highly intrusive' impacted receivers are provided in **Appendix D**.

Work scenarios that are scheduled for OOHW are predicted to create highly intrusive noise levels at residential receivers. Moderately intrusive impacts are also predicted for all scenarios during OOHWs. Should these works occur for more than two consecutive sleep periods in a row, additional mitigation measures as outlined in as in **Table 22** must be provided to affected sensitive receivers.

Where possible, work would be scheduled to avoid impacting the same receivers for more than two consecutive sleep periods. Receivers that would be impacted for more than two consecutive sleep periods must be identified in the OOHW permit.

### 8.3.2 Receivers Eligible for Additional Mitigation Measures – Vibration

**Figure 3** identifies 49 receivers with the potential to fall within the minimum working distances for Human Comfort. **Figure 4** identifies one nearby commercial building has the potential to fall within the human comfort minimum working distances. **Figure 6** identifies up to 16 nearby receivers have the potential to fall within the human comfort minimum working distances.

As defined in **Section 2.2.1** and **Section 8.2** activities involving high noise generating equipment, such as rock hammering or rock breaking, are limited to specific daytime construction hours only. Respite periods of 1 hour after every 3 hours of high noise/vibration generating work are also required.

Construction vibration mitigation and management measures are discussed in **Section 8.0**. Any proposed works outside of the approved daytime hours will need to be assessed as part of the OOHW permit preparation discussed in **Section 2.4**. Any additional mitigation required (from **Table 23**) for vibration activities must be identified in the OOHW permit.

## 8.4 Community Notification

As detailed in the standard management measures outlined in the CNVF.

- A telephone, email and web-based community information service will be established to allow the community to obtain additional information on construction activities, provide feedback or make a complaint.
- Regular communications on the activities and progress of the proposal shall be provided to the community (e.g. via newsletter, email and/or website).

## 8.5 Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided below.

### 8.5.1 Consultation approach

This section discusses the consultation approach that has been undertaken for the purposes of the work subject to this CNVIS. It is noted that consultation with affected sensitive land users on what specific mitigation measures they may require is considered to be an ongoing and live process and as such, measures that are personal to individual affected sensitive land user(s) will not be regularly documented in this CNVIS. Consultation records will be made available to the AA upon request.

The purpose of this consultation is to identify receivers who have specific circumstances that need further consideration during construction – for example, households who have children undertaking exams (HSC or similar), households who have vulnerable persons with disabilities or medical conditions, shift workers, etc.

The consultation approach utilised by Martinus Rail is in accordance with the Community Communications Strategy (CCS). The approach involved directly contacting the affected sensitive land user identified by this CNVIS through one or more of the following methods:

- Surveys distributed by email and paper notifications
- Door-knocks with a ‘Sorry we missed you’ card for those who were not at home
- Notifications
- Phone calls
- Emails
- Community briefings / group meetings.

Affected sensitive land users contacted by Martinus Rail have been made aware of the anticipated duration and nature of construction works that may affect them, as well as mitigation measures that will be implemented in accordance with the CEMP and CNVMP. Contact information for Martinus Rail’s Community Team have been provided to assist with ongoing consultation during construction.

Depending on individual needs and circumstances, specific mitigation measures offered by Martinus Rail could include but are not limited to:

- Offers of individually agreed respite to highly noise affected sensitive land users (standard construction hours)
- Consultation on timetabling of highly noise intensive works to avoid sensitive periods
- Offers of attended noise monitoring at the premises to confirm actual levels of impact

- Offers of temporary alternative accommodation or work space
- Individual briefings.

Specific mitigation measures identified in consultation with individual affected sensitive land users will be implemented during works subject to this CNVIS. Further mitigation measures may be identified by the affected community as construction progresses and these will be assessed where reasonable and feasible and on a case by-case basis.

### 8.5.2 Consultation for this CNVIS

The project website includes the following key information:

- Latest approvals
- All management plans, including the CNVMP and the Construction Environmental Management Plan (CEMP), which provide information on the relevant environmental management measures
- Notifications, including three-month lookaheads, monthly updates and specific OOHW notifications
- Contact mechanisms, including requests for feedback and/or complaints on individual circumstances.

As part of the project's program of regular notifications, the following notifications have included information on the OOHW requirements subject to this CNVIS:

- Project-wide monthly notifications distributed to over 25,000 properties
- Work specific notifications
- Three-month lookahead notifications distributed to over 25,000 properties
- Regular email with details of upcoming work or changes.

All notifications include the following:

- Link to project website
- 24/7 phone number and email address for enquiries, complaints or comments
- Requests for the community to provide feedback on their individual needs and circumstances.

Prior to commencement of works subject to this CNVIS, targeted consultation occurred with a total of approximately 7,127 residential properties across the entire project alignment, approximately 374 of which were in the Uranquinty. These properties received targeted letterbox drops, emails and newspaper adverts from the Community Team and feedback was sought across (3) three weeks, from 7 August to 28 August 2024.

The team requested feedback from the affected community on their individual needs during this targeted consultation.

### 8.5.3 Consultation outcomes

Feedback received during this consultation was primarily related to the existing operational train line and the disturbance the trains cause.

In Uranquinty, no additional management measures relating to construction noise were identified during this consultation (as required by CoA E78); however, the following general sentiments were noted from respondents:

- Limit noise generating work outside of standard construction hours as much as possible
- Limit noise generating work on the weekends as much as possible
- Construction works should be completed as soon as possible.

The CNVIS documents the need to limit noise generating work as much as possible and this will be achieved through the implementation of existing mitigation measures listed in this CNVIS.

Nevertheless, regular consultation with the community will continue throughout construction in accordance with the Community Communications Strategy and the Community Action Plan prepared for the relevant activities. A list of key stakeholders relevant to this CNVIS are included in **Table 24** below.

**Table 24 Key Stakeholders for this CNVIS**

| Precinct Area | Receiver Type | Level of Engagement | Distance from Work Site (m) |
|---|---|---|---|
| **Uranquinty Yard Clearances** | | | |
| Seventh Day Adventist Reform Church | Place of Worship | Consult | 80 |
| Uranquinty Public School | Educational | Consult | 70 |
| Pearson, Best, Ryan and Yarragundry Streets | Residential | Consult | Various |
| Olympic Highway, Moisage Lane, Uranquinty and Guttler Streets | Residential | Consult | Various |
| Uranquinty Hotel | Commercial | Consult | 90 |

## 8.6 Occupational Noise Exposure

In accordance with CoA E77, worksites will be managed to ensure that noise generated by construction will not exceed the National Standard for exposure to noise in the occupational environment of an eight-hour equivalent continuous A-weighted sound pressure level of $L_{Aeq,8h}$ of 85 dBA for any employee working at a location near the project.

It is not anticipated that an exceedance will occur at any point during the project, however occupational exposure to noise will primarily be managed under the Work Health and Safety Management Plan.

## 8.7 Monitoring

Noise and vibration monitoring will be undertaken in accordance with the CNVMP (including monitoring program) and the CNVF.

CoA E81 requires that advice from an independent heritage specialist must be sought on methods and locations for installing equipment used for vibration, movement and noise monitoring at heritage-listed structures prior to the installation of the equipment.

### Construction Noise Monitoring

Construction noise monitoring will be carried out at the commencement of activities to confirm that actual noise levels are consistent with the predictions presented in this CNVIS, and that the management measures that have been implemented are effective or as per the CNVMP.

Monitoring locations will be focused to the most impacted receivers identified in **Appendix C**. Indicative locations are identified in **Table 25**, however, these will be subject to provision of safe access and the specific location of work being undertaken at the time of monitoring.

Noise monitoring will, where practicable, be in a position with unobstructed views of general site activities, whilst shielded as much as possible from non-construction site noise (e.g. road traffic, rail noise and other surrounding noise). The preferred measurement height is 1.2-1.5m above the ground. In accordance with *Australian Standard AS1055:2018*, outdoor noise monitoring is to be undertaken at least 3.5m from any reflecting structure other than the ground.

Noise monitoring will be carried out on or near the property boundary at the locations representative of the nominated receivers in **Table 25** (i.e. in publicly accessible areas near the nominated receivers, if it is safe to do so). Noise monitoring results will be assessed against the noise management levels (NMLs) and predicted exceedance category identified in **Appendix C**.

The results will be documented with discussion about the details of work underway at the time and mitigation in place. Noise monitoring results will be recorded on the MR Noise Monitoring Form in Procore. Noise monitoring data will be made available to the AA and ER for information, upon request.

### Construction Vibration monitoring

Attended or unattended vibration monitoring will be undertaken as required. Monitoring locations may vary as work progresses and will be determined on a case-by-case basis or in response to complaints. The focus of monitoring will be at risk buildings, structures and sensitive receivers as identified in **Section 6.0**. If other vibration intensive activities are required, an assessment of their potential impact is required as per the CNVMP.

Indicative locations are identified in **Table 25**, however, these will be subject to provision of safe access and the specific location of work being undertaken at the time of monitoring. Vibration monitoring data will be made available to the AA and ER for information, upon request.

## Table 25 Indicative Monitoring Locations

| Location | Type | Monitoring | Timing |
|---|---|---|---|
| **Noise Monitoring** | | | |
| • 3-5 Pearson St, Uranquinty<br>• 41 Pearson St, Uranquinty<br>• 48 Morgan St, Uranquinty | Activities based noise monitoring | • Confirming that actual noise levels are consistent with predicted noise impacts and that the effectiveness of actions and mitigation measures implemented are satisfactory<br>• In response to a noise related complaint(s) (determined on a case-by-case basis)<br>• Following implementation of mitigation measures or noise attenuation because of exceedance of predicted noise levels | At the commencement of the activities being undertaken |
| | Out of Hours Work | Attended monitoring as required by the Out of Hours Work (OOHW) plan to validate noise levels are consistent with predicted noise impacts and that the effectiveness of actions and mitigation measures implemented are satisfactory | At the commencement of the range of OOHW activities being undertaken. |
| | Plant / Equipment Checks | Spot checks would be carried out as required on a case-by-case basis, such as<br>• In response to a specific noise related complaint and<br>• During noise verification monitoring when it is possible to isolate the noise from one piece of plant or equipment. | case-by-case basis |
| **Vibration Monitoring** | | | |
| • Uranquinty silos | Activities based vibration monitoring | • Confirming that vibration levels are below criteria and that the effectiveness of actions and mitigation measures implemented are satisfactory<br>• In response to a vibration related complaint(s) (determined on a case-by-case basis) | Throughout vibration generating activities being undertaken within minimum working distances to nearby receivers. |

# 9.0 Cumulative Impacts

Cumulative construction noise impacts can occur where multiple work activities are being completed near to a particular receiver at the same time. There is potential for cumulative construction impacts from multiple construction activities being completed in different areas of the project.

Since the construction scenarios required for various stages of the project would generally require similar items of equipment, concurrent construction work being completed near to a particular area could theoretically increase the worst-case noise levels in this report by around 3 dB (ie a logarithmic adding of two sources of noise at the same level).

The likelihood of worst-case noise levels being generated by two different work activities at the same time is, however, considered low and rather than increase construction noise levels, the impact of concurrent work would generally be a limited to a potential increase in the duration, and annoyance, of noise impacts on the affected receivers.

In practice, construction noise levels in any one location would vary and would be frequently much lower than the worst-case scenario assessed due to construction staging moving work around within the study area and, in many cases, only a few items of equipment being used at any one time.

Martinus Rail will take feasible and reasonable steps to consult and coordinate with other construction projects when they become aware of them and if they have the potential to impact the same receivers concurrently, to minimise cumulative impacts of noise and vibration and maximise respite for affected sensitive receivers (in accordance with CoA E72 and E83).

# Appendix A Acoustic Terminology

## A2I | Albury to Illabo – Uranquinty Yard

### Construction Noise and Vibration Impact Statement

**Martinus Rail**

SLR Project No.: 610.031317.00001

11 July 2025

Doc No:
6-0052-210-EEC-W1-AS-0001_0

### 1. Sound Level or Noise Level

The terms 'sound' and 'noise' are almost interchangeable, except that 'noise' often refers to unwanted sound.

Sound (or noise) consists of minute fluctuations in atmospheric pressure. The human ear responds to changes in sound pressure over a very wide range with the loudest sound pressure to which the human ear can respond being ten million times greater than the softest. The decibel (abbreviated as dB) scale reduces this ratio to a more manageable size by the use of logarithms.

The symbols SPL, L or LP are commonly used to represent Sound Pressure Level. The symbol LA represents A-weighted Sound Pressure Level. The standard reference unit for Sound Pressure Levels expressed in decibels is $2 \times 10^{-5}$ Pa.

### 2. 'A' Weighted Sound Pressure Level

The overall level of a sound is usually expressed in terms of dBA, which is measured using a sound level meter with an 'A-weighting' filter. This is an electronic filter having a frequency response corresponding approximately to that of human hearing.

People's hearing is most sensitive to sounds at mid frequencies (500 Hz to 4,000 Hz), and less sensitive at lower and higher frequencies. Different sources having the same dBA level generally sound about equally loud.

A change of 1 dB or 2 dB in the level of a sound is difficult for most people to detect, whilst a 3 dB to 5 dB change corresponds to a small but noticeable change in loudness. A 10 dB change corresponds to an approximate doubling or halving in loudness. The table below lists examples of typical noise levels.

| Sound Pressure Level (dBA) | Typical Source | Subjective Evaluation |
|---|---|---|
| 130 | Threshold of pain | Intolerable |
| 120 | Heavy rock concert | Extremely noisy |
| 110 | Grinding on steel | |
| 100 | Loud car horn at 3 m | Very noisy |
| 90 | Construction site with pneumatic hammering | |
| 80 | Kerbside of busy street | Loud |
| 70 | Loud radio or television | |
| 60 | Department store | Moderate to quiet |
| 50 | General Office | |
| 40 | Inside private office | Quiet to very quiet |
| 30 | Inside bedroom | |
| 20 | Recording studio | Almost silent |

Other weightings (eg B, C and D) are less commonly used than A-weighting. Sound Levels measured without any weighting are referred to as 'linear', and the units are expressed as dB(lin) or dB.

### 3. Sound Power Level


The Sound Power of a source is the rate at which it emits acoustic energy. As with Sound Pressure Levels, Sound Power Levels are expressed in decibel units (dB or dBA), but may be identified by the symbols SWL or LW, or by the reference unit $10^{-12}$ W.

The relationship between Sound Power and Sound Pressure is similar to the effect of an electric radiator, which is characterised by a power rating but has an effect on the surrounding environment that can be measured in terms of a different parameter, temperature.

### 4. Statistical Noise Levels

Sounds that vary in level over time, such as road traffic noise and most community noise, are commonly described in terms of the statistical exceedance levels LAN, where LAN is the A-weighted sound pressure level exceeded for N% of a given measurement period. For example, the LA1 is the noise level exceeded for 1% of the time, LA10 the noise exceeded for 10% of the time, and so on.

The following figure presents a hypothetical 15 minute noise survey, illustrating various common statistical indices of interest.




Of particular relevance, are:

- $L_{A1}$ The noise level exceeded for 1% of the 15 minute interval.
- $L_{A10}$ The noise level exceeded for 10% of the 15 minute interval. This is commonly referred to as the average maximum noise level.
- $L_{A90}$ The noise level exceeded for 90% of the sample period. This noise level is described as the average minimum background sound level (in the absence of the source under consideration), or simply the background level.
- $L_{Aeq}$ The A-weighted equivalent noise level (basically, the average noise level). It is defined as the steady sound level that contains the same amount of acoustical energy as the corresponding time-varying sound.
- $L_{Amax}$ The A-weighted maximum sound pressure level of an event measured with a sound level meter.

### 5. Frequency Analysis


Frequency analysis is the process used to examine the tones (or frequency components) which make up the overall noise or vibration signal.

The units for frequency are Hertz (Hz), which represent the number of cycles per second.

Frequency analysis can be in:

- Octave bands (where the centre frequency and width of each band is double the previous band)
- 1/3 octave bands (three bands in each octave band)
- Narrow band (where the spectrum is divided into 400 or more bands of equal width)

The following figure shows a 1/3 octave band frequency analysis where the noise is dominated by the 200 Hz band. Note that the indicated level of each individual band is less than the overall level, which is the logarithmic sum of the bands.




## 6. Annoying Noise (Special Audible Characteristics)

A louder noise will generally be more annoying to nearby receivers than a quieter one. However, noise is often also found to be more annoying and result in larger impacts where the following characteristics are apparent:

- **Tonality** - tonal noise contains one or more prominent tones (ie differences in distinct frequency components between adjoining octave or 1/3 octave bands), and is normally regarded as more annoying than 'broad band' noise.
- **Impulsiveness** - an impulsive noise is characterised by one or more short sharp peaks in the time domain, such as occurs during hammering.
- **Intermittency** - intermittent noise varies in level with the change in level being clearly audible. An example would include mechanical plant cycling on and off.
- **Low Frequency Noise** - low frequency noise contains significant energy in the lower frequency bands, which are typically taken to be in the 10 to 160 Hz region.

## 7. Vibration

Vibration may be defined as cyclic or transient motion. This motion can be measured in terms of its displacement, velocity or acceleration. Most assessments of human response to vibration or the risk of damage to buildings use measurements of vibration velocity. These may be expressed in terms of 'peak' velocity or 'rms' velocity.

The former is the maximum instantaneous velocity, without any averaging, and is sometimes referred to as 'peak particle velocity', or PPV. The latter incorporates 'root mean squared' averaging over some defined time period.

Vibration measurements may be carried out in a single axis or alternatively as triaxial measurements (ie vertical, longitudinal and transverse).

The common units for velocity are millimetres per second (mm/s). As with noise, decibel units can also be used, in which case the reference level should always be stated. A vibration level V, expressed in mm/s can be converted to decibels by the formula 20 log (V/Vo), where Vo is the reference level ($10^{-9}$ m/s). Care is required in this regard, as other reference levels may be used.

## 8. Human Perception of Vibration


People are able to 'feel' vibration at levels lower than those required to cause even superficial damage to the most susceptible classes of building (even though they may not be disturbed by the motion). An individual's perception of motion or response to vibration depends very strongly on previous experience and expectations, and on other connotations associated with the perceived source of the vibration. For example, the vibration that a person responds to as 'normal' in a car, bus or train is considerably higher than what is perceived as 'normal' in a shop, office or dwelling.

## 9. Ground-borne Noise, Structure-borne Noise and Regenerated Noise

Noise that propagates through a structure as vibration and is radiated by vibrating wall and floor surfaces is termed 'structure-borne noise', 'ground-borne noise' or 'regenerated noise'. This noise originates as vibration and propagates between the source and receiver through the ground and/or building structural elements, rather than through the air.

Typical sources of ground-borne or structure-borne noise include tunnelling works, underground railways, excavation plant (eg rockbreakers), and building services plant (eg fans, compressors and generators).

The following figure presents an example of the various paths by which vibration and ground-borne noise may be transmitted between a source and receiver for construction activities occurring within a tunnel.




The term 'regenerated noise' is also used in other instances where energy is converted to noise away from the primary source. One example would be a fan blowing air through a discharge grill. The fan is the energy source and primary noise source. Additional noise may be created by the aerodynamic effect of the discharge grill in the airstream. This secondary noise is referred to as regenerated noise.

# Appendix B Modelling Scenarios and Equipment

## A2I | Albury to Illabo – Uranquinty Yard

### Construction Noise and Vibration Impact Statement

**Martinus Rail**

SLR Project No.: 610.031317.00001

11 July 2025

Doc No:
6-0052-210-EEC-W1-AS-0001_0

| Equipment | | Total Lw (dBA) | Articulated Dump Truck 23 t | Ballast Regulator[1] | Ballast Tamper[1] | Centrifugal Fan | Compressor | Crane (mobile) | Crane Franna (20 tonne) | Directional Drill[1] | Elevated Work Platform | Excavator - Slasher | Excavator - Tracked (20 tonne) | Excavator - Tracked (40 tonne) | Excavator (5T) | Excavator 20-30T + Hammer[1] | Front End Loader | Generator | Grader | Grinder[1] | Hand tools (electric) | Hand auger | Hi-Rail Crane | Hi-Rail Excavator | Hi-Rail Truck/Trolley | Hydraulic / Pneumatic Tools[1] | Hydrema / Moxy | Light Vehicle | Lighting Tower | Loader - Skidsteer | Plate Compactor | Positrack | Rail saw[1] | Roller - Static | Roller - Trench (vibratory)[1] | Roller – Vibratory[1] | Saw – Concrete[1] | Telescopic Handler | Tracked Hydraulic Drilling Rig[1] | Tractor - Slasher | Truck - Medium Rigid (20 tonne) | Truck & Dog | Truck - Vacuum (NDD) | Wacker Packer | Watercart |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Sound Power Level (Lw)[2]** | | | 109 | 114 | 115 | 90 | 109 | 104 | 98 | 106 | 97 | 105 | 105 | 115 | 95 | 122 | 113 | 92 | 110 | 105 | 102 | 87 | 104 | 105 | 103 | 116 | 107 | 95 | 80 | 107 | 104 | 104 | 118 | 107 | 108 | 109 | 118 | 99 | 114 | 108 | 103 | 108 | 109 | 105 | 105 |
| **Estimated utilisation (%)** | | | 25 | 75 | 75 | 100 | 50 | 30 | 30 | 50 | 25 | 50 | 50 | 50 | 50 | 30 | 50 | 100 | 50 | 30 | 75 | 75 | 30 | 50 | 25 | 75 | 25 | 25 | 100 | 50 | 100 | 50 | 25 | 100 | 100 | 100 | 25 | 50 | 100 | 50 | 25 | 25 | 100 | 100 | 75 |
| **ID** | **Construction Scenario** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| W.001 | Site Establishment / Demobilisation | **115** | 1 | | | | | 1 | | | 1 | 1 | | | | | 1 | 1 | | | 2 | | | | | | | 3 | | | | | 1 | | | | | 1 | 2 | 1 | | | 1 |
| W.002 | Compound Operation | **113** | | | | | 1 | | 1 | | | | | | | | 1 | 1 | | | 1 | | | | | | | 15 | | | | | | | | | | | 2 | 1 | | | 1 |
| W.003 | Contamination Sampling (SAQP) | **116** | | | | | | | | | | | 1 | | | | | | | | 1 | 1 | | | | | | 2 | | | | | | | | | | 1 | | 1 | | 1 | | 1 |
| W.004 | Geotechnical Investigation | **111** | | | | | | | | | | | | | | | | | | | 1 | | | 1 | | | | 3 | | | | | | | | | | | 2 | | 1 | | | |
| W.005 | Track Work - Peak | **120** | | | | | 1 | 1 | | | 1 | | 1 | | | | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | 1 | | 15 | 2 | | 1 | | 1 | | | 1 | | 1 | | 2 | 2 | | | 1 |
| W.006 | Track Work - Typical | **116** | | | | | 1 | 1 | | | 1 | | 1 | | | | 1 | 1 | 1 | | 2 | | 1 | 1 | 1 | | | 2 | 2 | | 1 | | | | | | 1 | | | 2 | 2 | | | 1 |
| W.007 | Track Tamping | **118** | | 1 | 1 | | | | | | | | | | | | 1 | | | | | | | 1 | | | 3 | 15 | | | | | | | | | | | | | | | |
| W.008 | Drainage Work | **117** | | | | | | 1 | | | | | 2 | | | | | 1 | | | 2 | | | | | | | 15 | | | 2 | | | 1 | 1 | | | | 2 | 1 | 2 | 1 | |
| W.009 | Signalling Work | **114** | | | | | | 1 | | 1 | 1 | | | | 1 | | | 1 | | | 1 | | | | | | | 10 | | 1 | 2 | | | | | | | | 1 | | 1 | 1 | |
| W.010 | Sandy Creek Bridge Work - Peak | **115** | | | | | | 1 | | | 1 | | | | | | 1 | | | | 1 | | | 1 | | | | 15 | 2 | | | | | | | | 1 | 1 | | | 2 | | | | |
| W.011 | Sandy Creek Bridge Work - Typical | **112** | | | | | | 1 | | | 1 | | | | | | 1 | | | | 1 | | | 1 | | | | 15 | 2 | | | | | | | | | 1 | | | 2 | | | | |
| W.012 | Level Crossing Work - Peak | **124** | | 1 | 1 | 1 | 1 | | | | | | | 2 | | | 2 | 1 | | 2 | 6 | | | 1 | | 2 | 3 | 10 | 8 | | | 1 | 2 | | | 2 | 2 | 1 | | | 3 | 3 | | 1 | |
| W.013 | Level Crossing Work - Typical | **119** | | | | 1 | 1 | | | | | | | 2 | | | 2 | 1 | | | 6 | | | 1 | | | 3 | 15 | 8 | | | 1 | | | | | 1 | | | 3 | 3 | | 1 | |
| W.014 | Removal of Signal Gantry and Footings | **120** | | | | | 1 | 1 | | | | | | | | 1 | | 1 | | | 1 | | 1 | | 1 | 1 | | 15 | | | 1 | | | | | | | | | 2 | | 1 | | |

Note 1: Equipment classed as ‘annoying’ in the ICNG and requires a 5 dB correction.
Note 2: Sound power level data is taken from the DEFRA Noise Database, AS2436 and the TfNSW Construction Noise and Vibration Guideline

# Appendix C Noise Impact Maps

## A2I | Albury to Illabo – Uranquinty Yard

### Construction Noise and Vibration Impact Statement

**Martinus Rail**

SLR Project No.: 610.031317.00001

11 July 2025

Doc No:
6-0052-210-EEC-W1-AS-0001_0




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.001 - Site Establishment / Demobilisation - Approved Daytime Hours

**APPENDIX C-1**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.001 - Site Establishment / Demobilisation - Out of Hours Daytime

**APPENDIX C-2**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.002 - Compound Operation - Approved Daytime Hours

**APPENDIX C-3**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.002 - Compound Operation - Out of Hours Daytime

**APPENDIX C-4**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.002 - Compound Operation - Out of Hours Evening

**APPENDIX C-5**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.002 - Compound Operation - Out of Hours Night-time

**APPENDIX C-6**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.003 - Contamination Sampling (SAQP) - Approved Daytime Hours

**APPENDIX C-7**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.004 - Geotechnical Investigation - Approved Daytime Hours

**APPENDIX C-8**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.004 - Geotechnical Investigation - Out of Hours Daytime

**APPENDIX C-9**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.005 - Track Work - Peak - Approved Daytime Hours

**APPENDIX C-10**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.005 - Track Work - Peak - Out of Hours Daytime

**APPENDIX C-11**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.005 - Track Work - Peak - Out of Hours Evening

**APPENDIX C-12**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.005 - Track Work - Peak - Out of Hours Night-time

**APPENDIX C-13**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.006 - Track Work - Typical - Approved Daytime Hours

**APPENDIX C-14**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.006 - Track Work - Typical - Out of Hours Daytime

**APPENDIX C-15**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.006 - Track Work - Typical - Out of Hours Evening

**APPENDIX C-16**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.006 - Track Work - Typical - Out of Hours Night-time

**APPENDIX C-17**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.007 - Track Tamping - Approved Daytime Hours

**APPENDIX C-18**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.007 - Track Tamping - Out of Hours Daytime

**APPENDIX C-19**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.007 - Track Tamping - Out of Hours Evening

**APPENDIX C-20**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.007 - Track Tamping - Out of Hours Night-time

**APPENDIX C-21**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.008 - Drainage Work - Approved Daytime Hours

**APPENDIX C-22**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.008 - Drainage Work - Out of Hours Daytime

**APPENDIX C-23**

H:\Projects-SLR\610-SrvSYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.009 - Signalling Work - Approved Daytime Hours

**APPENDIX C-24**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.009 - Signalling Work - Out of Hours Daytime

**APPENDIX C-25**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.009 - Signalling Work - Out of Hours Evening

**APPENDIX C-26**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.009 - Signalling Work - Out of Hours Night-time

**APPENDIX C-27**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.010 - Bridge Work - Peak - Approved Daytime Hours

**APPENDIX C-28**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.010 - Bridge Work - Peak - Out of Hours Daytime

**APPENDIX C-29**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.010 - Bridge Work - Peak - Out of Hours Evening

**APPENDIX C-30**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.010 - Bridge Work - Peak - Out of Hours Night-time

**APPENDIX C-31**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.011 - Bridge Work - Typical - Approved Daytime Hours

**APPENDIX C-32**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.011 - Bridge Work - Typical - Out of Hours Daytime

**APPENDIX C-33**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.011 - Bridge Work - Typical - Out of Hours Evening

**APPENDIX C-34**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.011 - Bridge Work - Typical - Out of Hours Night-time

**APPENDIX C-35**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.012 - Level Crossing Work - Peak - Approved Daytime Hours

**APPENDIX C-36**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.012 - Level Crossing Work - Peak - Out of Hours Daytime

**APPENDIX C-37**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR


Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.012 - Level Crossing Work - Peak - Out of Hours Evening

**APPENDIX C-38**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.012 - Level Crossing Work - Peak - Out of Hours Night-time

**APPENDIX C-39**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.013 - Level Crossing Work - Typical - Approved Daytime Hours

**APPENDIX C-40**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.013 - Level Crossing Work - Typical - Out of Hours Daytime

**APPENDIX C-41**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.013 - Level Crossing Work - Typical - Out of Hours Evening

**APPENDIX C-42**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.013 - Level Crossing Work - Typical - Out of Hours Night-time

**APPENDIX C-43**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.014 - Removal of Signal Gantry and Footings - Approved Daytime Hours

**APPENDIX C-44**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz




0 250 500 m

Scale: Scale: 1:10,000
Coordinate System: GDA2020 / MGA zone 55

Drawn Date: 11-Jul-2025
Project Number: 610.031317

SLR

Data Source:
ESRI World Imagery

DISCLAIMER: All information within this document maybe based on external sources. SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose .

# W.014 - Removal of Signal Gantry and Footings - Out of Hours Daytime

**APPENDIX C-45**

H:\Projects-SLR\610-SrvSYD\610-SYD\610.031317.00001 Inland Rail A2P Enhancement\06 SLR Data\05 Modelling\90 CNVIS\02 A2I\07 Analysis\Uranquinty Yard\610.031317 A2I CNVIS - Uranquinty V3.qgz

# Appendix D Receivers Triggering Additional Mitigation

## A2I | Albury to Illabo – Uranquinty Yard

### Construction Noise and Vibration Impact Statement

**Martinus Rail**

SLR Project No.: 610.031317.00001

11 July 2025

Doc No:
6-0052-210-EEC-W1-AS-0001_0

**W.001 - Site Establishment / Demobilisation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | - | - |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 56 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.001 - Site Establishment / Demobilisation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 47 | CO1 | - | - |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 74 | CO1, CO2 | - | - |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 64 | CO1 | - | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 62 | CO1 | - | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | - | - |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | - | - |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 62 | CO1 | - | - |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | - | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.001 - Site Establishment / Demobilisation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.002 - Compound Operation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.002 - Compound Operation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 46 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 62 | CO1 | CO1 | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 60 | CO1 | CO1 | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.002 - Compound Operation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 61 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 57 | CO1 | CO1 | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.004 - Geotechnical Investigation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 60 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 61 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 62 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.004 - Geotechnical Investigation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 47 | CO1 | - | - |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 62 | CO1 | - | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 61 | CO1 | - | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 62 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320682 | - | 75 | 75 | - | - | 79 | CO1 | - | - |
| 1111549 | - | 75 | 75 | - | - | 81 | CO1 | - | - |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 63 | CO1 | - | - |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.004 - Geotechnical Investigation**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's
accuracy or reliability for any purpose.

**W.005 - Track Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 201358 | 1268 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 201374 | 1345 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 201388 | 5 HARVEYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 201392 | 1344 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 201402 | 45 HANGING ROCK RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 201424 | 190 RODHAMS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 201427 | 153 RODHAMS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 67 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 67 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319406 | 18-20 KING ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | CO1 | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 64 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 70 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.005 - Track Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 70 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 56 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320003 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 49 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 70 | CO1 | CO1 | - |
| 320445 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 48 | - | - | CO1 |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 69 | CO1 | CO1 | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320559 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 47 | - | - | CO1 |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 70 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320682 | - | 75 | 75 | - | - | 85 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.005 - Track Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 1111549 | - | 75 | 75 | - | - | 87 | CO1 | - | - |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320852 | 28 MORGAN ST, URANQUINTY NSW 2652 | 70 | 70 | - | - | 72 | CO1 | - | - |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320882 | 190 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 70 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320901 | 171 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320932 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 48 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 62 | CO1 | CO1 | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.006 - Track Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 201374 | 1345 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 201392 | 1344 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 63 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 63 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 60 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 66 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.006 - Track Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 66 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 52 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 66 | CO1 | CO1 | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 65 | CO1 | CO1 | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 66 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320682 | - | 75 | 75 | - | - | 81 | CO1 | - | - |
| 1111549 | - | 75 | 75 | - | - | 83 | CO1 | - | - |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.006 - Track Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 66 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320901 | 171 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | CO1 | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.007 - Track Tamping**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 201358 | 1268 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 201374 | 1345 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 201388 | 5 HARVEYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 201392 | 1344 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 201424 | 190 RODHAMS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 65 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 66 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319406 | 18-20 KING ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 56 | CO1 | CO1 | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 62 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 68 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.007 - Track Tamping**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 68 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 54 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320003 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 47 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 68 | CO1 | CO1 | - |
| 320445 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 46 | - | - | CO1 |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 67 | CO1 | CO1 | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 68 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320682 | - | 75 | 75 | - | - | 83 | CO1 | - | - |
| 1111549 | - | 75 | 75 | - | - | 85 | CO1 | - | - |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.007 - Track Tamping**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320882 | 190 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 68 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320901 | 171 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320932 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 46 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 60 | CO1 | CO1 | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.008 - Drainage Work**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | - | - |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | - | - |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.008 - Drainage Work**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 56 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 68 | CO1 | - | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 66 | CO1 | - | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 56 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320682 | - | 75 | 75 | - | - | 82 | CO1 | - | - |
| 1111549 | - | 75 | 75 | - | - | 84 | CO1 | - | - |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 69 | CO1 | - | - |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | - | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.008 - Drainage Work**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | - | - |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.009 - Signalling Work**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.009 - Signalling Work**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 60 | - | - | CO1 |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | CO1 | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.009 - Signalling Work**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.010 - Bridge Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.010 - Bridge Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 50 | - | - | CO1 |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.010 - Bridge Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.011 - Bridge Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.011 - Bridge Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 47 | - | - | CO1 |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.012 - Level Crossing Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 201358 | 1268 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 201374 | 1345 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 201388 | 5 HARVEYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 201392 | 1344 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 201394 | 70 HANGING ROCK RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 201402 | 45 HANGING ROCK RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 201424 | 190 RODHAMS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 201427 | 153 RODHAMS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 201449 | 144 CHURCHES PLAIN RD, URANQUINTY NSW 26 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319017 | 36 MORGAN ST, URANQUINTY NSW 2652 | 70 | 70 | - | - | 71 | CO1 | - | - |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 73 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 79 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 73 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 64 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 64 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 74 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 77 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 76 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 82 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319406 | 18-20 KING ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 65 | CO1 | CO1 | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 74 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 73 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 63 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 63 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.012 - Level Crossing Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 79 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 75 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 65 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 55 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320003 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 50 | - | - | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 77 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 62 | CO1 | CO1 | - |
| 320445 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 49 | - | - | CO1 |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 63 | CO1 | CO1 | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320559 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 49 | - | - | CO1 |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 65 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.012 - Level Crossing Work - Peak**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 78 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320882 | 190 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 70 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320901 | 171 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 320932 | 12 GRADYS RD, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 50 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 69 | CO1 | CO1 | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 76 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1000905 | 42 MORGAN ST, URANQUINTY NSW 2652 | 70 | 70 | - | - | 75 | CO1 | - | - |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 80 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 76 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.013 - Level Crossing Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 201332 | 970 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 201355 | 2 CASTLE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 39 | - | - | CO1 |
| 201358 | 1268 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 37 | - | - | CO1 |
| 201374 | 1345 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 201388 | 5 HARVEYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 201392 | 1344 OXLEY BRIDGE RD, URANQUINTY NSW 265 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 201424 | 190 RODHAMS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319009 | 56 URANQUINTY CROSS RD, URANQUINTY NSW | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 74 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319384 | 1-3 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 76 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319406 | 18-20 KING ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 59 | CO1 | CO1 | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319481 | 21 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 58 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 58 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.013 - Level Crossing Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 74 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 60 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319673 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 50 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320201 | 10 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 44 | - | - | CO1 |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 57 | CO1 | CO1 | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | CO1 | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 60 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 73 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.013 - Level Crossing Work - Typical**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320876 | 1040 OLD STATION RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 41 | - | - | CO1 |
| 320882 | 190 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 36 | - | - | CO1 |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 65 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 320901 | 171 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 38 | - | - | CO1 |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 63 | CO1 | CO1 | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 321429 | 11 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 42 | - | - | CO1 |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321442 | 23 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 40 | - | - | CO1 |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321498 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | CO1 | CO1 |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 75 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 71 | CO1, CO2 | CO1, CO2, (RO)* | CO1, CO2, RO, (AO, AltA)* |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | CO1, CO2 | CO1, CO2, RO, (AO, AltA)* |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | CO1, CO2 | CO1, CO2, (RO,AO)* |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | CO1 | CO1, CO2, (RO,AO)* |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | CO1 | CO1 |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | CO1 | CO1 |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | CO1 | CO1 |
| 1106103 | 83 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106105 | 85 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 43 | - | - | CO1 |
| 1106108 | 87 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | CO1 | CO1 |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | CO1 | CO1 |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.014 - Removal of Signal Gantry and Footings**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 318985 | 25 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 318988 | 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 1111548 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 318989 | 33 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319000 | 4 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1111547 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319001 | 13 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319012 | 3 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319013 | 20 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319014 | 32 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319015 | 10-16 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319018 | 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319019 | 58 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319020 | 6 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319072 | 1 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319082 | 47 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319083 | 20 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319084 | 29 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319085 | 14 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319086 | 59 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319087 | 61 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319088 | 43-45 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319089 | 37 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319098 | 29 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319099 | 50-52 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319100 | 31 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319101 | 34-36 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319102 | 4 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319103 | 31-33 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319104 | 10 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319105 | 28 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319106 | 26 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319123 | 12 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319124 | 22 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319125 | 2 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1111544 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319130 | 21 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319131 | 2-4 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319132 | 6-8 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319135 | 18 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319141 | 17 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319142 | 19 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319198 | 26 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319199 | 13 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319200 | 31 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319201 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 1111545 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 57 | CO1 | - | - |
| 319202 | 18 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319208 | 23 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319209 | 2-8 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319224 | 14 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319225 | 4 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319226 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319227 | 10 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319230 | 57 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319231 | 63 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319232 | 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 319239 | 45 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319240 | 2A URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319241 | 35 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319242 | 37 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319243 | 9 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319248 | 36 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319251 | 11 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319252 | 17 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319254 | 14 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319257 | 16 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319258 | 43 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319259 | 7 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319266 | 32 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319267 | 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 319268 | 13 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319269 | 14 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319270 | 7 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319272 | 28 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319273 | 26-28 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319279 | 106 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319282 | 37 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | - | - |
| 319289 | 12 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319290 | 8 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319291 | 4 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319292 | 5 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319298 | 33 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319331 | 16 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319332 | 28 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319333 | 42-44 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319353 | 5 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319357 | 59-61 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319385 | 10 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319386 | 39 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319387 | 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319388 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319392 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 67 | CO1, CO2 | - | - |
| 319393 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319394 | 41 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 72 | CO1, CO2 | - | - |
| 319410 | 13 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319413 | 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319464 | 51-53 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 319465 | 7 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319466 | 5 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319470 | 51 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319473 | 16 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319474 | 1 READ ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319515 | 2 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319516 | 7 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319518 | 67 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319526 | 38-40 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 319527 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 56 | CO1 | - | - |
| 319528 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 56 | CO1 | - | - |
| 319529 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319530 | 3 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319532 | 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319534 | 29 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319542 | 35 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319547 | 28 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319548 | 8 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319549 | 23 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319551 | 11 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319553 | 58 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319554 | 6 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319556 | 11 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319557 | 30 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319575 | 34 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319576 | 17 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319577 | 11 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319578 | 24 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.014 - Removal of Signal Gantry and Footings**


| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 319579 | 30 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319580 | 22-24 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 319617 | 25 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319620 | 6 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319621 | 2A O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319622 | 5 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319627 | 75 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319630 | 39 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 73 | CO1, CO2 | - | - |
| 319641 | 24 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 319642 | 47 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 319643 | 8 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319644 | 20 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319645 | 35 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 69 | CO1, CO2 | - | - |
| 319647 | 15 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319649 | 20 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319656 | 53 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319657 | 18 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 319658 | 2 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319659 | 8 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319660 | 3 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319661 | 11 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319662 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 319665 | 25-27 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319666 | 30-32 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319667 | 10 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319669 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319671 | 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319672 | 60 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 319683 | 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319685 | 23 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319686 | 25 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319687 | 5 RYAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319705 | 10 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 319706 | 18 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319707 | 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319710 | 80 CONNORTON ST, URANQUINTY NSW 2652 | 45 | 45 | - | - | 48 | CO1 | - | - |
| 319711 | 24 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319712 | 9 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319722 | 7 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319723 | 14 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319725 | 1 KEY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319726 | 18-20 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319736 | 12 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 319740 | 3-5 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319741 | 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319754 | 12 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319757 | 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319758 | 6 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319759 | 23-25 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 63 | CO1, CO2 | - | - |
| 319760 | 9 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319768 | 16 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319769 | 9 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319770 | 13 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 319771 | 11 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 319772 | 9 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 319780 | 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319791 | 16 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 319792 | 3 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319793 | 10 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 319794 | 6 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319795 | 13 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 319796 | 21 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319808 | 22 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 319810 | 41 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 319812 | 22 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 319813 | 45 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 319814 | 49 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 319816 | 55 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320178 | 12 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320181 | 7 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320184 | 40 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320186 | 35 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320200 | 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320232 | 34 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320297 | 2 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 320318 | 47 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320336 | 39 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320346 | 26 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320385 | 46 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | - | - |
| 320388 | 30 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320390 | 62-64 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 62 | CO1, CO2 | - | - |
| 320393 | 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320433 | 22 MORGAN ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | - | - |
| 320448 | 35 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320453 | 2 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320458 | 3 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1111546 | 1 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 320459 | 131 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320460 | 15 PEARSON ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 58 | CO1 | - | - |
| 320476 | 16 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 320477 | 4 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320481 | 12 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320508 | 15 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320509 | 14-16 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320510 | 21 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 60 | CO1, CO2 | - | - |
| 320542 | 2 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 320554 | 15 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320558 | 67 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 320585 | 17 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 320589 | 66 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320590 | 19 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320625 | URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, | 55 | 55 | - | - | 59 | CO1 | - | - |
| 320626 | 33 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 320627 | 10 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320642 | 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 64 | CO1, CO2 | - | - |
| 320651 | 26 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320652 | 20 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320698 | 7 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 320699 | 3 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320711 | 9 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 320723 | 13-15 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320787 | 50 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 68 | CO1, CO2 | - | - |
| 320789 | 8 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 320790 | 68 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 61 | CO1, CO2 | - | - |
| 320801 | 22-24 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320820 | 12 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320853 | 41 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 320875 | 15 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320886 | 17-19 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 320887 | 9-11 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320888 | 7 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 320889 | 1 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 320895 | 10 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 320897 | 30-34 MORGAN ST, URANQUINTY NSW 2652 | 60 | 60 | 60 | 45 | 65 | CO1 | - | - |
| 320898 | 27 PEARSON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 320899 | 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.

**W.014 - Removal of Signal Gantry and Footings**

| SLR ID | ADDRESS | NML Daytime | NML Daytime OOH | NML Evening | NML Night-time | Predicted Level LAeq(15min) | Additional Mitigation Daytime OOH | Additional Mitigation Evening *(>2 consecutive rest periods) | Additional Mitigation Night *(>2 consecutive sleep periods) |
|---|---|---|---|---|---|---|---|---|---|
| 320900 | 15 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 321338 | 4 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321341 | 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | 55 | 55 | 55 | - | 61 | CO1 | - | - |
| 321365 | 1 BEN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321366 | 44 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 70 | CO1, CO2 | - | - |
| 321371 | 26 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321372 | 28 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321378 | 31 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321380 | 30 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 321382 | 36 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321383 | 21 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321384 | 27 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321428 | 12 GRADYS RD, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321435 | 9 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321436 | 5-7 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321438 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321439 | 1 DEANE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321440 | 41 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321441 | 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 65 | CO1, CO2 | - | - |
| 321445 | 3 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321447 | 1-3 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321449 | 4 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321450 | 51 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321465 | 26-28 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321468 | 5 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321469 | 16 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321470 | 2 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321471 | 65 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 321472 | 24 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 49 | CO1 | - | - |
| 321473 | 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321474 | 3 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321475 | 30 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321476 | 31 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321477 | 21 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321478 | 38 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321479 | 20 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 321480 | 9 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321494 | 23 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321495 | 78 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 55 | CO1 | - | - |
| 321496 | 53 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321497 | 26 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 321499 | 28 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 321500 | 7 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321501 | 5 SPAUL ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321503 | 46 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321528 | 6 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 321529 | 10 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321531 | 22 KING ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321532 | 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 321533 | 5 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 321534 | 1-3 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 321535 | 13 BEST ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 58 | CO1 | - | - |
| 321551 | 12 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 54 | CO1 | - | - |
| 321552 | 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1000453 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1000460 | 75 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1000461 | 77 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1000462 | 81 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 1000906 | 69 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1105892 | 6 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1105932 | 29 BAKER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1105942 | 18 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1105956 | 11 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1105958 | 26 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 53 | CO1 | - | - |
| 1105968 | 43 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 1105969 | 13-15 BRIDGE ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1105990 | 48 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 73 | CO1, CO2 | - | - |
| 1106004 | 29 URANQUINTRY ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 56 | CO1 | - | - |
| 1106008 | 52-54 MORGAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 66 | CO1, CO2 | - | - |
| 1106010 | 48 O'CONNOR ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 57 | CO1 | - | - |
| 1106030 | 14 TABER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 50 | CO1 | - | - |
| 1106040 | 1 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 59 | CO1 | - | - |
| 1106062 | 29 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 51 | CO1 | - | - |
| 1106063 | 23 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 52 | CO1 | - | - |
| 1106064 | 25 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106066 | 27 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1106072 | 35 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 1106076 | 37 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1106078 | 39 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| 1106080 | 22 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1106083 | 41 GUTTLER ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106084 | 71 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106086 | 73 CONNORTON ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 45 | CO1 | - | - |
| 1106091 | 5 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 47 | CO1 | - | - |
| 1106099 | 18 HARDIMAN ST, URANQUINTY NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 1110597 | 79 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 46 | CO1 | - | - |
| 1110598 | 4 Connorton St, Uranquinty NSW 2652 | 49 | 44 | 44 | 35 | 48 | CO1 | - | - |
| | | | | | | | | | |

DISCLAIMER: Address data within this document is based on external sources.
SLR Consulting Pty Ltd makes no warranty regarding the data's accuracy or reliability for any purpose.



Making Sustainability Happen

# Appendix B Construction Noise and Vibration Impact Statement – Addendums

This document is uncontrolled
when printed.

MARTINUS RAIL INLAND




# URANQUINTY YARD – CONSTRUCTION NOISE AND VIBRATION IMPACT STATEMENT ADDENDUM

## A2I I Albury to Illabo

CONTRACT NUMBER: 0052

PROJECT DOCUMENT NUMBER:
6-0052-210-EEC-W1-AS-0001_ADD

## Document Control

| | | | | |
|---|---|---|---|---|
| **DOCUMENT TITLE:** | Uranquinty Yard – Construction Noise and Vibration Impact Statement Addendum | | | |
| **DOCUMENT OWNER:** | Chris Standing – Environment, Approvals and Sustainability Manager | | | |
| **PREPARED BY:** | Ellen Fowler | **TITLE:** | Environmental Approvals Advisor | |
| **SIGNATURE:** |  | | **DATE:** | 24/11/2025 |
| **REVIEWED BY:** | Alison Kriegel | **TITLE:** | Approvals Lead | |
| **SIGNATURE:** |  | | **DATE:** | 24/11/2025 |

## Approved by

| NAME | TITLE | SIGNATURE | DATE |
|---|---|---|---|
| Chris Standing | Environment, Approvals and Sustainability Manager (A2P) |  | 24/11/2025 |

## Revision History

| REVISION | REVISION DATE | AMENDMENT | DATE TO CLIENT |
|---|---|---|---|
| A | 09/10/2025 | For review | 09/10/2025 |
| B | 04/11/2025 | For review | 04/11/2025 |
| 0 | 11/11/2025 | For use | 11/11/2025 |
| 0.1 | 17/11/2025 | For review | 17/11/2025 |
| 1 | 24/11/2025 | For use | 24/11/2025 |

Disclaimer: This document has been prepared by Martinus. Use of this document shall be subject to the terms of the relevant contract with Martinus. The electronic file of this current revision is the controlled copy. This file is stored on Martinus' server located at Head Office, Unit 1, 23-27 Waratah St, Kirrawee, NSW.

This document is the property of and contains proprietary information owned by Martinus. No permission is granted to publish, reproduce, transmit or disclose to another party, any information contained in this document, in whole or in part, without prior written permission from the issuing authority.

For the purpose of this document, Martinus refers to the Martinus Group of companies.

This document is uncontrolled when printed.

# TABLE OF CONTENTS

**GLOSSARY** ..... **4**

**1 INTRODUCTION** ..... **5**
1.1 Inland Rail ..... 5
1.2 Purpose of this Addendum ..... 5

**2 NOISE ASSESSMENT** ..... **8**
2.1 Site establishment (W.001) ..... 8
2.1.1 Scope ..... 8
2.1.2 Assessment ..... 8
2.1.3 Results ..... 8
2.2 Site operation (W.002) ..... 9
2.2.1 Scope ..... 9
2.2.2 Assessment ..... 10
2.2.3 Results ..... 10
2.3 Removal of gantry and footings (W.014) ..... 10
2.3.1 Scope ..... 10
2.3.2 Assessment ..... 11
2.3.3 Results ..... 11

**3 VIBRATION ASSESSMENT** ..... **13**
3.1 Site establishment (W.001) ..... 13
3.2 Site operation (W.002) ..... 13
3.3 Removal of signal gantry and footings (W.014) ..... 13

**4 CONCLUSION** ..... **14**
4.1 Mitigation and Management Measures ..... 14
4.2 Additional mitigation measures ..... 14

**APPENDICES** ..... **16**

**APPENDIX A** ..... **17**
SLR Predict (W.001) ..... 17

**APPENDIX B** ..... **18**
SLR Predict (W.002) ..... 18

**APPENDIX C** ..... **19**
SLR Predict (W.014) ..... 19

# LIST OF TABLES

Table 1: Definitions ..... 4
Table 2: Exceedance comparisons for W.001 ..... 9
Table 3: Exceedance comparisons for W.002 ..... 10
Table 4: Exceedance comparisons for W.014 ..... 11

# LIST OF FIGURES

Figure 1: Project enhancement sites ..... 5
Figure 2: Revised work area for W.001 and W.002 (Uranquinty Yard Addendum) ..... 6
Figure 3: Work area for W.014 (Uranquinty Yard CNVIS) ..... 7
Figure 4: Additional mitigation measures matrix – Noise ..... 15

# GLOSSARY

Specific terms and acronyms used throughout this plan are listed and described in Table 1 below.

**TABLE 1: DEFINITIONS**

| TERM | DEFINITION |
|---|---|
| A2I | Albury to Illabo section of the Inland Rail project |
| CA | Consistency Assessment |
| CNVIS | Construction Noise and Vibration Impact Statement |
| CNVIS Addendum | This document |
| Uranquinty Yard CNVIS | Uranquinty Yard Construction Noise and Vibration Impact Statement (Doc No. 6-0052-210-EEC-W1-AS-0001) |
| km | Kilometres |
| m | Metres |
| NML | Noise Management Level |
| OOH | Out-of-hours |
| Project | Albury to Illabo project approved under section 5.19 of the EP&A Act on 8 October 2024, as modified on 13 August 2025 |
| RBL | Rating Background Level |
| SLR Predict | A2I noise and vibration management tool |
| T | Tonnes |
| W.001 | Work Scenario 1 – Site establishment activities |
| W.002 | Work Scenario 2 – Site operation activities |
| W.014 | Work Scenario 14 – Removal of gantry and footings |

# 1 INTRODUCTION

## 1.1 Inland Rail

Inland Rail is an approximate 1,600 kilometres (km) freight rail network that will connect Beveridge and Kagaru via regional Victoria, New South Wales and Queensland. The Inland Rail route would involve using approximately 1,000 km of existing track (with enhancements and upgrades where necessary) and 600 km of new track, passing through 30 local government areas. Inland Rail will accommodate double-stacked freight trains up to 1,800 metres (m) long and 6.5 m high.

The Albury to Illabo (A2I) section (the Project) forms a key component of the Inland Rail program. It is a 185 km section of existing rail corridor located in regional NSW between the towns of Albury and Illabo. Works would include track realignment, lowering and/or modification within the existing rail corridor, modification, removal or replacement of bridge structures (rail, road and/or pedestrian bridges), raising or replacing signal gantries, level-crossing modifications and other associated works.

| Precinct | Enhancement sites |
|---|---|
| Albury Precinct | Murray River bridge |
| | Albury Station pedestrian bridge |
| | Albury Yard clearances |
| | Riverina Highway bridge |
| | Billy Hughes bridge |
| | Table Top Yard clearances |
| Greater Hume-Lockhart | Culcairn pedestrian bridge |
| | Culcairn Yard clearances |
| | Henty Yard clearances |
| | Yerong Creek Yard clearances |
| | The Rock Yard clearances |
| Wagga Wagga | Uranquinty Yard clearances |
| | Pearson Street bridge |
| | Cassidy Parade pedestrian bridge |
| | Edmonson Street bridge |
| | Wagga Wagga Station pedestrian bridge |
| | Wagga Wagga Yard clearances |
| | Bomen Yard clearances |
| Junee | Harefield Yard clearances |
| | Kemp Street bridge |
| | Junee Station pedestrian bridge |
| | Junee Yard clearances |
| | Olympic Highway underbridge |
| | Junee to Illabo clearances |




**FIGURE 1: PROJECT ENHANCEMENT SITES**

## 1.2 Purpose of this Addendum

This Construction Noise and Vibration Impact Statement Addendum (Addendum) has been prepared to identify and assess the revised work area (W.001 and W.002), and additional plant and equipment (W.014) required to support and enable the wider scope of activities associated with the Uranquinty Yard clearances enhancement site (Uranquinty Yard), as shown in Figure 2 and Figure 3 below.

This Addendum will form part of the endorsed Construction Noise and Vibration Impact Statement (CNVIS) (Doc No: 6-0052-210-EEC-W1-AS-0001) for Uranquinty Yard. This Addendum should be reviewed in conjunction with the CNVIS for Uranquinty Yard, including adopted Rating Background Levels (RBL), Noise Management Levels (NML) and assessment criteria in accordance with the Conditions of Approval (CoA) (SSI-10055).




**FIGURE 2: REVISED WORK AREA FOR W.001 AND W.002 (URANQUINTY YARD ADDENDUM)**




**FIGURE 3: WORK AREA FOR W.014 (URANQUINTY YARD CNVIS)**

# 2 NOISE ASSESSMENT

## 2.1 Site establishment (W.001)

### 2.1.1 Scope

The additional work area required for Uranquinty Yard forms part of the wider scope associated at the Uranquinty Yard clearances enhancement site and will enable site establishment works. This CNVIS addendum has assessed the revised work area, which consists of the work area identified in the endorsed CNVIS and additional work area identified in the Uranquinty Yard Consistency Assessment (CA) (Doc No: 6-0052-210-EAP-W1-AS-0001). The revised work area encompasses three compound areas previously assessed in the endorsed Uranquinty Yard CNVIS, and additional areas not previously assessed for scenario W.001.

The revised work area will be assessed using SLR Predict, the A2I noise and vibration management tool, with the following noted:

**Activity**

- Site compound delivery and set up
- Access road and laydown construction

**Plant and equipment**

- Articulated dump truck (23T)
- Crane (mobile)
- Elevated work platform
- Excavator – slasher
- Front end loader
- Generator
- Hand tools (electric)
- Light vehicle
- Roller – static
- Tractor – slasher
- Truck – medium rigid (20T)
- Truck & dog
- Watercart

**Construction hours**

- Standard approved construction hours:
  - 7am to 6pm Monday to Friday, inclusive
  - 7am to 6pm Saturday.
- Daytime out-of-hours (OOH)
  - 8am to 6pm Sunday and Public Holidays.

### 2.1.2 Assessment

As noted above, the revised work area has been assessed utilising SLR Predict. The highest generating items of plant and equipment in this work scenario (front end loader and articulated dump truck) have been considered, as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

### 2.1.3 Results

The SLR Predict results are presented in Appendix A, for daytime out of hours, as the most affected period.

Table 2 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.001 exceedances identified in the Uranquinty Yard CNVIS
- W.001 exceedances identified in the SLR Predict results for the additional work areas shown in Figure 2

**TABLE 2: EXCEEDANCE COMPARISONS FOR W.001**

| ASSESSMENT RESULTS (DAY OOH) | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE | |
|---|---|---|
| | CNVIS – W.001 | SLR Predict – W.001 (revised work area) |
| Total Lw (dBA) | 115 | 114 |
| Noticeable (1-5 dB) | 100 | 85 |
| Clearly Audible (6-15 dB) | 134 | 136 |
| Moderately Intrusive (16-25 dB) | 52 | 63 |
| Highly Intrusive (>25 dB) | 3 | 13 |

Table 2 shows a similar level of impacts resulting from the revised work area (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is a decreased number of receivers experiencing noticeable (1-5 dB exceedance) level of noise, however, there is an increase in the number of receivers experiencing clearly audible, moderately intrusive and highly intrusive (>25 dB exceedance) noise levels, likely due to the increased size of the work area.

## 2.2 Site operation (W.002)

### 2.2.1 Scope

The revised work area required for Uranquinty Yard forms part of the wider scope associated at the Uranquinty Yard clearances enhancement site and will enable site operational works. This CNVIS addendum has assessed the additional work area, which consists of the work area identified in the endorsed CNVIS and additional work area identified in the Uranquinty Yard Consistency Assessment (CA) (Doc No: 6-0052-210-EAP-W1-AS-0001). The revised work area encompasses three compound areas previously assessed in the endorsed Uranquinty Yard CNVIS, and additional areas not previously assessed for scenario W.002.

The revised work area will be assessed using SLR Predict, with the following noted:

**Activity**

- Operation of the site compound
- Delivery of materials, plant and equipment

**Plant and equipment**

- Compressor
- Crane franna (20T)
- Front end loader
- Generator
- Hand tools (electric)
- Light vehicles
- Truck – medium rigid (20T)
- Truck & dog
- Watercart

**Construction hours**

- Standard approved construction hours:
  - 7am to 6pm Monday to Friday, inclusive
  - 7am to 6pm Saturday.
- Daytime OOH:
  - 8am to 6pm Sunday and Public Holidays.

- Evening OOH:
  - 6pm to 10pm Monday to Sunday (including Public Holidays)
- Night OOH:
  - 10pm to 7am Monday to Saturday
  - 10pm to 8am Sunday (including Public Holidays

### 2.2.2 Assessment

As noted above, the revised work area has been assessed utilising SLR Predict. The highest generating items of plant and equipment in this work scenario (front end loader, truck & dog and compressor) have been considered, as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

### 2.2.3 Results

The SLR Predict results are presented in Appendix B, for night out of hours, as the most affected period.

Table 3 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.002 exceedances identified in the Uranquinty Yard CNVIS
- W.002 exceedances identified in the SLR Predict results for the additional work areas shown in Figure 2

**TABLE 3: EXCEEDANCE COMPARISONS FOR W.002**

| ASSESSMENT RESULTS (NIGHT OOH) | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE | |
|---|---|---|
| | CNVIS – W.002 | SLR Predict – W.002 (revised work area) |
| Total Lw (dBA) | 113 | 115 |
| Noticeable (1-5 dB) | 21 | 4 |
| Clearly Audible (6-15 dB) | 176 | 126 |
| Moderately Intrusive (16-25 dB) | 116 | 136 |
| Highly Intrusive (>25 dB) | 28 | 75 |
| Above Sleep Disturbance (>Screening level) | 267 | 191 |
| Above Sleep Awake (>65 dB) | 12 | 32 |

Table 3 shows an overall increase in the intensity of impacts resulting from the revised work area (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is an increased number of receivers experiencing both a moderately intrusive (16-25 dB) level of noise and a highly intrusive level of noise (>25 dB exceedance), which is likely due to the increased size of the work area.

## 2.3 Removal of gantry and footings (W.014)

### 2.3.1 Scope

The removal of signal gantry and footings work scenario (W.014) has been assessed in the endorsed CNVIS. Additional plant and equipment will be required to support the works associated with W.014, which forms part wider scope associated at the Uranquinty Yard clearances enhancement site.

This CNVIS addendum has assessed the additional plant and equipment, which consists of an elevated work platform (EWP), using SLR Predict, with the following noted:

**Activity**

- Removal of signal gantry and footings (W.014)

**Plant and equipment**

- Compressor
- Crane franna (20T)
- Front end loader
- Generator
- Hand tools (electric)
- Light vehicles
- Truck – medium rigid (20T)
- Truck & dog
- Watercart
- Elevated work platform (EWP)

**Construction hours**

- Standard approved construction hours:
  - 7am to 6pm Monday to Friday, inclusive
  - 7am to 6pm Saturday.
- Daytime OOH:
  - 8am to 6pm Sunday and Public Holidays.
- Evening OOH:
  - 6pm to 10pm Monday to Sunday (including Public Holidays)
- Night OOH:
  - 10pm to 7am Monday to Saturday
  - 10pm to 8am Sunday (including Public Holidays

### 2.3.2 Assessment

As noted above, the additional EWP required has been assessed utilising SLR Predict. The EWP has been assessed alongside the excavator (20-30T) with hydraulic hammer to represent site working conditions. The plant and equipment have been assessed as a worst-case scenario with 100% utilisation within a 15-minute assessment period.

### 2.3.3 Results

The SLR Predict results are presented in Appendix C, for night out of hours, as the most affected period.

Table 4 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.014 exceedances identified in the Uranquinty Yard CNVIS
- W.014 exceedances identified in the SLR Predict results for the additional EWP

**TABLE 4: EXCEEDANCE COMPARISONS FOR W.014**

| ASSESSMENT RESULTS (NIGHT OOH) | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE | |
|---|---|---|
| | CNVIS – W.014 | SLR Predict – W.014 (inclusion of EWP) |
| Total Lw (dBA) | 120 | 122 |
| Noticeable (1-5 dB) | 10 | 7 |
| Clearly Audible (6-15 dB) | 158 | 98 |
| Moderately Intrusive (16-25 dB) | 153 | 198 |

| ASSESSMENT RESULTS (NIGHT OOH) | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE | |
|---|---|---|
| | CNVIS – W.014 | SLR Predict – W.014 (inclusion of EWP) |
| Highly Intrusive (>25 dB) | 28 | 48 |
| Above Sleep Disturbance (>Screening level) | 328 | 335 |
| Above Sleep Awake (>65 dB) | 15 | 22 |

Table 4 shows an overall increase in the intensity of impacts resulting from the inclusion of the EWP (last column) compared to that assessed in the endorsed Uranquinty Yard CNVIS. There is an increased number of receivers experiencing both a moderately intrusive (16-25 dB) level of noise and a highly intrusive level of noise (>25 dB exceedance), which is likely due to the inclusion of the EWP.

# 3 VIBRATION ASSESSMENT

## 3.1 Site establishment (W.001)

There are no vibration intensive plant and equipment proposed as part of W.001; therefore, no vibration impacts are expected.

## 3.2 Site operation (W.002)

There are no vibration intensive plant and equipment proposed as part of W.002; therefore, no vibration impacts are expected.

## 3.3 Removal of signal gantry and footings (W.014)

There are no vibration intensive plant and equipment proposed as part of W.014; therefore, no vibration impacts are expected.

# 4 CONCLUSION

## 4.1 Mitigation and Management Measures

As this Assessment is an addendum to the endorsed Uranquinty Yard CNVIS, the same mitigation and management measures apply as noted in Section 8 of the CNVIS.

## 4.2 Additional mitigation measures

As noted in Figure 4 and under Appendix A to C, the SLR Predict noise results include a section on all applicable additional mitigation measures. These additional mitigation measures will be implemented where appropriate.

| Airborne Noise - Additional Mitigation Measures Matrix | | | | |
|---|---|---|---|---|
| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
| OOHW Daytime PeriodSunday 7am - 6pm(including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening PeriodMonday - Sunday 6pm - 10pm(including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night PeriodMonday - Sunday 10pm - 7am(including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

**FIGURE 4: ADDITIONAL MITIGATION MEASURES MATRIX – NOISE**

# APPENDICES

# APPENDIX A

## SLR Predict (W.001)

# Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

### Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

**Assessment Details**

| | |
|---|---|
| Author Name | |
| Author Email | noiseassessments@martinus.com.au |
| Author Organisation | Martinus Rail |
| Project Name | A2I - Albury to Illabo |
| Assessment Name | Uranquinty Addendum (W.001) |
| Stage | A2I Construction |
| Permit Number | N/A |
| Start Date | 2025-11-18 |
| End Date | 2025-11-19 |
| Assessment Period | Day - out of hours |

**Equipment Details**

| Plant/Equipment | Equipment Sound Power Level (Unadjusted), dBA | Number of Units | Temporary Noise Barrier |
|---|---|---|---|
| **1: Work Area 1** (Height: Ground) | Total: 114 | | |
| Front End Loader 100% operation | 113 | 1 | No |
| Articulated Dump Truck 100% operation | 109 | 1 | No |

**Note 1:** Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.
**Note 2:** Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

## Assessment Results




| | Residential | Non-Residential |
|---|---|---|
| Highly Intrusive | 13 properties | 0 property |
| Moderately Intrusive | 63 properties | 1 property |
| Clearly Audible | 136 properties | 6 properties |
| Noticeable | 85 properties | 7 properties |

### Legend

| |
|---|
| Project Boundary |
| Work Areas |
| Barriers |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 7 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 74 | 30 | Highly Intrusive |
| 17 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 72 | 28 | Highly Intrusive |
| 19 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 72 | 28 | Highly Intrusive |
| 41 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 72 | 28 | Highly Intrusive |
| 3-5 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 72 | 28 | Highly Intrusive |
| 23-25 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 72 | 28 | Highly Intrusive |
| 21 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 72 | 28 | Highly Intrusive |
| 37 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 71 | 27 | Highly Intrusive |
| 39 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 71 | 27 | Highly Intrusive |
| 13 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 71 | 27 | Highly Intrusive |
| 1 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 70 | 26 | Highly Intrusive |
| 27 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 70 | 26 | Highly Intrusive |
| 48 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 70 | 26 | Highly Intrusive |
| 26 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 69 | 25 | Moderately Intrusive |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 50 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 69 | 25 | Moderately Intrusive |
| 43-45 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 68 | 24 | Moderately Intrusive |
| 35 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 68 | 24 | Moderately Intrusive |
| 31-33 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 67 | 23 | Moderately Intrusive |
| 59-61 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 67 | 23 | Moderately Intrusive |
| 24 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 67 | 23 | Moderately Intrusive |
| 46 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 67 | 23 | Moderately Intrusive |
| 41 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 67 | 23 | Moderately Intrusive |
| 52-54 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 67 | 23 | Moderately Intrusive |
| 47 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 66 | 22 | Moderately Intrusive |
| 51-53 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 66 | 22 | Moderately Intrusive |
| 44 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 66 | 22 | Moderately Intrusive |
| 58 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 65 | 21 | Moderately Intrusive |
| 38-40 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 65 | 21 | Moderately Intrusive |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 10 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 65 | 21 | Moderately Intrusive |
| 43 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 65 | 21 | Moderately Intrusive |
| 8 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 64 | 20 | Moderately Intrusive |
| 7 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 64 | 20 | Moderately Intrusive |
| 62-64 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 64 | 20 | Moderately Intrusive |
| 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 30 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 22-24 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 47 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 60 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 12 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 12 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |
| 6 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 63 | 19 | Moderately Intrusive |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 50-52 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 32 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 42-44 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 34 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 14 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 45 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 68 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 62 | 18 | Moderately Intrusive |
| 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 28 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 18 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 2 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 26 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 4 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 30 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 23 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 12 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 61 | 17 | Moderately Intrusive |
| 47 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 36 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 28 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 8 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 75 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 49 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 15 PEARSON ST, URANQUINTY NSW 2652 | OPW | NCA09 | 55 | 71 | 16 | Moderately Intrusive |
| 21 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 10 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 10 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 1-3 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 26 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 60 | 16 | Moderately Intrusive |
| 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 51 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 8 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 35 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 25 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 8 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 67 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 31 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 46 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 1 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 29 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 5 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 13 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 23 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 58 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 5 RYAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 6 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 7 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 53 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 29 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 48 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 58 | 14 | Clearly Audible |
| 4 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 17 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 11 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 15 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 40 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 19 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 33 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 21 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 27 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 3 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 57 | 13 | Clearly Audible |
| 2-4 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 7 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 2 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 9 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 34 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 15 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 17 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 15 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 36 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 13 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 56 | 12 | Clearly Audible |
| 33 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 33 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 4 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 13 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 13 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 13 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 35 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 9 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 5 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 16 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 35 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 15 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 30-34 MORGAN ST, URANQUINTY NSW 2652 | OHO | NCA09 | 60 | 71 | 11 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 38 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 78 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 55 | 11 | Clearly Audible |
| 37 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 10 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 45 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 3 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 6 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 11 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 11 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 2 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 17-19 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 54 | 10 | Clearly Audible |
| 3 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 6-8 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 23 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 2A URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 1-3 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 23 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 25 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 41 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 39 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 22 MORGAN ST, URANQUINTY NSW 2652 | OPW | NCA09 | 55 | 64 | 9 | Clearly Audible |
| 66 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 12 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 4 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 22 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 53 | 9 | Clearly Audible |
| 20 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 14 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 18 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 5 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 37 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 43 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 39 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 22 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 47 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 2 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| - | IND | NCA09 | 75 | 83 | 8 | Clearly Audible |
| 13-15 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 22-24 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 1 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 11 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 41 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 4 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 21 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 9 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 6 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 18 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 29 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 12 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 16 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 10 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 7 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 25-27 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 18-20 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 2 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 14-16 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5-7 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 3 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 29 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 23 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 1 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 31 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 10 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 7 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 4 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 16 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 7 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 29 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 2A O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 5 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652 | OED | NCA09 | 55 | 61 | 6 | Clearly Audible |
| 9 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 3 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652 | OED | NCA09 | 55 | 61 | 6 | Clearly Audible |
| - | IND | NCA09 | 75 | 81 | 6 | Clearly Audible |
| 9 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 31 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 20 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 4 Connorton St, Uranquinty NSW 2652 | RES | NCA09 | 44 | 50 | 6 | Clearly Audible |
| 34-36 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 2 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 31 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 14 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 14 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 26-28 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 6 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 20 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 10 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 11 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 9 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 3 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 12 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 9-11 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 1-3 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 5 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 26 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 7 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 5 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 20 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 10-16 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 21 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652 | OED | NCA09 | 55 | 59 | 4 | Noticeable |
| URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652 | OED | NCA09 | 55 | 59 | 4 | Noticeable |
| 2-8 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 57 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 12 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 8 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 28 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652 | OED | NCA09 | 55 | 59 | 4 | Noticeable |
| 10 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 18 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 16 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 13 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 10 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 6 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 1 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 16 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 50-52 O'CONNOR ST, URANQUINTY NSW 2652 | OPW | NCA09 | 55 | 59 | 4 | Noticeable |
| 9 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 1 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 26-28 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 16 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 2 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 22 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 11 READ ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 13 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 27 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 67 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| URANQUINTY PUBLIC SCHOOL 67 PEARSON ST, URANQUINTY NSW 2652 | OED | NCA09 | 55 | 58 | 3 | Noticeable |
| 11 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 3 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 30-32 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 26 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 13-15 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 51 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 65 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 30 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 29 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 14 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 32 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 28 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 26 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 21 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 18 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 63 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 33 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 1 READ ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 24 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 20 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 80 CONNORTON ST, URANQUINTY NSW 2652 | OCC | NCA09 | 45 | 47 | 2 | Noticeable |
| 1 KEY ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 22 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 28 MORGAN ST, URANQUINTY NSW 2652 | COM | NCA09 | 70 | 72 | 2 | Noticeable |
| 28 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 24 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 29 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 13-15 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 27 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 37 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 22 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 25 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 59 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 61 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 30 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 17 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 24 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 16 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |
| 11 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |

### Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

**Airborne Noise - Additional Mitigation Measures Matrix**

| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
|---|---|---|---|---|
| OOHW Daytime Period Sunday 7am - 6pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

| Vibration - Additional Mitigation Measures Matrix | | | |
|---|---|---|---|
| **Time Period** | **Duration** | **Exceedance of 'preferred' value** | **Exceedance of 'maximum' value** |
| OOHW Daytime Period Sunday 8am-6pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period Mon-Sun 6pm-10pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

| Additional Mitigation Measures | |
|---|---|
| **Measure** | **Abbreviation** |
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

**Note 1:** CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.
**Note 2:** CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.
**Note 3:** RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

| Receiver Types | | | |
|---|---|---|---|
| **Code** | **Description** | **Code** | **Description** |
| RES | Residential | OED | Other Educational |
| COM | Commercial | OHO | Other Hotel |
| IND | Industrial | OLI | Other Library |
| OOA | Other Outdoor Active Recreation | OME | Other Medical |
| OOP | Other Outdoor Passive Recreation | OPW | Other Place of Worship |
| OCC | Other Child Care | OPB | Other Public Building |

# APPENDIX B

## SLR Predict (W.002)

# Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

### Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

**Assessment Details**

| | |
|---|---|
| Author Name | |
| Author Email | noiseassessments@martinus.com.au |
| Author Organisation | Martinus Rail |
| Project Name | A2I - Albury to Illabo |
| Assessment Name | Uranquinty Addendum (W.002) |
| Stage | A2I Construction |
| Permit Number | N/A |
| Start Date | 2025-11-24 |
| End Date | 2025-11-25 |
| Assessment Period | Night - out of hours |

**Equipment Details**

| Plant/Equipment | Equipment Sound Power Level (Unadjusted), dBA | Number of Units | Temporary Noise Barrier |
|---|---|---|---|
| **1: Work Area 1** (Height: Ground) | Total: 115 | | |
| Front End Loader 100% operation | 113 | 1 | No |
| Truck - road truck/ truck & dog (30T) 100% operation | 108 | 1 | No |
| Compressor 100% operation | 109 | 1 | No |

**Note 1:** Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.
**Note 2:** Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

## Assessment Results




| | Residential | Non-Residential |
|---|---|---|
| Highly Intrusive | 75 properties | 1 property |
| Moderately Intrusive | 136 properties | 0 property |
| Clearly Audible | 126 properties | 0 property |
| Noticeable | 4 properties | 0 property |
| Above Sleep Disturbance | 191 properties | 0 property |
| Above Sleep Awake | 32 properties | 0 property |

### Legend

| | |
|---|---|
| Project Boundary | |
| Work Areas | |
| Barriers | |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 7 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 74 | 39 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 17 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 73 | 38 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 19 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 73 | 38 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 41 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 73 | 38 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 3-5 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 73 | 38 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 23-25 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 73 | 38 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 21 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 73 | 38 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 37 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 72 | 37 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 39 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 72 | 37 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 13 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 72 | 37 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 1 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 71 | 36 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 27 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 71 | 36 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 48 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 71 | 36 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 26 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 70 | 35 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 50 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 70 | 35 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 35 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 69 | 34 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 43-45 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 31-33 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 59-61 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 24 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 46 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 41 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 52-54 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 47 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 67 | 32 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 51-53 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 67 | 32 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 44 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 67 | 32 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 58 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 38-40 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 10 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 43 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 7 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 65 | 30 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 62-64 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 65 | 30 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 30 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 22-24 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 47 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 8 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 12 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 12 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 6 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist |
| 32 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 42-44 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 34 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 60 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 14 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 45 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |
| 68 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 50-52 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 18 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 2 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 26 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 4 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 30-34 MORGAN ST, URANQUINTY NSW 2652 | OHO | NCA09 | 45 | 72 | 27 | Highly Intrusive |
| 30 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 23 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 12 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist |
| 47 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 28 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 28 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 8 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 75 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 49 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 21 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 10 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 10 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 1-3 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 26 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist |
| 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 36 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 51 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 8 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 35 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 25 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 8 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 67 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 31 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist |
| 29 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 5 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 13 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 23 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5 RYAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 6 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 53 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 46 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 29 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 48 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 1 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist |
| 4 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 17 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 58 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 15 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 7 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 19 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 33 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 21 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 27 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 3 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist |
| 2-4 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 7 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 2 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 11 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 9 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 40 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 15 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 17 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 15 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 36 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 13 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 33 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 4 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 13 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 13 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 13 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 35 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 9 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 5 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 16 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 34 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 35 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 15 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 38 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 78 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 33 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 37 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 10 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 45 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 3 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 6 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 11 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 11 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 2 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 17-19 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 3 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 23 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 2A URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 1-3 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 23 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 25 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 41 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 39 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 66 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 12 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 4 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 22 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 20 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 14 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 6-8 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 18 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 37 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 43 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 39 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 22 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 47 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 2 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 13-15 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 1 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 11 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 41 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 4 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 21 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 9 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 6 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 29 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive |
| 12 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 5 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 16 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive |
| 10 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 7 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive |
| 25-27 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 18-20 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 14-16 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 22-24 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 5-7 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 3 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 18 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 23 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 1 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 31 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 10 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 7 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 16 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 7 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 29 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 2A O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 5 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 9 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 2 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 3 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 9 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 31 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 20 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 29 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 4 Connorton St, Uranquinty NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive |
| 34-36 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 2 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 31 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 14 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 14 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 26-28 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 4 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 10 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 11 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 9 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 3 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 12 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 9-11 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 1-3 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 5 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 7 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 5 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |
| 5 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 20 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 10-16 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 21 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 2-8 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 57 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 12 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 8 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 28 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 6 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 20 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 10 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 18 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 16 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 13 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 6 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 1 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 16 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 9 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 26-28 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 16 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 2 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 26 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible |
| 22 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 11 READ ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 13 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 27 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 11 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 3 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 30-32 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 10 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 26 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 13-15 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 1 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 65 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 30 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 29 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 14 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible |
| 32 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 21 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 18 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 63 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 33 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 1 READ ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 67 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 24 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 20 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 22 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 28 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 51 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 24 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 29 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 13-15 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 37 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 22 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible |
| 25 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 59 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 61 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 28 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 26 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 30 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 17 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 24 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 1 KEY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 16 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 11 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |
| 27 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 6 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 14 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 55 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 35 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 15 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 26 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 7 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 28 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 39 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 41 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 5 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible |
| 56 URANQUINTY CROSS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 4 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 15 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 30 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 3 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 8 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 1040 OLD STATION RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 77 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 69 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 73 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 18 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 106 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 53 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 12 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 9 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 131 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 20 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 12 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 81 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 25 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 79 Connorton St, Uranquinty NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 12 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 42 | 7 | Clearly Audible |
| 75 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 42 | 7 | Clearly Audible |
| 35 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 42 | 7 | Clearly Audible |
| 85 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 42 | 7 | Clearly Audible |
| 87 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 42 | 7 | Clearly Audible |
| 10 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 41 | 6 | Clearly Audible |
| 10 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 41 | 6 | Clearly Audible |
| 71 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 41 | 6 | Clearly Audible |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 83 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 40 | 5 | Noticeable |
| 2 CASTLE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 39 | 4 | Noticeable |
| 21 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 39 | 4 | Noticeable |
| 23 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 38 | 3 | Noticeable |

### Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

**Airborne Noise - Additional Mitigation Measures Matrix**

| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
|---|---|---|---|---|
| OOHW Daytime Period Sunday 7am - 6pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

| Vibration - Additional Mitigation Measures Matrix | | | |
|---|---|---|---|
| **Time Period** | **Duration** | **Exceedance of 'preferred' value** | **Exceedance of 'maximum' value** |
| OOHW Daytime Period Sunday 8am-6pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period Mon-Sun 6pm-10pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

| Additional Mitigation Measures | |
|---|---|
| **Measure** | **Abbreviation** |
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

**Note 1:** CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

**Note 2:** CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

**Note 3:** RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

| Receiver Types | | | |
|---|---|---|---|
| **Code** | **Description** | **Code** | **Description** |
| RES | Residential | OED | Other Educational |
| COM | Commercial | OHO | Other Hotel |
| IND | Industrial | OLI | Other Library |
| OOA | Other Outdoor Active Recreation | OME | Other Medical |
| OOP | Other Outdoor Passive Recreation | OPW | Other Place of Worship |
| OCC | Other Child Care | OPB | Other Public Building |

# APPENDIX C

## SLR Predict (W.014)

# Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

### Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

**Assessment Details**

| | |
|---|---|
| Author Name | |
| Author Email | noiseassessments@martinus.com.au |
| Author Organisation | Martinus Rail |
| Project Name | A2I - Albury to Illabo |
| Assessment Name | Uranquinty Addendum (W.014) |
| Stage | A2I Construction |
| Permit Number | N/A |
| Start Date | 2025-12-08 |
| End Date | 2025-12-09 |
| Assessment Period | Night - out of hours |

**Equipment Details**

| Plant/Equipment | Equipment Sound Power Level (Unadjusted), dBA | Number of Units | Temporary Noise Barrier |
|---|---|---|---|
| **1:** (Height: Ground) | Total: 122 | | |
| Elevated Work Platform 100% operation | 97 | 1 | No |
| Excavator 20-30T + hydraulic hammer 100% operation | 122 | 1 | No |

**Note 1:** Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.
**Note 2:** Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

## Assessment Results




| | Residential | Non-Residential |
|---|---|---|
| Highly Intrusive | 48 properties | 0 property |
| Moderately Intrusive | 198 properties | 1 property |
| Clearly Audible | 98 properties | 0 property |
| Noticeable | 7 properties | 4 properties |
| Above Sleep Disturbance | 335 properties | 0 property |
| Above Sleep Awake | 83 properties | 0 property |

### Legend

| | |
|---|---|
| Project Boundary | |
| Work Areas | |
| Barriers | |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 37 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 74 | 39 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 41 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 74 | 39 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 39 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 74 | 39 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 48 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 74 | 39 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 46 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 72 | 37 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 35 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 71 | 36 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 44 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 71 | 36 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 43-45 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 70 | 35 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 31-33 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 70 | 35 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 38-40 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 70 | 35 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 50 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 70 | 35 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 47 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 69 | 34 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 9 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 27 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 52-54 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 68 | 33 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 58 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 67 | 32 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 51-53 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 67 | 32 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 10 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 67 | 32 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 12 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 11 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 14 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 66 | 31 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 59-61 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 65 | 30 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 59-61 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 65 | 30 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 23-25 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 65 | 30 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 21 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 45 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 62-64 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 64 | 29 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 42-44 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 22-24 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 47 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 68 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 16 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 63 | 28 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 19 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 8 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 34 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 18 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 21 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 62 | 27 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 33 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 17 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 26 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 36 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 30 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 24 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 4 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 23 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 53 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |
| 1 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 61 | 26 | Highly Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 33 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 71-73 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 47 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 35 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 32 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 63-65 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 13 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 19 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 17-19 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 7 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 46 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 2 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 13 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 48 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 60 | 25 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 13 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 50-52 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 23 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 42-44 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 11 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 75 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 6 YARRAGUNDRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 43 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 59 | 24 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 13 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 17 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 28 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 18 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 60 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 7 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 54-56 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 26 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 2 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 13-15 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 15 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 78 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 29 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 58 | 23 | Moderately Intrusive Above Sleep Dist Above Sleep Awake |
| 29 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 31 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 9 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 7 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 11 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 9 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 7 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 18-20 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 3-5 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 40 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 62-64 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 35 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 2 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 14-16 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 33 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 22-24 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 41 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 30 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 57 | 22 | Moderately Intrusive Above Sleep Dist |
| 37 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 37 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 43 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 39 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 25-27 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 12 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 41 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 2 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 66 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 12 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 15 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 9-11 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 1 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 30-34 MORGAN ST, URANQUINTY NSW 2652 | OHO | NCA09 | 45 | 66 | 21 | Moderately Intrusive |
| 38 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 1-3 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 56 | 21 | Moderately Intrusive Above Sleep Dist |
| 13 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 2-4 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 6-8 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 2A URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 16 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 5 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 5 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 51 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 29 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 28 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 58 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 2 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 6 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 22-24 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 49 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 12 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 34 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 31 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 37-39 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 31 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 22 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 26 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 23 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 55 | 20 | Moderately Intrusive Above Sleep Dist |
| 20 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 10 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 21 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 2-8 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 7 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 4 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 5 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 6 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 8 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 23 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 9 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 39 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 3 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 10 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 36 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 3 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 9 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 10 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 12 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 54 | 19 | Moderately Intrusive Above Sleep Dist |
| 32 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 31 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 4 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 45 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 14 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 13 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 26-28 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 10 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 13 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 35 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 11 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 11 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 30-32 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 5 RYAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 18 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 14 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 3 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 6 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 22 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 4 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 12 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 15 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 10 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 1 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 5-7 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 7 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 5 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 6 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 29 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 53 | 18 | Moderately Intrusive Above Sleep Dist |
| 25 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 4 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 20 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 14 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 61 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 34-36 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 12 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 18 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 12 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 8 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 16 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 28 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 27 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 16 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 2 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 8 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 5 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 8 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 5 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 8 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 10 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 16 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 10 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 22 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 1 URANQUINTRY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 16 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 67 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 9 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 13-15 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 41 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 3 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 5 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 18 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 11 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 14 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 52 | 17 | Moderately Intrusive Above Sleep Dist |
| 10-16 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 1 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 29 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 28 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 26 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 21 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 5 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 10 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 14 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 33 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 67 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 17 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 24 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 25 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 15 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 1 KEY ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 9 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 47 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 17 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 26 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 27 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 24 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 6 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 27 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 51 | 16 | Moderately Intrusive Above Sleep Dist |
| 3 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 59 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 22 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 2 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 18 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 57 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 7 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 30 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 6 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 2A O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 20 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 25 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 11 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 15 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 8 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 4 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 1 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 4 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 51 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 5 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 2 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 65 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 21 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 29 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 69 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 29 BAKER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 13-15 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 39 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 4 Connorton St, Uranquinty NSW 2652 | RES | NCA09 | 35 | 50 | 15 | Clearly Audible Above Sleep Dist |
| 15 SPAUL ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 1 READ ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 3 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 23 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 24 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 13 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 26 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 3 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 1-3 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 26-28 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 26 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 77 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 81 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 22 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 5 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 79 Connorton St, Uranquinty NSW 2652 | RES | NCA09 | 35 | 49 | 14 | Clearly Audible Above Sleep Dist |
| 14 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 63 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 106 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 20 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 53 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 3 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 12 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 9 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 16 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 55 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 20 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 7 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 9 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 28 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 16 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 30 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 28 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 25 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 35 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 37 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |
| 18 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 48 | 13 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 11 READ ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 1-3 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 7 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 10 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 35 DEANE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 30 KING ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 131 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 21 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 12 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 20 TABER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 75 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 41 GUTTLER ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 71 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 73 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 47 | 12 | Clearly Audible Above Sleep Dist |
| 6 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible Above Sleep Dist |
| 4 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible Above Sleep Dist |
| 10 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible Above Sleep Dist |
| 87 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 46 | 11 | Clearly Audible Above Sleep Dist |
| 56 URANQUINTY CROSS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible Above Sleep Dist |
| 10 HARDIMAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible Above Sleep Dist |

Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 12 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible Above Sleep Dist |
| 85 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 45 | 10 | Clearly Audible Above Sleep Dist |
| 11 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 83 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 44 | 9 | Clearly Audible |
| 21 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 1040 OLD STATION RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 23 GRADYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 43 | 8 | Clearly Audible |
| 2 CASTLE ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 42 | 7 | Clearly Audible |
| 1345 OXLEY BRIDGE RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 41 | 6 | Clearly Audible |
| 1344 OXLEY BRIDGE RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 41 | 6 | Clearly Audible |
| 171 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 41 | 6 | Clearly Audible |
| 5 HARVEYS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 40 | 5 | Noticeable |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 190 RODHAMS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 40 | 5 | Noticeable |
| 1268 OXLEY BRIDGE RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 39 | 4 | Noticeable |
| 190 CONNORTON ST, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 39 | 4 | Noticeable |
| 970 OLD STATION RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 38 | 3 | Noticeable |
| 153 RODHAMS RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 37 | 2 | Noticeable |
| 12 GRADYS RD, URANQUINTY NSW 2652 | OHO | NCA09 | 45 | 47 | 2 | Noticeable |
| 12 GRADYS RD, URANQUINTY NSW 2652 | OHO | NCA09 | 45 | 47 | 2 | Noticeable |
| 144 CHURCHES PLAIN RD, URANQUINTY NSW 2652 | RES | NCA09 | 35 | 36 | 1 | Noticeable |
| 12 GRADYS RD, URANQUINTY NSW 2652 | OHO | NCA09 | 45 | 46 | 1 | Noticeable |
| 12 GRADYS RD, URANQUINTY NSW 2652 | OHO | NCA09 | 45 | 46 | 1 | Noticeable |

### Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

**Airborne Noise - Additional Mitigation Measures Matrix**

| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
|---|---|---|---|---|
| OOHW Daytime Period Sunday 7am - 6pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

| Vibration - Additional Mitigation Measures Matrix | | | |
|---|---|---|---|
| **Time Period** | **Duration** | **Exceedance of 'preferred' value** | **Exceedance of 'maximum' value** |
| OOHW Daytime Period Sunday 8am-6pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period Mon-Sun 6pm-10pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

| Additional Mitigation Measures | |
|---|---|
| **Measure** | **Abbreviation** |
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

**Note 1:** CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

**Note 2:** CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

**Note 3:** RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

| Receiver Types | | | |
|---|---|---|---|
| **Code** | **Description** | **Code** | **Description** |
| RES | Residential | OED | Other Educational |
| COM | Commercial | OHO | Other Hotel |
| IND | Industrial | OLI | Other Library |
| OOA | Other Outdoor Active Recreation | OME | Other Medical |
| OOP | Other Outdoor Passive Recreation | OPW | Other Place of Worship |
| OCC | Other Child Care | OPB | Other Public Building |



MARTINUS

Head Office | 1/23-27 Waratah Street | KIRRAWEE NSW 2232

This document is uncontrolled
when printed.

INLAND RAIL



# URANQUINTY YARD – CONSTRUCTION NOISE AND VIBRATION IMPACT STATEMENT ADDENDUM 2

## A2I I Albury to Illabo

CONTRACT NUMBER: 0052

PROJECT DOCUMENT NUMBER:

6-0052-210-EEC-W1-AS-0001_ADD2

## Document Control

| | | | | |
|---|---|---|---|---|
| **DOCUMENT TITLE:** | Uranquinty Yard – Construction Noise and Vibration Impact Statement Addendum 2 | | | |
| **DOCUMENT OWNER:** | Chris Standing – Environment, Approvals and Sustainability Manager | | | |
| **PREPARED BY:** | Constance Georgiou | **TITLE:** | Environmental Approvals Advisor | |
| **SIGNATURE:** | C.Georgiou | | **DATE:** | 02/12/2025 |
| **REVIEWED BY:** | Steven Dando | **TITLE:** | Environmental Approvals Advisor | |
| **SIGNATURE:** | S. Dando | | **DATE:** | 02/12/2025 |

## Approved by

| NAME | TITLE | SIGNATURE | DATE |
|---|---|---|---|
| Chris Standing | Environment, Approvals and Sustainability Manager (A2P) | C. Standing | 02/12/2025 |

## Revision History

| REVISION | REVISION DATE | AMENDMENT | DATE TO CLIENT |
|---|---|---|---|
| 0 | 02/12/2025 | For information | 02/12/2025 |

Disclaimer: This document has been prepared by Martinus. Use of this document shall be subject to the terms of the relevant contract with Martinus. The electronic file of this current revision is the controlled copy. This file is stored on Martinus' server located at Head Office, Unit 1, 23-27 Waratah St, Kirrawee, NSW.

This document is the property of and contains proprietary information owned by Martinus. No permission is granted to publish, reproduce, transmit or disclose to another party, any information contained in this document, in whole or in part, without prior written permission from the issuing authority.

For the purpose of this document, Martinus refers to the Martinus Group of companies.

This document is uncontrolled when printed.

# TABLE OF CONTENTS

**GLOSSARY** ..... **4**

**1 INTRODUCTION** ..... **5**
1.1 Purpose of the Addendum ..... 5

**2 NOISE ASSESSMENT** ..... **6**
2.1 Sandy Creek access works (W.010A) ..... 6
2.1.1 Scope ..... 6
2.1.2 Assessment ..... 6
2.1.3 Results ..... 6

**3 VIBRATION ASSESSMENT** ..... **8**
3.1 Sandy Creek access works (W.010A) ..... 8

**4 CONCLUSION** ..... **9**
4.1 Mitigation and management measures ..... 9
4.2 Additional mitigation measures ..... 9

**APPENDICES** ..... **12**

**APPENDIX A** ..... **13**
SLR Predict (W.010A) – Approved Daytime ..... 13

**APPENDIX B** ..... **14**
SLR Predict (W.010A) – Daytime OOH ..... 14

# LIST OF TABLES

Table 1: Definitions ..... 4
Table 2: Work scenario description ..... 6
Table 3: Noise exceedances for W.010A (approved daytime) ..... 7
Table 4: Noise exceedances for W.010A (daytime OOH) ..... 7

# LIST OF FIGURES

Figure 1: Work area for W.010A (Uranquinty Yard Addendum) ..... 5
Figure 2: Additional mitigation measures matrix – Noise ..... 10
Figure 3: Additional mitigation measures matrix - Noise & Vibration ..... 11

# GLOSSARY

Specific terms and acronyms used throughout this plan are listed and described in Table 1 below.

**TABLE 1: DEFINITIONS**

| TERM | DEFINITION |
|---|---|
| A2I | Albury to Illabo section of the Inland Rail project |
| CA | Consistency Assessment |
| CNVIS | Construction Noise and Vibration Impact Statement |
| CNVIS Addendum | This document |
| Uranquinty Yard CNVIS | Uranquinty Yard Construction Noise and Vibration Impact Statement (Doc No. 6-0052-210-EEC-W1-AS-0001) |
| km | Kilometres |
| m | Metres |
| NML | Noise Management Level |
| OOH | Out-of-hours |
| Project | Albury to Illabo project approved under section 5.19 of the EP&A Act on 8 October 2024, as modified on 13 August 2025 |
| RBL | Rating Background Level |
| SLR Predict | A2I noise and vibration management tool |
| T | Tonnes |
| W.010A | Work Scenario 10A – Sandy Creek access works |

# 1 INTRODUCTION

## 1.1 Purpose of the Addendum

This Construction Noise and Vibration Impact Statement Addendum (Addendum) has been prepared to identify and assess the work area required for an additional work scenario (W.010A) to support and enable the wider scope of activities associated with the Uranquinty Yard clearances enhancement site (Uranquinty Yard), as shown in Figure 2 below.

This Addendum will form part of the endorsed Construction Noise and Vibration Impact Statement (CNVIS) (Doc No: 6-0052-210-EEC-W1-AS-0001) for Uranquinty Yard.

This Addendum should be reviewed in conjunction with the CNVIS for Uranquinty Yard, including adopted Rating Background Levels (RBL), Noise Management Levels (NML) and assessment criteria in accordance with the Conditions of Approval (CoA) (SSI-10055).




**FIGURE 1: WORK AREA FOR W.010A (URANQUINTY YARD ADDENDUM)**

# 2 NOISE ASSESSMENT

The potential construction noise level from the proposed works have been predicted using SLR Predict, the A2I project-specific noise and vibration tool. This CNVIS Addendum assesses the work scenarios identified in Table 2 below.

**TABLE 2: WORK SCENARIO DESCRIPTION**

| ID | Scenario | Description | Total Lw |
|---|---|---|---|
| W.010A | Sandy Creek Access Works | Access point and track works to support the Sandy Creek bridge works | 108 |

## 2.1 Sandy Creek access works (W.010A)

### 2.1.1 Scope

The additional work scenario (W.010A) required for Uranquinty Yard forms part of the wider scope associated at the Uranquinty Yard clearances enhancement site and will enable the works associated with Sandy Creek bridge. The work area for this additional work scenario has been identified in the Consistency Assessment (CA) for Uranquinty Yard (Doc no: 6-0052-210-EAP-W1-AS-0001).

This CNVIS addendum has assessed the work area required using SLR Predict, the A2I noise and vibration management tool, with the following noted:

**Activity**

- Access point and track works

**Plant and equipment**

- Excavator 15T
- Plate compactor
- Light vehicles

**Construction hours**

- Standard approved construction hours:
  - 7am to 6pm Monday to Friday, inclusive
  - 7am to 6pm Saturday.
- Daytime out-of-hours (OOH)
  - 8am to 6pm Sunday and Public Holidays.

### 2.1.2 Assessment

As noted above, the work area for W.010A has been assessed utilising SLR Predict. The full plant and equipment list (plate compactor and excavator – at 100% utilisation) has been considered as a worst-case scenario within a 15-minute assessment period.

There is a limitation in allowing a comparison of the SLR Predict results with other work scenarios presented in the endorsed CNVIS due to the difference in location, distance and plant and equipment. Due to this limitation, this new work scenario will be assessed on its own in two different assessment periods, approved daytime and daytime OOH.

### 2.1.3 Results

The SLR Predict results are presented in Appendix A and Appendix B, for both daytime and daytime OOH.

Table 3 and Table 4 provide a summary of the exceedances identified through various assessments, with the following noted:

- W.010A exceedances identified in the SLR Predict results during approved daytime hours
- W.010A exceedances identified in the SLR Predict results during daytime OOH

### TABLE 3: NOISE EXCEEDANCES FOR W.010A (APPROVED DAYTIME)

| ASSESSMENT RESULTS | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE |
|---|---|
| | SLR Predict – W.010A (approved daytime) |
| Total Lw (dBA) | 108 |
| Cleary Audible (1-10 dB) | 4 |
| Moderately Intrusive (11-20 dB) | 0 |
| Highly Intrusive (>20 dB) | 0 |

### TABLE 4: NOISE EXCEEDANCES FOR W.010A (DAYTIME OOH)

| ASSESSMENT RESULTS | NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE |
|---|---|
| | SLR Predict – W.010A (daytime OOH) |
| Total Lw (dBA) | 108 |
| Noticeable (1-5 dB) | 10 |
| Clearly Audible (6-15 dB) | 4 |
| Moderately Intrusive (16-25 dB) | 0 |
| Highly Intrusive (>25 dB) | 0 |

Table 3 shows four affected residential receivers with the potential to experience clearly audible (1-10 dB) noise impacts, with Table 4 showing 14 affected residential receivers with the potential to experience noticeable (1-5 dB) and clearly audible (6-15 dB) noise impacts.

The number of affected receivers affected during approved daytime and daytime OOH is very small, as the work area for W.010A is located on the western edge of town, with minimal receivers in close proximity.

The residential receivers potentially affected by the new work scenario (W.010A), were also identified as being impacted by the following scenarios, in the endorsed CNVIS:

- W.003 – Contamination sampling
- W.004 – Geotechnical investigation
- W.005 – Track work – peak
- W.006 – Track work – typical
- W.010 – Sandy Creek bridge work – peak
- W.011 – Sandy Creek bridge work – typical

# 3 VIBRATION ASSESSMENT

## 3.1 Sandy Creek access works (W.010A)

There are no vibration intensive plant and equipment proposed as part of W.010A; therefore, no vibration impacts are expected.

# 4 CONCLUSION

## 4.1 Mitigation and management measures

As this Assessment is an addendum to the endorsed Uranquinty Yard CNVIS, the same mitigation and management measures apply as noted in Section 8 of the CNVIS.

## 4.2 Additional mitigation measures

As noted in Figure 2, Figure 3 and under Appendix A and Appendix B, the SLR Predict noise results include a section on all applicable additional mitigation measures. These additional mitigation measures will be implemented where appropriate.

| Airborne Noise - Additional Mitigation Measures Matrix | | | | |
|---|---|---|---|---|
| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
| OOHW Daytime PeriodSunday 7am - 6pm(including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening PeriodMonday - Sunday 6pm - 10pm(including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night PeriodMonday - Sunday 10pm - 7am(including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

**FIGURE 2: ADDITIONAL MITIGATION MEASURES MATRIX – NOISE**

| Vibration - Additional Mitigation Measures Matrix | | | |
|---|---|---|---|
| **Time Period** | **Duration** | **Exceedance of 'preferred' value** | **Exceedance of 'maximum' value** |
| OOHW Daytime Period Sunday 8am-6pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period Mon-Sun 6pm-10pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

| Additional Mitigation Measures | |
|---|---|
| **Measure** | **Abbreviation** |
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

**Note 1:** CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

**Note 2:** CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

**Note 3:** RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

| Receiver Types | | | |
|---|---|---|---|
| **Code** | **Description** | **Code** | **Description** |
| RES | Residential | OED | Other Educational |
| COM | Commercial | OHO | Other Hotel |
| IND | Industrial | OLI | Other Library |
| OOA | Other Outdoor Active Recreation | OME | Other Medical |
| OOP | Other Outdoor Passive Recreation | OPW | Other Place of Worship |
| OCC | Other Child Care | OPB | Other Public Building |

**FIGURE 3: ADDITIONAL MITIGATION MEASURES MATRIX - NOISE & VIBRATION**

# APPENDICES

# APPENDIX A

## SLR Predict (W.010A) – Approved Daytime

# Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

### Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

**Assessment Details**

| | |
|---|---|
| Author Name | |
| Author Email | noiseassessments@martinus.com.au |
| Author Organisation | Martinus Rail |
| Project Name | A2I - Albury to Illabo |
| Assessment Name | Uranquinty Addendum2 - W.010A |
| Stage | A2I Construction |
| Permit Number | N/A |
| Start Date | 2026-01-12 |
| End Date | 2026-01-13 |
| Assessment Period | Day - standard |

**Equipment Details**

| Plant/Equipment | Equipment Sound Power Level (Unadjusted), dBA | Number of Units | Temporary Noise Barrier |
|---|---|---|---|
| **1: Work Area** (Height: Ground) | Total: 108 | | |
| Excavator - Tracked (20T) 100% operation | 105 | 1 | No |
| Compactor (plate) 100% operation | 104 | 1 | No |

**Note 1:** Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.
**Note 2:** Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

## Assessment Results




| | Residential | Non-Residential |
|---|---|---|
| Highly Intrusive | 0 property | 0 property |
| Moderately Intrusive | 0 property | 0 property |
| Clearly Audible | 4 properties | 0 property |
| Above HNA | 0 property | 0 property |

### Legend

- Project Boundary
- Work Areas
- Barriers

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 2 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 49 | 59 | 10 | Clearly Audible |
| 1 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 49 | 52 | 3 | Clearly Audible |
| 4 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 49 | 52 | 3 | Clearly Audible |
| 6 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 49 | 51 | 2 | Clearly Audible |

### Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

**Airborne Noise - Additional Mitigation Measures Matrix**

| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
|---|---|---|---|---|
| OOHW Daytime Period Sunday 7am - 6pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

| Vibration - Additional Mitigation Measures Matrix | | | |
|---|---|---|---|
| **Time Period** | **Duration** | **Exceedance of 'preferred' value** | **Exceedance of 'maximum' value** |
| OOHW Daytime Period Sunday 8am-6pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period Mon-Sun 6pm-10pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

| Additional Mitigation Measures | |
|---|---|
| **Measure** | **Abbreviation** |
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

**Note 1:** CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

**Note 2:** CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

**Note 3:** RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

| Receiver Types | | | |
|---|---|---|---|
| **Code** | **Description** | **Code** | **Description** |
| RES | Residential | OED | Other Educational |
| COM | Commercial | OHO | Other Hotel |
| IND | Industrial | OLI | Other Library |
| OOA | Other Outdoor Active Recreation | OME | Other Medical |
| OOP | Other Outdoor Passive Recreation | OPW | Other Place of Worship |
| OCC | Other Child Care | OPB | Other Public Building |

# APPENDIX B

## SLR Predict (W.010A) – Daytime OOH

# Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts are been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

### Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

**Assessment Details**

| | |
|---|---|
| Author Name | |
| Author Email | noiseassessments@martinus.com.au |
| Author Organisation | Martinus Rail |
| Project Name | A2I - Albury to Illabo |
| Assessment Name | Uranquinty Addendum2 - W.010A |
| Stage | A2I Construction |
| Permit Number | N/A |
| Start Date | 2026-01-12 |
| End Date | 2026-01-13 |
| Assessment Period | Day - out of hours |

**Equipment Details**

| Plant/Equipment | Equipment Sound Power Level (Unadjusted), dBA | Number of Units | Temporary Noise Barrier |
|---|---|---|---|
| **1: Work Area** (Height: Ground) | Total: 108 | | |
| Excavator - Tracked (20T) 100% operation | 105 | 1 | No |
| Compactor (plate) 100% operation | 104 | 1 | No |

**Note 1:** Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.
**Note 2:** Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

## Assessment Results




| | Residential | Non-Residential |
|---|---|---|
| Highly Intrusive | 0 property | 0 property |
| Moderately Intrusive | 0 property | 0 property |
| Clearly Audible | 4 properties | 0 property |
| Noticeable | 10 properties | 0 property |

### Legend

| |
|---|
| Project Boundary |
| Work Areas |
| Barriers |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 2 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 59 | 15 | Clearly Audible |
| 1 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 4 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 52 | 8 | Clearly Audible |
| 6 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 51 | 7 | Clearly Audible |
| 8 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 49 | 5 | Noticeable |
| 14 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 10 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 1 PEARSON ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 48 | 4 | Noticeable |
| 3 O'CONNOR ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 12 MORGAN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 47 | 3 | Noticeable |
| 3 BRIDGE ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 2 BEST ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 46 | 2 | Noticeable |
| 12 BEN ST, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |

## Results by Receiver

| Address | Land Use | Noise Catchment Area | Construction Noise Management Level, dBA | Predicted Noise Level, dBA | Predicted Noise Level Above Noise Management Level, dB | Noise Category |
|---|---|---|---|---|---|---|
| 6066 OLYMPIC HWY, URANQUINTY NSW 2652 | RES | NCA09 | 44 | 45 | 1 | Noticeable |

### Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

**Airborne Noise - Additional Mitigation Measures Matrix**

| Time Period | Exceedance of NML | Perception | Duration | Communication Category/Management Measure |
|---|---|---|---|---|
| OOHW Daytime Period Sunday 7am - 6pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | >25 | Highly intrusive | Any | CO1, CO2 |
| | | | >2 consecutive rest periods | CO1, CO2, RO |
| OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays) | <5 | Noticeable | Any | CO1 |
| | 5 - 15 | Clearly audible | Any | CO1 |
| | 16 - 25 | Moderately intrusive | Any | CO1, CO2 |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO |
| | >25 | Highly intrusive | Any | CO1, CO2, RO |
| | | | >2 consecutive sleep periods | CO1, CO2, RO, AO, AltA |

| Vibration - Additional Mitigation Measures Matrix | | | |
|---|---|---|---|
| **Time Period** | **Duration** | **Exceedance of 'preferred' value** | **Exceedance of 'maximum' value** |
| OOHW Daytime Period Sunday 8am-6pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Evening Period Mon-Sun 6pm-10pm | Any | CO1, CO2 | CO1, CO2, RO |
| OOHW Night Period Mon-Sat 10pm-7am Sun 10pm-8am | Any | CO1, CO2, RO | CO1, CO2, RO, AltA |

| Additional Mitigation Measures | |
|---|---|
| **Measure** | **Abbreviation** |
| Communication (Category 1)[1] | CO1 |
| Communication (Category 2)[2] | CO2 |
| Respite Offer[3] | RO |
| Alternative Accommodation | AltA |
| Agreement with Owners | AO |

**Note 1:** CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.
**Note 2:** CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.
**Note 3:** RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

| Receiver Types | | | |
|---|---|---|---|
| **Code** | **Description** | **Code** | **Description** |
| RES | Residential | OED | Other Educational |
| COM | Commercial | OHO | Other Hotel |
| IND | Industrial | OLI | Other Library |
| OOA | Other Outdoor Active Recreation | OME | Other Medical |
| OOP | Other Outdoor Passive Recreation | OPW | Other Place of Worship |
| OCC | Other Child Care | OPB | Other Public Building |

# Appendix C Heritage Assessment (OzArk)

OzArk Environment & Heritage
Dubbo | Queanbeyan
Wollongong | Newcastle
Hazelbrook | Stroud

T: 02 6882 0118
enquiry@ozarkehm.com.au
www.ozarkehm.com.au

ABN 29 675 720 564

145 Wingewarra St
PO Box 2069
DUBBO NSW 2830

3 December 2025

# INLAND RAIL: ALBURY TO ILLABO (A2I) – URANQUINTY
# CIZ EXTENSION HERITAGE ASSESSMENT: MEMORANDUM OF FINDINGS

## 1 INTRODUCTION

OzArk Environment & Heritage (OzArk) has been engaged by Inland Rail Pty Ltd (IR, the client), on behalf of Australian Rail Track Corporation (ARTC, the proponent), to provide this memorandum regarding the proposed extension of the Inland Rail Albury to Illabo (A2I) Construction Impact Zone (CIZ) to facilitate the installation of signalling cabling, stockpiling and material laydown areas, a construction office compound including crib hut and ablution block, as well as the upgrade and maintenance of vehicle access tracks and a hardstand for parking. The additional land required for the proposed works is located at Uranquinty Railway Station, Uranquinty, and was not part of the original assessment covered by the Environmental Impact Statement (EIS). The CIZ extension area is located in the Wagga Wagga Local Government Area (LGA).

## 2 BACKGROUND

The A2I section of the Inland Rail project is Critical State Significant Infrastructure (CSSI) and was approved on 8 October 2024 (Infrastructure Approval). The approval covered all works proposed within the CIZ.

### 2.1 PREVIOUS ASSESSMENT / OTHER DOCUMENTATION

In 2022, GML prepared a *Statement of Heritage Impact* and an *Aboriginal Cultural Heritage Assessment Report* for the Albury to Illabo (A2I) section of the Inland Rail project to enable the required modification of the existing track and associated overhead structures to a sufficient height and width to support the safe running of double-stacked freight trains. The parcel of land at Uranquinty that is the CIZ extension for this assessment, was not included in the previous studies.

As per Condition of Approval (CoA) A15 for the A2I project, ancillary facilities not specifically listed in the A2I EIS and associated documentation (as listed in CoA A1) can be established, as long as "they have no impacts on heritage items (including areas of archaeological sensitivity)" (A15(c)).

The following memo will assess whether CoA A15 can be met in terms of the proposed inclusion of the additional land parcel at Uranquinty.

## 3 APPROACH

OzArk has prepared this Heritage Memorandum of Findings with reference to the *Due Diligence Code of Practice for the Protection of Aboriginal Objects in NSW* (Due Diligence Code), Heritage Council's *Investigating Heritage Significance, A guide to identifying and examining heritage items in NSW* and the *Historical Archaeology Code of Practice* to assess whether Aboriginal objects or items of historic significance may be harmed by the proposed CIZ extension. This assessment will inform a Consistency Assessment as per CoA A15.

## 4 PROPOSED ACTIVITY

The extension of the CIZ at Uranquinty is to facilitate the installation of signalling cabling, stockpiling and material laydown areas, a construction office compound including crib hut and ablution block, as well as the upgrade and maintenance of vehicle access tracks and a hardstand for parking (**Figure 4-2**).

The installation of the signalling infrastructure will require minor excavation of the ground surface through trenching and under-boring.

It is understood that the remainder of proposed works will not disturb the ground surface (i.e. require excavation) and that Martinus requires the use of the additional areas primarily for access, temporary material laydown and stockpiling, and site compounds.

The CIZ extension covers approximately 7996 m² across three separate areas along the rail corridor in Uranquinty, as shown on **Figure 4-1**.

**Figure 4-1: Aerial showing the CIZ extension in relation to approved CIZ.**









**Figure 4-2: Uranquinty CIZ extension project components (Martinus 2025).**




CIZ needs to be extended to allow vehicle access to Sandy Creek Bridge - not enough room to pass by existing signal hut in current CIZ
URANQUINTY STATION PLATFORM
210-03-1-ELO-02-QLD
EXISTING ESSENTIAL ENERGY OH WIRES TO BE ADJUSTED BY OTHERS
MAIN LINE
LOOP LINE


FROM ILLABO
TO ALBURY
OLYMPIC HWY
MAIN LINE
LOOP LINE
CIZ needs to be extended to allow vehicle access into work area. Facilitate access from Pearson St
LEGEND
KEY PLAN
DETAILED DESIGN REVIEW
ALBURY TO ILLABO
GENERAL ARRANGEMENT


FROM ILLABO
TO ALBURY
CIZ needs to be extended to allow vehicle access into work area. Facilitate access off Olympic Hwy
CIZ needs to be extended to facilitate tamping works
MAIN LINE
LOOP LINE
NOTE:
1. THE UTILITIES INFORMATION SHOWN IS FOR COORDINATION ONLY. REFER TO UTILITY AUTHORITY APPROVED TREATMENT FOR ANY UTILITY ADJUSTMENT OR RELOCATION WORKS.
2. ON SITE GEOTECHNICAL INVESTIGATION TO BE CONDUCTED TO CONFIRM FORMATION TREATMENT FOR 300mm+ TRACK SLEWS AREAS. SUITABLE EARTHWORKS CONSTRUCTION METHODOLOGY TO BE DEVELOPED IN COORDINATION WITH UTILITY AUTHORITIES.
MAIN LINE - PLAN
SCALE 1:500
KEY PLAN
NTS
LEGEND
EXISTING ELECTRICAL POLE
CADASTRAL BOUNDARY
PROPOSED TRACK CENTRELINE
PROPOSED CONSTRUCTION IMPACT ZONE
PROPOSED EARTHWORKS
PROPOSED TRENCH DRAIN
PROPOSED CESS DRAIN
EXISTING DRAINAGE
PROPOSED RIPRAP
DETAILED DESIGN REVIEW
© 2022 Australian Rail Track Corporation Ltd.
INLAND RAIL
ARTC

# 5 ABORIGINAL CULTURAL HERITAGE ASSESSMENT

## 5.1 AHIMS SEARCH

On 30 September 2025, a basic search of the Aboriginal Heritage Information Management System (AHIMS) was undertaken over a 1.5 kilometre (km) x 1.5 km area centred on the CIZ extension area (GDA, Zone: 55, Eastings: 521462–522959, Northings: 6104729–6106229) (see **Appendix 1**).

No Aboriginal sites have been registered within the search area.

There are no other sources of information to indicate that Aboriginal objects are likely in the CIZ extension.

## 5.2 LANDFORM

The CIZ extension extends across flat alluvial plains, situated approximately 200 metres (m) above sea level (Australian Height Datum). The CIZ extension is also intersected by a non-perennial watercourse, Sandy Creek. This landform is defined in the *Due Diligence Code of Practice* as archaeologically sensitive (land within 200 m of waters).

## 5.3 VISUAL INSPECTION

A visual inspection of the CIZ extension was completed by Project Archaeologist Imogen Crome on 1 October 2025. No Registered Aboriginal Party representatives attended the inspection (**Figure 5-1**).

The CIZ extension area was noted as being heavily disturbed by the construction of the Uranquinty township and various elements of railway or road infrastructure. Ground surface visibility (GSV) was recorded as very low outside of the existing access tracks (**Figure 5-2**) due to vegetation and extensive spreading of ballast material.

Areas of potential archaeological sensitivity at Sandy Creek, identified at the desktop level, were considered during the visual inspection to have low archaeological potential, owing to the existing disturbance from the establishment of the railway and associated bridge.

**Figure 5-1: Pedestrian transect over the CIZ extension.**




**Figure 5-2: Views of the CIZ extension.**



1. View east across the CIZ extension.



2. View west across access track within CIZ extension.



3. View east within CIZ extension.



4. View west across Sandy Creek rail bridge within CIZ extension.

# 6 CONCLUSION – ABORIGINAL HERITAGE

The assessment for Aboriginal heritage using the Due Diligence Code has determined that the proposed CIZ extension has a low likelihood of harming Aboriginal objects or landscape features with archaeological sensitivity (see **Table 6-1**).

No previously recorded Aboriginal sites are within, or near to, the CIZ extension, and it was determined that due to land use disturbance, there is a very low likelihood of intact, subsurface archaeological deposits. As documented in **Table 6-1** no further archaeological investigation is required.

The works may proceed with caution and in the unlikely event that Aboriginal objects are encountered, refer to the Cultural Heritage Unexpected Find Procedure in Appendix A of the *Inland Rail A2P Albury to Illabo Construction Management Plan*.

**Table 6-1: Due Diligence Code of Practice application.**

| Step | Reasoning | Answer |
|---|---|---|
| Step 1<br>Will the activity disturb the ground surface or any culturally modified trees? | The activities of ARTC will involve minor excavation to install railway signalling infrastructure.<br>The proposal activity is not an exempt activity or a low impact activity. | Yes |
| **If the answer to Step 1 is 'yes', proceed to Step 2** | | |
| Step 2a<br>Are there any relevant records of Aboriginal heritage on AHIMS to indicate presence of Aboriginal objects? | A search of the AHIMS database indicated that there are no Aboriginal sites within the CIZ extension. | No |
| Step 2b<br>Are there other sources of information to indicate presence of Aboriginal objects? | There are no sources of information to indicate that Aboriginal objects are likely in the CIZ extension. | No |
| Step 2c<br>Will the activity impact landforms with archaeological sensitivity as defined by the Due Diligence Code? | Landforms with identified archaeological sensitivity are present in the CIZ extension (within 200 m of waters). | Yes |
| **If the answer to any stage of Step 2 is 'yes', proceed to Step 3** | | |
| Step 3<br>Can harm to Aboriginal objects listed on AHIMS or identified by other sources of information and/or can the carrying out of the activity at the relevant landscape features be avoided? | The proposal will impact landforms with archaeological sensitivity as identified in the Due Diligence Code of Practice: landforms within 200 m waters. | No. |
| **If the answer to Step 3 is 'no', a visual inspection is required. Proceed to Step 4** | | |
| Step 4<br>Does the visual inspection confirm that there are Aboriginal objects or that they are likely? | The visual inspection recorded no Aboriginal objects in the proposed CIZ extension. Landforms with identified archaeological sensitivity that were identified at a desktop level were found during the inspection to have low archaeological potential. Proceed with caution. | No |
| **Conclusion** | | |
| **Proceed with caution.** | | |

# 7 NON-ABORIGINAL HERITAGE ASSESSMENT

## 7.1 DESKTOP SEARCH

A desktop search was conducted on the following databases to identify any potential previously recorded heritage within the CIZ extension. The results of this search are summarised in **Table 5-1**.

**Table 7-1: Historic heritage: desktop-database search results.**

| Name of Database Searched | Date of Search | Type of Search | Comment |
|---|---|---|---|
| National and Commonwealth Heritage Listings | 30 September 2025 | Wagga Wagga LGA | No sites within CIZ extension. |
| State Heritage Register | 30 September 2025 | NSW | No SHR sites within CIZ extension. |
| Local Environment Plan (LEP) | 30 September 2025 | Wagga Wagga LEP 2010 | Two LEP items partially within the CIZ extension, three LEP items adjacent to CIZ extensions. |

Though Uranquinty contains multiple LEP listed items, a search of the Heritage Council of NSW administered heritage databases and Wagga Wagga LEP 2010 identified two LEP items which partially intersect the CIZ extension. These LEP items, Memorial Avenue (LEP I304), and the Uranquinty Silos (LEP I296), and their relation to the CIZ extension are shown in **Figure 7-1**. Three LEP listed items, Uranquinty Hotel (LEP I289), Uranquinty General Store (LEP I290) and St Patrick's Roman Catholic Church (LEP I288) are located along the Olympic Highway adjacent to the CIZ extension.

**Figure 7-1: Aerial showing affected and nearby LEP items.**




## 7.2 SUMMARY OF SIGNIFICANCE

The SHR summarises the significance of the LEP listed items Memorial Avenue (LEP I304), and the Uranquinty Silos (LEP I296) below:

Uranquinty Silos: *These concrete silos are commonly found dolled along railway lines and are the first structures associated with large-scale grain handling in the region and have a landmark quality.*

*Built 1920 and received the first wheat delivery in 1920-21 season. Constructed by the Government as part of the original scheme to establish a grain elevator system in New South Wales. Uranquinty silos had a capacity of 150,000 bushels [4050 tonnes]. Comprised of workhouse, elevator and two concrete bins.*

The SHR lists the large concrete silos as locally significant.

Memorial Avenue: *A row of white cedars [which] line the west side of Pearson Street – [northern block only]. This avenue of white cedar trees has local social significance as it was planted to commemorate each soldier who went to war from Uranquinty.*

The SHR lists the row of white cedars which line the west side of Pearson Street as locally significant.

Uranquinty Hotel: *Long low building with a prominent central gable projection featuring decorative half timbering to the gable end. The hip roof is clad with corrugated iron. Built in the 1880s. The hotel forms an important community focus and is an attractive element in the main street of Uranquinty.*

The SHR lists the Uranquinty Hotel as locally significant.

Uranquinty General Store: *Brick construction with a corrugated iron roof and an awning verandah. The building was originally a bakery; the bakehouse still stands at the rear of the store. The former general store was until recent times the focus of the Uranquinty community and is of historical and social significance.*

St Patrick's Roman Catholic Church: *A red brick church with a steeply pitched gable roof with exposed rafters. Features include buttresses and timber lancet windows. White painted render detailing to the buttresses and window heads.*

The SHR lists St Paatrick's Roman Catholic Church as holding historical and social significance to the Roman Catholic community of Uranquinty and district.

## 7.3 VISUAL INSPECTION

A visual inspection of the CIZ extension was undertaken by Project Archaeologist Imogen Crome on 1 October 2025.

The CIZ extension intersects the curtilages of the two LEP-listed items – Memorial Avenue (LEP I304) and Uranquinty Silos (LEP I296) – however is predominantly located within the LEP curtilage for Uranquinty Silos (**Figure 7-1**).

The visual inspection identified a rail track line associated with the Uranquinty Silos which runs parallel to the main rail line on the western side of the Silos. The track line was noted as no longer in service (**Figure 7-2**).

**Figure 7-2: View of track line associated with Uranquinty Silos.**



The track line extends across and outside of the LEP curtilage and is not included on the SHR as being of significance in relation to the Silos. Nevertheless, it is recommended that the line be avoided where possible.

The Memorial Avenue trees are in good condition and it is considered that the proposed works will have a negligible impact on the heritage fabric of this item, being physically separated by a fence line (**Figure 7-3**).

**Figure 7-3: View of Memorial Avenue from within CIZ extension (note separating fence).**



The proposed activities will avoid all structures and heritage listed trees associated with the Uranquinty Silos and Memorial Avenue which have been identified as holding local heritage significance. All parking and laydown areas are located at a suitable distance from the Uranquinty Silos as to not impact the viewshed to and from the item. Additionally, the proposed works within these LEP-listed curtilages will be limited to within existing areas of disturbance, and as such there is negligible risk of harm to listed heritage items.

All physical elements associated with the Uranquinty Silos and Memorial Avenue are extant. Therefore, there is negligible potential for archaeological deposits associated with these items to be present within the LEP curtilages.

The remainder of the CIZ extension extends across areas outside of LEP-listed curtilages. These areas were assessed during the visual inspection as being disturbed by the construction of rail and road infrastructure. As such, they have a low likelihood of containing unrecorded, significant, historic archaeological deposits.

## 8 CONCLUSION – HISTORIC HERITAGE

The proposed works associated with the CIZ extension do not entail any ground disturbing works within the curtilages of the two LEP-listed items and primarily include activities such as temporary laydown/stockpiling areas, work compounds, and use of existing access tracks. All heritage fabric within LEP and SHR curtilages will be avoided, and it is considered that there will be negligible impact to the heritage values of both Memorial Avenue and Uranquinty Silos as a result of the proposed works within the CIZ extension.

Additionally, it is assessed that the CIZ extension will have a negligible impact on the heritage values of the Uranquinty Hotel, Uranquinty General Store and St Patricks Roman Catholic Church.

The works may proceed with caution with no further management measures. In the unlikely event that historic objects are encountered, refer to the Cultural Heritage Unexpected Find Procedure in Appendix A of the *Inland Rail A2P Albury to Illabo Construction Management Plan*.

# 9 REFERENCES

DECCW 2010. *Due Diligence Code of Practice for the Protection of Aboriginal Objects in NSW*. Department of Environment, Climate Change and Water, Sydney.

Department of Planning and Environment 2023. *Assessing heritage significance. Guidelines for assessing places and objects against the Heritage Council of NSW criteria*.

GML Heritage 2022. *Inland Rail – Albury to Illabo, Aboriginal Cultural Heritage Assessment Report*. Report prepared for ARTC.

GML Heritage 2022. *Inland Rail – Albury to Illabo, Non-Aboriginal Heritage*, *Statement of Heritage Impact*. Report prepared for ARTC.

NSW Heritage Council 2006. *Historical Archaeology Code of Practice.* Department of Planning and Environment, Sydney.

## APPENDIX 1: AHIMS SEARCH

**AHIMS Web Services (AWS)**
**Search Result**

Your Ref/PO Number : Uranquinty 1.5x1.5
Client Service ID : 1049971


OzArk Environmental and Heritage Management - Dubbo
PO Box 2069
Dubbo New South Wales 2830
Attention: Ryan Zanker
Email: ryan@ozarkehm.com.au

Date: 30 September 2025

Dear Sir or Madam:

**AHIMS Web Service search for the following area at Datum :GDA, Zone : 55, Eastings : 521462.0 - 522959.0, Northings : 6104729.0 - 6106229.0 with a Buffer of 0 meters, conducted by Ryan Zanker on 30 September 2025.**

**The context area of your search is shown in the map below. Please note that the map does not accurately display the exact boundaries of the search as defined in the paragraph above. The map is to be used for general reference purposes only.**




A search of Heritage NSW AHIMS Web Services (Aboriginal Heritage Information Management System) has shown that:

| | |
|---|---|
| 0 | Aboriginal sites are recorded in or near the above location. |
| 0 | Aboriginal places have been declared in or near the above location. * |

# Appendix D Biodiversity Assessment Report Memo (ECE)

Constance Georgiou
Environmental Approvals Advisor
Martinus Rail Pty Ltd

4th of December 2025

**Biodiversity Memorandum: Inland Rail (Albury to Illabo) - Uranquinty**

Dear Constance,

Martinus Rail Pty Ltd (Martinus) on behalf of the Australian Rail Track Corporation (ARTC) propose to conduct vegetation removal and thinning in Uranquinty to help facilitate the construction of the Albury to Illabo (A2I) Inland Rail upgrade (the Proposed Change).

The Proposed Change is located outside of the approved construction boundary of the Inland Rail program (the Project) and was not assessed as a part of the Inland Rail, Albury to Illabo Revised Technical Paper 8: Biodiversity Development Assessment Report (BDAR) (WSP, 2024).

### 1.1 Scope of Assessment

East Coast Ecology Pty Ltd (ECE) was commissioned by ARTC c/- Martinus to prepare a Biodiversity Memo, for the Proposed Change. The scope of this assessment was to identify and assess impacts to species and ecological communities listed as threatened under the *Biodiversity Conservation Act 2016* (NSW) (BC Act), *Fisheries Management Act 1994* (FM Act) and Matters of National Environmental Significance (MNES) listed under the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) and where relevant, the requirements of the *Biosecurity Act 2015* (NSW), and relevant State Environmental Planning Policies (SEPPs).

The area assessed in this memo has been defined by representatives of Martinus, this memo has been prepared to accompany a Consistency Assessment (CA) in relation to the Proposed Change and is hereafter referred to as the Subject Land.

### 1.2 The Subject Land

The Subject Land is located in the suburb of Uranquinty within the Wagga Wagga Local Government Area (LGA), covering an area of approximately 1.99ha. The location of the Subject Land is provided in **Figure 1**.





**Figure 1. Location of the Subject Land.**

# 2. METHODS

A thorough literature review of local information relevant to the Subject Land was undertaken. Searches using NSW Wildlife Atlas (BioNet) (NSW DCCEEW, 2025a), the Commonwealth Protected Matters Search Tool (PMST) (DCCEEW, 2025) and the Fisheries Spatial Data Portal (DPI, 2025) were conducted to identify all current threatened flora and fauna, as well as migratory fauna records, within a 5km radius of the Subject Land. A literature review was also undertaken of all relevant project documentation, including;

- Biodiversity Development Assessment Report (WSP, 2024), and
- Environmental Impact Statement (ARTC, 2022).

This assessment provides the results of the assessment of the sites that were determined to not contain PCT's vegetation or other ecological constraints.

## 2.1 Native Vegetation

A review of the State Vegetation Type Map (NSW DCCEEW, 2025b) was used to assist in the identification of Plant Community Types (PCTs) within and surrounding the Subject Land. The PCT of 'best-fit' was determined based on the floristic descriptions within the BioNet Vegetation Classification System database (NSW DCCEEW, 2025c).

## 2.2 Threatened Flora Survey Methods

Threatened flora that are known or likely to occur within the Subject Land and immediate surrounds (i.e. within 5km) were identified following a review of BioNet and the PMST. Soil mapping (NSW DCCEEW, 2025d) and topography (Google Earth) were also used to provide further context on habitat constraints for threatened flora.

Targeted surveys were undertaken by Ecologist Josh Brown on the 13th of June 2025, using parallel field traverses in accordance with the 'Surveying threatened plants and their habitats - NSW survey guide for the Biodiversity Assessment Method' (DPIE, 2020). All vegetated areas within the Subject Land were surveyed.

## 2.3 Threatened Fauna Survey Methods

Threatened fauna were recorded opportunistically however, their habitats (e.g. waterbodies, rocky areas, tree hollows), were targeted during the parallel field traverses. Potential habitat constraints within the broader area (500m buffer) were assessed using Google Earth, soil landscape mapping (NSW DCCEEW, 2025d) and recent vegetation mapping (NSW DCCEEW, 2025b).

# 3. EXISTING ENVIRONMENT

## 3.1 Rivers, streams, estuaries and wetlands

Sandy Creek, a sixth order mapped watercourse transects the Subject Land in the south-western extent. The Subject Land is therefore associated with its riparian buffer zone.

DRAFT

### 3.2 Habitat Connectivity

Negligible terrestrial habitat connectivity exists between the Subject Land and the broader landscape due to historical clearing and existing infrastructure (e.g. roads, railway and built areas).

The Subject Land may provide mobile species with minor refuge while moving throughout the landscape, however due to the degraded condition of the vegetation, it is not considered likely that threatened species would be reliant on this area as a part of their life cycle.

### 3.3 Karst, Caves, Crevices, Cliffs, Rocks or Other of Geological Features of Significance

The Subject Land did not contain any areas of geological significance, such as karsts, caves, cliffs or crevices. The Subject Land was not mapped as occurring on acid sulfate soils nor mapped as having risk/ probability of exhibiting occurrence of acid sulfate soils.

### 3.4 Areas of Outstanding Biodiversity Value

No Areas of Outstanding Biodiversity Value occur on the Subject Land or the surrounding area.

### 3.5 Topography, Geology and Soils

The Subject Land is mapped as occurring on both the 'Belfrayden' and 'O'Briens Creek' soil landscapes, characterised by gently undulating plain of thick alluvial clay sequence and gently undulating plains of alluvial sediments, respectively. The Subject Land occurs on gently inclined terrain, ranging from 209m above sea level (asl) in the north-eastern extent to 216m asl in the south-western extent (Google Earth).

### 3.6 Mapped Native Vegetation Communities – NSW State Vegetation Type Map

The NSW State Vegetation Type Map (NSW DCCEEW, 2025b) indicated the presence of five PCT's within or close proximity to the Subject Land :

- PCT 74: Yellow Box - River Red Gum tall grassy riverine woodland of NSW South Western Slopes Bioregion and Riverina Bioregion
- PCT 76: Western Grey Box tall grassy woodland on alluvial loam and clay soils in the NSW South Western Slopes and Riverina Bioregions
- PCT 79: River Red Gum shrub/grass riparian tall woodland or open forest wetland mainly in the upper slopes sub-region of the NSW South Western Slopes Bioregion and western South Eastern Highlands Bioregion
- PCT 80: Western Grey Box - White Cypress Pine tall woodland on loam soil on alluvial plains of NSW South Western Slopes Bioregion and Riverina Bioregion, and
- PCT 277: Blakely's Red Gum - Yellow Box grassy tall woodland of the NSW South Western Slopes Bioregion.

Of these, the following PCT's are associated with the below threatened ecological communities (TEC):

- PCT 74 & PCT 277:
    - BC Act Listed; White Box - Yellow Box - Blakely's Red Gum Grassy Woodland and Derived Native Grassland in the NSW North Coast, New England Tableland, Nandewar, Brigalow Belt South, Sydney Basin, South Eastern Highlands, NSW South Western Slopes, South East Corner and Riverina Bioregions (Critically Endangered)

- EPBC Act Listed; White Box-Yellow Box-Blakely's Red Gum Grassy Woodland and Derived Native Grassland (Critically Endangered)

- PCT 76 & PCT 80:
  - BC Act Listed; Inland Grey Box Woodland in the Riverina, NSW South Western Slopes, Cobar Peneplain, Nandewar and Brigalow Belt South Bioregions (Endangered)
  - EPBC Act Listed; Grey Box (*Eucalyptus microcarpa*) Grassy Woodlands and Derived Native Grasslands of South-eastern Australia (Endangered)

- PCT 80:
  - BC Act Listed; Mallee and Mallee-Broombush dominated woodland and shrubland, lacking Triodia, in the NSW South Western Slopes Bioregion (Critically Endangered)

The Subject Land has been mapped as PCT 74: Yellow Box - River Red Gum tall grassy riverine woodland of NSW South Western Slopes Bioregion and Riverina Bioregion and PCT 0: Not classified. The State Vegetation Map is presented in **Figure 2**. The previous vegetation mapping from the Biodiversity Development Assessment Report (WSP, 2024), relevant to the Subject Land is provided in **Figure 3**.

DRAFT





**Figure 2. NSW State Vegetation Type Map.**





**Figure 3. Previous vegetation mapping (WSP, 2024) in proximity to the Subject Land.**

# 4. RESULTS

## 4.1 Vegetation Communities.

Field surveys revealed the following vegetation community types described by WSP (2024):

- Miscellaneous Ecosystems – 'Ornamental Plantings', and
- Miscellaneous Ecosystems – 'Highly Disturbed areas with no or limited Native Vegetation'.

These vegetation community types are consistent with the vegetation types described in the approved BDAR. Details pertaining to vegetation identified is provided in **Table 2** & **Table 3**. The field-validated vegetation mapping is depicted in **Figure 4** & **Figure 5**.

**Table 1. Vegetation communities identified within the Subject Land.**

| Community Name | Area within the Subject Land (ha) |
|---|---|
| Miscellaneous Ecosystems – Ornamental Plantings | 0.01ha |
| Miscellaneous Ecosystems – Highly Disturbed areas with no or limited Native Vegetation | 1.25ha |
| **Total Area** | **1.26ha** |

DRAFT

**Table 2. Miscellaneous Ecosystems - Ornamental plantings vegetation identified within the Subject Land.**

| Miscellaneous Ecosystems – Ornamental Plantings | |
|---|---|
| **Novel Vegetation Type** | **Miscellaneous Ecosystems – Ornamental Plantings** |
|  | |
| **Extent** | 0.01ha |
| **Description of vegetation** | The Subject Land displayed historical and ongoing residential and community use comprised of ornamental native and exotic species planted for aesthetic purposes and was therefore determined to have limited ecological function (WSP, 2024).<br><br>The vegetation within this zone was comprised of exotic and non-endemic native ornamental plantings. Vegetation was mostly planted in the street verge or nature strip and consisted of very few *Casuarina glauca* and *Pinus radiata*. |

**Table 3. Miscellaneous Ecosystems - Highly Disturbed areas with no or limited Native Vegetation, vegetation identified within the Subject Land.**

| Miscellaneous Ecosystems - Highly Disturbed areas with no or limited Native Vegetation | |
|---|---|
| **Novel Vegetation Type** | **Miscellaneous Ecosystems - Highly Disturbed areas with no or limited Native Vegetation** |
|  | |
| **Extent** | 1.25ha |
| **Description of vegetation** | The Subject Land displayed a long history of disturbance from infrastructure (rail and road) and industrial use, the Subject Land is comprised of no or limited native species and is dominated by exotic species, and provides limited ecological function (WSP, 2024). The regions this vegetation occurred, were almost entirely developed and displayed a long history of disturbance from infrastructure such as roads, rail, carparks and concrete footpaths.<br><br>The vegetation within this zone was heavily comprised of exotic ground cover species such as *Conyza spp.*, *Eragrostis cilianensis*, *Sorghum halepense*, *Axonopus fissifolius*, *Cenchrus clandestinus*, *Setaria parviflora, Bromus catharticus, Briza spp, Cyperus spp.*<br><br>Native vegetation was limited to very few scattered *Trisetum spicatum* and *Gonocarpus teucrioides* at the time of the assessment. |




**Figure 4. Field-validated Vegetation Communities (Map 1 of 2).**





**Figure 5. Field-validated Vegetation Communities (Map 2 of 2).**

### 4.2 Threatened Flora

BioNet and PMST searches revealed seven threatened flora species occur, or have potential to occur, within a ~5km radius of the Subject Land.

**Table 4. Threatened flora with potential to occur within the Subject Land.**

| Scientific Name | Common Name | BC Act | EPBC Act | Records within 5km |
|---|---|---|---|---|
| *Brachyscome muelleroides* | Mueller Daisy | V | V | Modelled Only |
| *Caladenia arenaria* | Sand-hill Spider-orchid | E | E | Modelled Only |
| *Caladenia concolor* | Crimson Spider-orchid | E | V | Modelled Only |
| *Lepidium aschersonii* | Spiny Peppercress | V | V | Modelled Only |
| *Prasophyllum petilum* | Tarengo Leek Orchid | E | E | Modelled Only |
| *Swainsona murrayana* | Slender Darling-pea | V | V | Modelled Only |
| *Swainsona recta* | Small Purple-pea | E | E | Modelled Only |

*V – Vulnerable; E – Endangered; EP – Endangered Population; CE – Critically Endangered*

The results from the site assessment, including targeted flora surveys and habitat assessment, were used to assess each species' likelihood of occurrence within the Subject Land. After carrying out the assessment, the assessor determined that the habitat is substantially degraded such that all potential threatened flora species are unlikely to occur within the Subject Land.

### 4.3 Threatened Fauna

BioNet and PMST searches revealed 33 threatened fauna occur, or have potential to occur, within a ~5km radius of the Subject Land.

**Table 5. Threatened fauna with potential to occur within the Subject Land.**

| Scientific Name | Common Name | BC Act | EPBC Act | Records within 5km |
|---|---|---|---|---|
| *Anthochaera phrygia* | Regent Honeyeater | CE | CE | Modelled Only |
| *Antigone rubicunda* | Brolga | V | - | 1 |
| *Aphelocephala leucopsis* | Southern Whiteface | V | V | Modelled Only |
| *Aprasia parapulchella* | Pink-tailed Worm-lizard | V | V | Modelled Only |
| *Botaurus poiciloptilus* | Australasian Bittern | E | E | Modelled Only |
| *Calidris acuminata* | Sharp-tailed Sandpiper | V | V | Modelled Only |
| *Calidris ferruginea* | Curlew Sandpiper | CE | CE | Modelled Only |
| *Callocephalon fimbriatum* | Gang-gang Cockatoo | E | E | Modelled Only |

| Scientific Name | Common Name | BC Act | EPBC Act | Records within 5km |
|---|---|---|---|---|
| *Calyptorhynchus lathami lathami* | South-eastern Glossy Black-Cockatoo | V | V | Modelled Only |
| *Climacteris picumnus victoriae* | Brown Treecreeper (south-eastern) | V | V | Modelled Only |
| *Crinia sloanei* | Sloane's Froglet | E | E | Modelled Only |
| *Dasyurus maculatus* | Spot-tailed Quoll | V | E | Modelled Only |
| *Falco hypoleucos* | Grey Falcon | V | V | Modelled Only |
| *Gallinago hardwickii* | Latham's Snipe | V | V | Modelled Only |
| *Grantiella picta* | Painted Honeyeater | V | V | Modelled Only |
| *Hirundapus caudacutus* | White-throated Needletail | V | V | Modelled Only |
| *Keyacris scurra* | Key's Matchstick Grasshopper | E | E | Modelled Only |
| *Lathamus discolor* | Swift Parrot | E | CE | 1 |
| *Leipoa ocellata* | Malleefowl | E | V | Modelled Only |
| *Litoria raniformis* | Southern Bell Frog | E | V | Modelled Only |
| *Lophochroa leadbeateri* | Major Mitchell's Cockatoo | V | E | Modelled Only |
| *Melanodryas cucullata cucullata* | South-eastern Hooded Robin | E | E | Modelled Only |
| *Neophema chrysostoma* | Blue-winged Parrot | V | V | Modelled Only |
| *Neophema pulchella* | Turquoise Parrot | V | - | 2 |
| *Nyctophilus corbeni* | Corben's Long-eared Bat | V | V | Modelled Only |
| *Pedionomus torquatus* | Plains-wanderer | E | CE | Modelled Only |
| *Petaurus norfolcensis* | Squirrel Glider in the Wagga Wagga Local Government Area | EP | - | 42 |
| *Phascolarctos cinereus* | Koala | E | E | Modelled Only |
| *Polytelis swainsonii* | Superb Parrot | V | V | 11 |
| *Pomatostomus temporalis* | Grey-crowned Babbler (eastern subspecies) | V | - | 1 |
| *Pteropus poliocephalus* | Grey-headed Flying-fox | V | V | 3 |
| *Rostratula australis* | Australian Painted Snipe | E | E | Modelled Only |
| *Stagonopleura guttata* | Diamond Firetail | V | V | Modelled Only |

*V – Vulnerable; E – Endangered; EP – Endangered Population; CE – Critically Endangered*

The degraded vegetation within the Subject Land would only provide low-quality foraging habitat for threatened species. There was no breeding habitat identified (in the form of hollow-bearing trees, rocky outcrops/ caves, large trees or human-made structures).

On the basis that the Subject Land is highly degraded and vacant of high-quality foraging and/or breeding habitat, it was determined that potential threatened fauna are unlikely to utilise the Subject Land in preference of surrounding areas.

### 4.4 Species Polygons

One species polygon was mapped in the initial BDAR (WSP, 2024) as occurring within the Subject Land:

- *Crinia sloanei* (Sloane's Froglet)

The BDAR (WSP, 2024) stipulates the following:

- *"Sloane's Froglet species polygon will occur in the proposal site, where mapped potential habitat (including 15 metre buffer) occurs in association with a native vegetation community (PCT) and is not dissected by a road, rail corridor or urban development".*

On the basis that no PCT's were identified within the Subject Land and the urban context of the area, the species polygon mapping is not relevant to the site, nor or any impacts to the Sloane's Froglet expected for the facilitation of the proposal.

### 4.5 Migratory Species

Database searches revealed seven migratory terrestrial species, or their habitat, are known to occur within the Subject Land (**Table 6**). These species are unlikely to occur due to the lack of suitable habitat in the Subject Land (i.e. ornamental tree dominated), and these species do not breed in Australia.

**Table 6. Migratory terrestrial species with potential to occur in the Subject Land.**

| Species | EPBC Act Status |
|---|---|
| *Actitis hypoleucos* (Common Sandpiper) | Migratory, CAMBA, JAMBA, ROKAMBA |
| *Calidris acuminata* (Sharp-tailed Sandpiper) | Migratory, CAMBA, JAMBA, ROKAMBA |
| *Calidris ferruginea* (Curlew Sandpiper) | Critically Endangered, Migratory, CAMBA, JAMBA, ROKAMBA |
| *Calidris melanotos* (Pectoral Sandpiper) | Migratory, JAMBA, ROKAMBA |
| *Gallinago hardwickii* (Latham's Snipe) | Vulnerable, Migratory, JAMBA, ROKAMBA |
| *Hirundapus caudacutus* (White-throated Needletail) | Vulnerable, Migratory, CAMBA, JAMBA, ROKAMBA |
| *Motacilla flava* (Yellow Wagtail) | Migratory, CAMBA, JAMBA, ROKAMBA |

*CAMBA = China-Australia Migratory Bird Agreement, JAMBA = Japan-Australia Migratory Bird Agreement, ROKAMBA = Republic of Korea-Australia Migratory Bird Agreement and Bonn = Convention on the Conservation of Migratory Species of Wild Animals*

## 5. IMPACT SUMMARY

The proposed activity will impact:

- 0.01ha of Miscellaneous Ecosystems - Ornamental Plantings, and
- 1.25ha of Miscellaneous Ecosystems - Highly Disturbed areas with no or limited Native Vegetation.

## 6. LEGISLATION

### 6.1 Matters of National Environmental Significance

Under the EPBC Act, a proponent must not take an action if that action will have, or is likely to have, a significant impact on matters protected under the EPBC Act, referred to as MNES. The EPBC Act identifies eight MNES:

- World Heritage properties
- National Heritage places
- Wetlands of international importance (those listed under the Ramsar Convention)
- Listed threatened species and communities
- Migratory species listed under international agreements
- Great Barrier Reef Marine Park
- Commonwealth marine areas
- Nuclear actions

The PMST identified the following as potentially occurring within the Subject Land or surrounding area:

- 3 Threatened Ecological Communities
- 40 Threatened species
- 8 Migratory species

No MNES have been identified in or adjoining the Subject Land.

### 6.2 State Environmental Planning Policy (Resilience and Hazards) 2021

The State Environmental Planning Policy (Resilience and Hazards) 2021 (Resilience and Hazards SEPP) commenced on the 1st of March 2022 and replaces the following former SEPPs:

- State Environmental Planning Policy (Coastal Management) 2018
- State Environmental Planning Policy 33 – Hazardous and Offensive Development, and
- State Environmental Planning Policy 55 – Remediation of Land.

The Subject Land is not situated within the 'Coastal Zone' therefore this SEPP does not apply.

### 6.3 *Fisheries Management Act 1994*

The FM Act aims to conserve, develop, and share the fishery resources of NSW for the benefit of present and future generations including conserving fish stocks and key fish habitats and promoting ecologically sustainable development.

Whilst Key Fish Habitat (KFH) is located within Sandy Creek, the proposed activity does not require works within the mapped KFH, nor did threatened aquatic species or marine vegetation protected under the FM Act occur within the Subject Land. As such, the activity would not impact upon KFH, nor are there any legislative requirements or notifications required under this Act.

### 6.4 *Biosecurity Act 2015*

The *Biosecurity Act 2015* (NSW) provides a framework for the prevention, elimination and minimisation of biosecurity risks posed by an activity as a matter of biosecurity. As defined in Part 3, section 23 of this Act, any non-conformance by an individual is defined as guilty of an offence. No priority weeds were identified within the Subject Land at the time of the survey. All priority weeds are to be appropriately managed in accordance with the *Biosecurity Act 2015*.

## 7. MANAGEMENT MEASURES AND IMPLEMENTATION

The potential impacts on biodiversity identified for the Proposed Change can be appropriately managed in accordance with the Conditions of Approval and through implementation of the Updated Mitigation Measures outlined in the Construction Biodiversity Management Plan for the Project.

## 8. CONCLUSION

The proposed activity will Impact:

- 0.01ha of Miscellaneous Ecosystems - Ornamental Plantings, and
- 1.25ha of Miscellaneous Ecosystems - Highly Disturbed areas with no or limited Native Vegetation.

If you have any queries, please feel free to contact me.

Sincerely,



**Alex Graham** *BSc (Biology), Grad Dip (Bushfire Protection)*
Director/ Principal Ecologist - Accredited Biodiversity Assessor (BAAS19040)
E: alex.graham@ececology.com.au

DRAFT

## 9. REFERENCES


Department of Climate Change Energy the Environment and Water (DCCEEW, 2025) Protected Matters Search Tool

Department of Environmental Conservation (DEC, 2004b) Threatened Species Survey and Assessment: Guidelines for developments and activities (working draft)

Department of Planning and Environment (DPE, 2020a) Biodiversity Assessment Method

Department of Planning and Environment (DPE, 2020b) Surveying threatened plants and their habitats - NSW survey guide for the Biodiversity Assessment Method

Department of Planning and Environment (NSW DCCEEW, 2025d) Biodiversity Values Mapping

Department of Primary Industries (DPI, 2025c) Priority weeds for the Riverina Region https://weeds.dpi.nsw.gov.au/WeedBiosecurities?AreaId=3

Landcom (2004) Managing Urban Stormwater: Soils and Construction 'The Blue Book', Volume 1, Fourth Edition, New South Wales Government, ISBN 0-9752030-3-7

NSW Department of Climate Change, Environment, Energy and Water (NSW DCCEEW, 2025a) BioNet. The website of the Atlas of NSW Wildlife http://www.bionet.nsw.gov.au/

NSW Department of Climate Change, Environment, Energy and Water (NSW DCCEEW, 2025b) BioNet. Threatened Biodiversity Data Collection

NSW Department of Climate Change, Environment, Energy and Water (NSW DCCEEW, 2025c) BioNet. Vegetation Classification System

NSW Department of Climate Change, Environment, Energy and Water (NSW DCCEEW, 2025d) The NSW State Vegetation Type Map

NSW Department of Climate Change, Environment, Energy and Water (NSW DCCEEW, 2025e) Soil Landscapes http://espade.environment.nsw.gov.au

NSW Spatial Services (Spatial Services, 2025a) Six Maps Clip & Ship https://maps.six.nsw.gov.au/clipnship.html

PlantNET (2025) The NSW Plant Information Network System, Royal Botanic Gardens and Domain Trust, Sydney. http://plantnet.rbgsyd.nsw.gov.au

Robinson (2003) Field Guide to the Native Plants of Sydney, Third Edition, Kangaroo Press

WSP (2024) Albury to Illabo Inland Rail- Revised Technical Paper 8: Biodiversity Assessment Report




www.ececology.com.au

Greater Sydney | Canberra | South Coast | Central West

# Appendix E Unexpected Finds Procedure (Heritage and Human Remains)

**ABORIGINAL AND NON-ABORIGINAL HERITAGE: UNEXPECTED FINDS PROCEDURE**

An Aboriginal artefact is anything that is the result of past Aboriginal activity. This includes stone (artefacts, rock engravings etc.), plant (culturally scarred trees) and animal bone (if showing signs of modification; i.e. smoothing, use). Human bone (skeletal remains) may also be uncovered while onsite.

A historic artefact is anything that is the result of past activity not related to Aboriginal occupation. This includes pottery, wood, glass and metal objects as well as the built remains of structures, sometimes heavily ruined.


In the event of an unexpected heritage find, the following protocol will apply:

1. All ground-disturbance work in the vicinity of the find must cease immediately. The Site Supervisor is to be made aware of the object(s) and is to notify the MR Construction Manager and MR ESM. The MR ESM (or delegate) will notify the relevant Inland Rail (IR) representative and the Environmental Representative (ER).
2. The find will be temporarily fenced off as quickly as possible to ensure no damage/further damage to the object(s). Signage on the fencing is to state that the area is subject to environmental protection, that no ground disturbance is allowed, and should include relevant contact details for the MR ESM.
3. The MR ESM (or delegate) will contact a suitably qualified heritage specialist to assess the find. The heritage specialist will then determine the need for further investigation or management. The heritage specialist's assessment may be undertaken using good quality images, with a scale and several angles, however, if photographic evidence does not allow for certainty, then a site visit from the suitably qualified heritage specialist will be required.
4. If the find is an Aboriginal object, the MR ESM (or delegate) and/or heritage specialist will contact the RAPs to attend the site to inspect the find and to determine, in consultation, the next steps for management. These measures will include registration of the object in the Aboriginal Heritage Information Management System within a reasonable time. *
5. The MR ESM (or delegate) and/or heritage specialist will also contact Heritage NSW (phone 131 500; email heritagemailbox@environment.nsw.gov.au) to confirm the next steps for management.
6. Ground disturbance work in the vicinity of the find can only continue under supervision of a suitably qualified heritage specialist, having regard to any advice from Heritage NSW and RAPs.

Notes:

* Where an Aboriginal object or artefact is found during the survey or grading works on the unformed section of Townsend Street (see Section 6.1 of the CCHMP), the suitably qualified heritage specialist and RAPs would be in attendance at the site already. If general consensus is reached, the Community Collection Methodology (Section 6.1 of the CCHMP) will be implemented at the time of the survey/grading works.

In the event that a greater than expected density of artefacts and/or Aboriginal cultural heritage of greater than expected significance is identified, works (including collection activities) would stop and consultation with Heritage NSW and RAPs would be undertaken regarding the next steps (following Steps 5 and 6 of the above procedure).




**Flow Chart: Unexpected heritage finds**


**UNEXPECTED HUMAN REMAINS PROCEDURE**

The procedure related to the discovery of suspected human skeletal material is based on Requirement 25 of the *Code of Practice for Archaeological Investigation of Aboriginal objects in NSW* (DECCW 2010b) and the *Skeletal Remains: Guidelines for the management of human skeletal remains under Heritage Act 1977* (NSW Heritage Office1998). A flow chart is supplied below.

If known, or suspected skeletal remains are encountered during the construction and/or operation of the project, the following procedure will be followed:

1. The area will be temporarily fenced immediately to ensure no damage/further damage to skeletal material. No skeletal material that remains in place should be disturbed from its location;
2. Works in the vicinity are to be stopped immediately;
3. The Site Supervisor is to be made aware of the skeletal material and is to notify the MR Environmental Manager and MR Construction Manager. Inland Rail Representatives and the ER are to be contacted at this stage;
4. Attempt to determine if the bones are animal or human. May require photos of the bones to be sent to the MR Heritage Consultant to determine if the remains are likely to be human or not;
5. If a qualified opinion concludes the bones are not human in origin and are unlikely to be part of an archaeological site works may recommence;
6. If no qualified opinion can be gained or the bones are suspected of being human, undertake the following:
    A. MR will contact Police, allowing Police to conduct an assessment to determine if the remains are part of a forensic case (less than 100 years old), or are archaeological (more than 100 years old);
    B. If the remains are assessed as ‘archaeological’, there then needs to be an attempt to determine if they are Aboriginal or non-Aboriginal;
        i) Inland Rail will contact the relevant stakeholders, including Heritage NSW (phone 131 555; email heritagemailbox@environment.nsw.gov.au) and RAPs (if the remains are Aboriginal);
        ii) All further activities will be determined by Heritage NSW and the RAPs (if the remains are Aboriginal);
        iii) No work may recommence in the area of the find until Heritage NSW provides the approval to do so.

**Flow Chart: Suspected Human remains**



# Appendix F Unexpected Finds Procedure (Flora and Fauna)

**Discovery of unexpected threatened entity i.e.**
(a) any additional impact to threatened species or ecological communities that were included in the assessment but have been found at a new location
(b) to any threatened entity that was not offset.

**Stop all work which is likely to impact on the threatened entity.**
The person who discovered the find is to notify all project personnel woking in the immediate vicinity of the find(s) so that any potential disturbance activity can be halted.

Notify Site Supervisor and Environmental Manager

All personnel

Notify and consult the project ecologist and install delineation (for flora and/ or fauna habitat). Project ecologist to confirm if the threatened entity would be potentially impacted and confirm appropriateness of delineation/ initial measures.

Is the species or community a listed threatened entity under State or Commonwealth legislation?

**No**

**Yes**

Has impact to the species or community in that location been assessed in the EAD and will the absolute clearing extent be within the restrictions posed by Condition E23?

**Yes**

The impact to the species or community was a assessed by the EAD and is permissible in that location (Any conditions of the Infrastructure Approval must also be considered). **The impact is therefore permissible**

Notify DPHI and BCS in writing on any additional mitigation measures to be implemented

**No**

The impact to the species or community was NOT addressed in the EAD , follow up investigation is required

Martinus Rail to consult with the Project Ecologist and IR when developing actions to assess and manage the find.

For EPBC Act species (and as required under the BC Act) conduct an assessment of significance and review controls to mitigate impacts. Where relevant consider additional controls to minimise impacts to the unexpected find

Consult with DPHI/BCS/DCCEEW as relevant regarding proposed measures, impacts and follow up actions

Record find and follow up actions

Confirm with DPHI/BCS/DCCEEW (as relevant) that proposed controls are adequate to proceed.

Records of the find to be submitted to BioNet.

Biodiversity assessment to be prepared and implemented (or alternatively the BDAR is to be updated with new impacts) and additional approval documents to be prepared as required.

Measures which can be implemented prior to impact are to be implemented.

Measures required to be implemented at a later date (i.e. any revision to the offsets) with be implemented following impacts

Records of the find to be submitted to BioNet

Martinus Rail Environment Manager or delegate authorises Unexpected Finds Hold Point Release

**Recommence works with updated controls where necessary**

# Appendix G Unexpected Finds Procedure (Contamination)

# UNEXPECTED FINDS PROCEDURE FOR CONTAMINATION

## MANAGEMENT AND RESPONSIBILITY

INDUCTION/ TOOLBOX TALKS
All personnel are to receive Project/ Site Inductions and on-going training via Toolbox Talks

**All personnel**

EVIDENCE OF CONTAMINATION OBSERVED

STOP ALL WORK IN THE AREA IMMEDIATELY AND

PREVENT FURTHER ACTIVITY IN THE AREA.

NOTIFY THE SITE SUPERVISOR AND SAFETY MANAGER , ENVIRONMENT MANAGER AND CORDON OFF AREA.

**Site Supervisor**
**Project Manager**
**Lead Safety Manager**
**Environment Manager**

- Do not touch or disturb the item/ material
- Delineate the find from the rest of the worksite
- Inform the Environment Manager regarding the potential contamination find. The following detail should be provided:
  - The location of the potential contamination
  - Visual appearance
  - Odour (if any)
  - Depth
  - Surrounding material and works being undertaken at the time of discovering the material
- WHS and EM to determine immediate actions to prevent WHS and ENV issues
- EM to notify IR of Unexpected Find

ASSESSMENT

Contamination Consultant to assess and classify the unexpected find in accordance with the NSW regulatory requirements, including sampling and laboratory analysis.

**Contamination Consultant**

MANAGEMENT STRATEGY

- Contamination Consultant to develop a provide a plan for managing and/or remediating the material
- IR/ARTC to review and accept the proposed strategy

**Environment Manager**
**Contamination Consultant**
**IR/ARTC**

STRATEGY IMPLEMENTATION

- Implement the approved management and/or remediation as per the Contamination consultants direction
- IR/ARTC to review and accept the proposed strategy (if required)

**Contamination Consultant**
**Site Supervisor**
**Environment Manager**

Once the contamination find has been mitigated and clearance report received from the contamination consultant. EM is to notify Project Manager who is to approve re-commencement of works in the vicinity of the remediation site. IR/ARTC will review clearance report and must provide approval/acceptance prior to recommencing works

**Environment Manager**
**Project Manager**
**IR/ARTC**

Recommence works

### Asbestos

An unexpected find occurs when Asbestos Containing Material (ACM) not identified in the Asbestos Register is found on site. In the event of an unexpected find the below steps are to be followed:

1. The area is to be demarcated, works in the area to cease and workers notified
2. Notify the Site Supervisor first. Site Supervisor will then notify the Project Manager, Safety Manager and Environment Manager.
3. Notify IR/ARTC within five (5) business days after the discovery.
4. Control dust by with dust suppression
5. A certified occupational hygienist is to be engaged to provide recommendations to manage the area
6. Occupational hygienist arrange for testing of the suspected ACM and monitoring of the area (if required)
7. The area is to be made safe as per the certified

### Contamination Consultant

Works undertaken in relation to Contamination to investigate, assess, remediate or validate remediation or land use suitability shall be undertaken by a suitably qualified person holding valid 'Site Contamination' certification under the Certified Environment Practitioners Scheme (CEnvP) - Environment Institute of Australia and New Zealand or Certified Professional Soil Scientist – Contaminated Site Assessment and Management under the Soil Science Australia Certification Scheme.

With relevant qualifications and experience in keeping with the National Environmental Protection (Assessment of Site Contamination) Measure 1999 Amendment 2013 (ASC NEPM 2013).




Procedure

1) Potential contaminated soil/material encountered during construction activities. STOP ALL WORK AND NOTIFY IMMEDIATELY
2) Undertake a site/area contamination investigation. The Environment Manager (EM) is to assess the situation and if considered necessary, commission a suitably qualified contamination specialist to undertake a contamination investigation in the area of the find.
3) The consultation specialists in consultation with the EM will determine the appropriate management measures to be implemented. This may include leaving contamination undisturbed if it does not pose unacceptable risks to human health or the environment, capping of contamination, treatment or offsite disposal. If the material is to be disposed of offsite, ensure the waste facility is appropriately licensed. Contaminated material requiring off-site disposal is to be classified in accordance with the Waste Classification Guidelines – Part 1: Classification of Waste, NSW EPA 2014. Maintain records to demonstrate waste material was appropriately managed
4) If the material is determined to be Acid Sulfate Soil (ASS) or Potential Acid Sulfate Soil (PASS), an Acid Sulfate Soil Management Plan would be prepared and implemented in accordance with the Acid Sulfate Soil Manual (Acid Sulfate Soil Management Advisory Committee, August 1998).
5) Prior to any contamination investigation, management or remediation activities appropriate work method documentation encompassing safety and environmental risk management will be prepared for review and approval by the EM and IR
6) If required a Remedial Action Plan (RAP) will be prepared in accordance with legislative requirements
7) If material is to be treated and reused or left in situ ensure appropriate records are maintained and location of material (survey) is undertaken and provided to IR
8) Once the contamination find has been mitigated and clearance report received from the contamination consultant. This report is to be submitted to IR/ARTC for acceptance prior to recommencement of work
9) EM is to notify Project Manager who is to approve re-commencement of works in the vicinity of the remediation site.