

Terms of Reference

Narromine to Narrabri Project

Independent Flood Impact Assessment Panel

Date reviewed: 19/02/2026

Governing document: SSI-9487 Infrastructure Approval - 21/02/2023 MOD 1 (April 2024)

Glossary

Some terminology that is particularly relevant to this document has been included in the table below.

Table 1: Terminology specifically relevant to this plan

TERM	ACRONYM	DEFINITION
Australian Rail Track Corporation	ARTC or Proponent	The person identified as the Proponent in Schedule 1 of the Approval and any other person carrying out any part of the Critical State Significant Infrastructure (CSSI) from time to time.
Chartered Professional Engineer	CPEng	The Chartered credential under Engineers Australia is the highest available technical credential for an engineering professional, nationally and internationally recognised.
Chainage	Ch.	Represents the location along the project alignment based on lineal distance, measured in kilometres .
Condition ###		means the, alpha numeric identified, condition contained in the Approval
Contractor		Contractor engaged by ARTC or IRPL in the performance of any part of the Services or Work in relation to the Narromine to Narrabri (N2N) Project (e.g. Designer, Civil Works Contractor, Rail Works Contractor or Signalling Works Contractor)
Critical State Significant Infrastructure (NSW)	CSSI	Defined under the <i>Environmental Planning & Assessment Act 1979</i> , as State significant infrastructure (SSI) important to the State for economic, environmental or social reasons and determined as essential to the state by the Minister for Planning.
Department of Planning, Housing and Infrastructure	DPHI, the Department	New South Wales Department responsible for diverse planning, housing solutions, and infrastructure across the state. (previously Department of Planning and Environment).
Flood Design Verification Report	FDVR	has the meaning given to it in the Approval – Conditions E67 to E70
Independent Flood Impact Assessment Panel	IFIAP or Panel	has the meaning given to it in the Approval – Conditions E57 through E66.

TERM	ACRONYM	DEFINITION
Inland Rail Pty Ltd	IRPL	Inland Rail Pty Ltd, a subsidiary of Australian Rail Track Corporation (ARTC), is building Inland Rail on behalf of the Australian Government. As each section of Inland Rail is completed, it will be operated and managed by ARTC.
Planning Approval	Approval	NSW Planning Minister's Infrastructure Approval, Condition(s) of Approval (SSI-9487), with modifications
Member of Engineers Australia	MIEAust	Member of Engineers Australia. This requires a recognised engineering qualification and relevant professional experience.
Narromine to Narrabri	N2N	The Narromine to Narrabri section of Inland Rail
NSW Government Boards and Committees Guidelines (2015)	Guideline	The Guidelines support the NSW Government's commitment to promote accountability and integrity in the public sector.
Planning Act		<i>Environmental Planning and Assessment Act 1979</i>
Planning Secretary		Planning Secretary of the Department (or nominee, whether nominated before or after the date on which this approval was granted).
Quantitative Design Limits	QDLs	has the meaning given to it in Appendix C Schedule 1 of the Approval
Referral		means matters referred by an affected landowner or the Proponent to IFIAP, in accordance with Condition E57, where an agreement has not been reached in accordance with Condition E50(d) regarding potential and/or actual property impacts resulting from flooding exceeding the QDLs and/or the peak flood flows permitted by Condition E47.
Terms of Reference	ToR	means the Terms of Reference as outlined in this document
Transport for New South Wales	TfNSW	Transport for NSW

1 Introduction

1.1 Purpose

The purpose of this document is to provide the Terms of Reference (**ToR**) for the Independent Flood Impact Assessment Panel (**IFIAP** or **Panel**) in accordance with Conditions E57 to E66 of the NSW Planning Minister's Infrastructure Approval, Condition(s) of Approval (SSI-9487), with modifications (**Approval**), as granted by the NSW Minister for Planning under Part 5 Division 5.2 of the *Environmental Planning and Assessment Act 1979* (**Planning Act**) on 21 February 2023 and as modified by MOD 1 (April 2024).

IRPL's obligations and responsibilities include:

- ▶ referring matters to IFIAP as described in Condition E57. Matters may also be directed to IFIAP by affected landowner via the Community Complaints Mediator
- ▶ establishing an IFIAP in accordance with Condition E58
- ▶ drafting this Terms of Reference in accordance with Condition E59
- ▶ seeking approval of the members, mediator and terms of reference by the Planning Secretary, then making publicly available in accordance with Condition E60
- ▶ any changes to this Terms of Reference in accordance with Condition E61
- ▶ implementing IFIAP recommendations and seeking landowner response to the recommendation, as described in the Flood Design Consultation Protocol, for Condition E63
- ▶ acquisition of land required to mitigate or manage the impact of the non-compliance in accordance with Condition E64
- ▶ providing copies of any IFIAP recommendations and evidence of the Proponent's implementation to the Planning Secretary in accordance with Condition E65.

This document:

- (a) sets out the Panel's objectives; powers or authorities; and roles and responsibilities;
- (b) provides guidance for the approval and the amendment of the ToR in accordance with the Approval;
- (c) is consistent with the *NSW Government Boards and Committees Guidelines* (2015), as applicable;
- (d) outlines the frequency of meetings and timely provision of advice and recommendations; and
- (e) details cessation arrangements.

1.2 Project Description

1.2.1 Narromine to Narrabri (N2N) Project

The N2N Project in mid-northwestern New South Wales is Inland Rail's longest section of new track. This 306 km of new track is a crucial part of delivering ARTC's fast and reliable freight rail service between Melbourne and Brisbane. A map of the N2N Project is included in **Figure 1** below.

The N2N Project includes the following components. Chainage (Ch.) represents the location along the project alignment based on lineal distance measured in kilometres. The southern end of N2N commences from the existing ARTC rail corridor chainage near Narromine at 546.862km.

- ▶ S1: Narromine to Curban – Ch. 546.862 to Ch. 647.700
- ▶ S2: Curban to Baradine – Ch. 647.700 to Ch. 745.000
- ▶ S3: Baradine to Bohena Creek – Ch. 745.000 to Ch. 821.000
- ▶ S4: Bohena Creek to Narrabri – Ch. 821.000 to Ch. 852.862




Figure 1. Map of the N2N Project

INLAND RAIL PTY LTD | 0-0046-250-IHY-S0-TR-0001_4

1.3 Previous Studies, Reports and Documents

A number of studies, reports, surveys, investigations, referrals, assessments, decisions and approvals exist which relate to the N2N Project, including:

- (a) Inland Rail – Narromine to Narrabri Environmental Impact Statement (ARTC, 2020);
- (b) Narromine to Narrabri Project Response to Submissions (ARTC, 2022);
- (c) Narromine to Narrabri Preferred Infrastructure / Amendment Report (ARTC, 2022);
- (d) Narromine to Narrabri Preferred Infrastructure / Amendment Report – Response to Submissions (ARTC, 2022);
- (e) Biodiversity Development Assessment Report - BAM 2020, Revision G dated 17/01/2023;
- (f) N2N Environmental Protection and Biodiversity Conservation Act (EPBC) Referral 2016/7729;
- (g) SSI-9487 Infrastructure Approval - 21/02/2023 MOD 1 (April 2024);
- (h) Narromine to Narrabri, Notice of Decision (DPE, 21 February 2023);
- (i) Narromine to Narrabri (SSI 9487) | Assessment Report; and
- (j) Inland Rail - Narromine to Narrabri, NSW (EPBC 2018/8259) Approval.

Documents such as these provide information about the scope of works and N2N Project delivery requirements that will likely apply to the IFIAP scope of services.

2 The Panel's purpose, objectives, and role

2.1 Purpose

The purpose of the Panel is to provide independent expert advice (as independent mediator between IRPL and landowners) and recommendations with respect to Referrals. Specifically, the material impacts of any non-compliance with:

- ▶ the QDLs permitted by Condition E47(a)
- ▶ peak flood flows permitted by Condition E47(b)

The Panel must be independent of all stakeholders for the N2N Project, including (but not limited to) ARTC, IRPL, the design and construction teams for the N2N Project and relevant landowners, as well as any relevant government ministers, departments and agencies and any person which has a role under the Approval (e.g., the peer reviewer required by Condition E41).

2.2 Objectives

The objective of the Panel is to prepare IFIAP Recommendations Reports, reflecting independent advice and recommendations, containing reasonable recommendations about practicable design changes and/or mitigation and management measures in respect of unresolved matters arising from potential and/or actual property impacts resulting from flooding exceeding the QDLs that are the subject of a Referral.

2.3 Role

When the Panel receives a Referral, the Panel must:

- a) review all documents prepared under Condition E50 which are relevant to the Referral;
- b) investigate the relevant landowner's concerns, including the procurement of supporting documentation to be prepared on behalf of landowners which may include taking submissions and supporting documentation from the Proponent and the landowner, noting:
 - (i) investigations to be carried out by IFIAP may include ground truthing flood records, landowner impacts and any assumptions made in design and flood damage assessment, determine potential impacts on land and activities, where IRPL has not been able to obtain this information directly from the landowner
 - (ii) IFIAP is to request procurement of supporting documentation from IRPL, who will manage obtaining the information. Design services to generally be undertaken by IRPL's Contractor (including independent peer reviews).
 - (iii) IFIAP is to request procurement of supporting independent expertise from IRPL who will manage procuring independent experts. Where independent valuations are required, these will be undertaken by an independent valuer procured by IRPL.
- c) assess and make recommendations about the material impact, to both the landowner and the Proponent, of the matters the subject of the Referral; and
- d) prepare an IFIAP Recommendation Report which contains reasonable recommendations about practicable design changes and/or mitigation and management measures of unresolved matters arising from potential and/or actual property impacts resulting from flooding exceeding the QDLs that are the subject in respect of the Referral. The Report is to be signed by all Panel members.

In doing so, to the extent relevant, the Panel must have regard to the following considerations (among others):

- ▶ the scope of the N2N Project;
- ▶ the hydrological context of the N2N Project, including pre-existing hydrological conditions;
- ▶ the impact of the N2N Project on landowners and land uses, as distinct from the impact of pre-existing hydrological conditions;

TERMS OF REFERENCE

Independent Flood Impact Assessment Panel



- ▶ the extent to which impacts are material, having regard to the nature, scale and scope of the N2N Project and the affected land;
- ▶ the practicability of any relevant advice and recommendations. In determining practicability, the Panel must have regard to the reasonableness and practicability of any advice and recommendations that it proposes and, as far as possible, is not to recommend measures that are not both reasonable and practicable. Further guidance on what is meant by reasonable and practicable is set out in **Section 6**.

2.4 Reporting requirements

The Panel's technical review of documentation is to provide constructive comments on the Contractor's documentation, where appropriate, to assist in the resolution of potential non-compliant N2N Project-related flood behaviour.

The Panel's IFIAP Recommendation Reports are to contain reasonable recommendations about practicable:

- ▶ design changes; and/or
- ▶ mitigation and management measures

to resolve material impacts of the non-compliance/s to both the landowner and Proponent.

The Panel will meet with IRPL and discuss the recommendations no less than seven (7) days prior to finalisation of the proposed IFIAP Recommendation Report.

The Proponent will arrange for a copy of the Panel's final IFIAP Recommendation Report to be provided to the Planning Secretary for information.

3 Governance

The workflow between IRPL and IFIAP is depicted in Figure 2, commencing when IRPL is seeking landowner agreements, until IRPL seeks landowner response on IRPL response to IFIAP Recommendation Report on IFIAP recommendations. Additionally, IRPL will provide evidence of the Proponent's implementation of IFIAP recommendations (per Condition E65) and identify matters under consideration of IFIAP in the FDVR. In case IRPL do not agree with IFIAP recommendation, IRPL shall assess other options which may include land acquisition.

Any matters referred to IFIAP prior to IRPL completing hydraulic design and flood impact assessment will be held until these activities have been completed.

The technical expertise and independence of the IFIAP are described in Section 4 and responsibilities of each role are described in Section 5.

The IFIAP Governance Process is outlined at the flow chart provided in Appendix A. For the detailed process and timelines refer to Inland Rail Consultation Protocol.

4 Membership

4.1 Appointment

The Panel must comprise relevantly experienced and qualified independent hydrological, engineering and agricultural experts and be chaired by an independent mediator with experience and qualifications in mediation and dispute resolution, in accordance with Condition E58.

All members must be approved by the Planning Secretary before taking part in the Panel, in accordance with Condition E60.

4.2 Technical expertise and independence

In addition to relevant qualifications and experience, to be considered for the Panel, individuals should have:

- ▶ memberships and registrations necessary within the nominated areas of technical expertise (e.g., MIEAust, CPEng or international equivalent), or the capacity to achieve such;
- ▶ written acceptance of a recognised Code of Ethical behaviour (e.g., Engineers Australia);
- ▶ not undertaken paid or unpaid work or activities in relation to either the design, assessment and/or examination of the flood modelling for Inland Rail projects or have a previous or existing relationships with the Proponent, a Contractor, a landowner whose property may be affected by the N2N Project (relevant landowner) or any person connected in any way with them, or any other stakeholder in relation to the N2N Project (whether government or otherwise), except where carrying out Flood Panel or peer reviews on another Inland Rail project which is located in another state (for example, Flooding Panel Expert on a project located within Queensland);
- ▶ not have pecuniary interest in the N2N Project, the Proponent, or any related entities, including any known pecuniary interests of family or friends;
- ▶ not accept any inducement or benefit from the Proponent, their employees, any relevant landowner, or any interested party, or knowingly allow colleagues to do so (excluding apart from the payment for services undertaken to conduct the specific task or role of the Panel or where carrying out peer reviews on another Inland Rail project which is located in another state); and
- ▶ documented evidence of ability to exercise their own independent, professional judgement in relation to the task and undertake the task in an objective and professional manner at all times.

5 Responsibilities

5.1 Responsibilities of the IFIAP Chair

The Panel Chair's role will include, but is not limited to the following:

- ▶ provide leadership of the Panel;
- ▶ convene and chair Panel meetings;
- ▶ facilitating the conduct of meetings to allow frank and open discussion;
- ▶ ensure that the Panel functions properly, that there is full participation during meetings, that all relevant matters are discussed and that effective decisions are made and carried out;
- ▶ when a Referral is made to the Panel the IFIAP Chair will advise the IFIAP Coordinator prior to the Panel:
 - commencing any activities for a referral
 - indicative hours and costs for initial investigations to be agreed¹ with IFIAP Coordinator prior to undertaking services
 - indicative hours and costs for subsequent activities and investigations to be agreed¹ with IFIAP Coordinator prior to undertaking services
 - undertaking, incurring costs or being involved in any:
 - Landowner meetings (online or in person)
 - Site visits/inspections
 - Travel
- ▶ when a Referral is made to the Panel, and approval of the IFIAP Coordinator has been provided:
 - convene meetings with the property owner, Contractor, IRPL and any other relevant parties as required;
 - consolidate requests from IFIAP to IRPL for procurement of supporting information
- ▶ delegate tasks to other Panel members as appropriate;
- ▶ liaise and interface with the IFIAP Coordinator and the IRPL N2N Project Team;
- ▶ review the performance and contribution of the Panel members;
- ▶ ensure that appropriate secretariat support is provided; and
- ▶ ensure the preparation of document reviews and written reports in a timely manner.

5.2 Responsibilities of the Panel members

All Panel members (including the Chair) must:

- ▶ maintain strict confidentiality;
- ▶ adhere to the milestones and timelines for the work programs as agreed;
- ▶ support the Panel to perform its functions;
- ▶ attend meetings and participate in decision making processes;
- ▶ undertake reviews or research to support and promote discussion of the agenda items;
- ▶ develop high quality analysis and advice as the basis for reports to the governments;

¹ While the IFIAP is an independent advisory panel responsible for the impartial advisement of landholders and IRPL as it relates to flood impacts resulting from the Inland Rail Program, funding for the panel is sought from the public purse and as such oversight of any commitment must be justified, reportable and auditable under the *National Land Transport Act 2014* and the *Public Governance, Performance and Accountability Act 2013* (PGPA Act). To this end the process for review and agreement of any public spending is the responsibility of IRPL, even as it relates to independent experts, panels or organisations.

- ▶ undertake a review and provide an outcome in line with the requirements of the Approval; and
- ▶ provide advice in line with their expertise.

5.2.1 Confidentiality

All Panel members (including the Chair) must only discuss the impacts and the directly-related design aspects with an affected landowner.

Impacts, agreements or any other matter relating to a neighbouring property or any other aspects of the design are considered confidential and are not to be discussed unless with express prior permission or consent of IRPL and/or the related landholder (ie: the landholder of the neighbouring property).

5.3 Responsibilities of the IFIAP Coordinator

The IFIAP Coordinator is an IRPL resource. The IFIAP Coordinator will provide administrative and clerical support, manage the governance, **priority of referred matters**, budget and operation of the Panel. The IFIAP Coordinator will coordinate matters between the N2N Project Team and the Panel.

The IFIAP Coordinator is responsible for delivering the Proponent's Referrals to the Panel for determination. The IFIAP Coordinator will liaise between the IRPL N2N Project Team representatives and specialists, the Panel, landowners, Contractors and others as required.

The IFIAP Coordinator will provide the IFIAP Chair with the following;

- ▶ IRPL acceptance of indicative hours and costs advised by IFIAP Chair for each Referral, at least 7 days prior to the Panel undertaking services and/or incurring any costs on that Referral.
- ▶ Coordination of supporting documentation for each referral.

5.4 Alternates

Should any member of the IFIAP become unavailable, either temporarily or permanently, The Proponent will identify a list of alternate panel members prior to any Referral. Alternate Panel members, once appointed and approved by the Planning Secretary, will be kept informed of Panel activities via receiving copies of meeting minutes. Alternate Panel members will also be available if the Panel member is on leave. They will receive a briefing from the relevant Panel member before going on leave.

Should the IFIAP Chair not be available, they will nominate another Panel member to act as the Chair.

6 Guidelines and Principles

To assist discussions between the parties, the IFIAP has provided the following guidelines of relevant terms. The guideline statements outline the principles to be considered in applying the terms within the work undertaken by the IFIAP, and do not limit consideration of any other useful reference or guidance material including any definition provided in applicable legislation and explanatory materials.

As identified in **Sections 2.1 and 2.2**, the Panel's purpose and objective focus is to provide a reasonable and practicable means of resolving the material impacts of matters the subject of a Referral. This is reinforced in the description of the Panel's role in **Section 2.3**.

A key reason for focusing on recommendations which are reasonable and practicable is that the Proponent is required to implement the Panel's recommendations (unless otherwise agreed by the relevant landowner) under Condition E63, and it cannot do so unless those recommendations are reasonable and practicable.

Material Impact Guideline

In the context of flooding, a material impact is one that would have been unlikely to have caused damage (tangible and/or intangible) before construction of the N2N Project or there is a step change in the degree of damage likely to occur due to the N2N Project. The impact could be potential and/or actual property impact(s) resulting from flooding exceeding the QDLs and permitted peak flood flows.

A material impact in terms of the N2N Project may be considered an impact:

- ▶ which involves actual or potential harm to the health or safety of human beings or to the environment that is not trivial; or,
- ▶ in respect of which the aggregate net present value of any actual or potential associated benefit and any actual or potential associated harm is a cost exceeding \$10,000 (inclusive of the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment).

Reasonable and Practicable Guideline

Condition E62(d) refers to "*reasonable recommendations about practicable design changes and / or mitigation and management measures to resolve material impacts of the non-compliance/s*" with the applicable QDLs. Condition E57 relevantly identifies that unresolved matters may be referred to the IFIAP, "*for expert advice and recommendations to address the impacts of the non-compliance with the QDL.*"

As the IFIAP's work precedes the N2N Project construction, the IFIAP will be required to undertake a risk assessment.

A determination of what is reasonable and practicable in the context of any particular risk requires consideration of all relevant matters including:

- ▶ the nature of the risk;
- ▶ measures which could be taken to reduce, minimise or eliminate the risk;
- ▶ the practicability of taking those measures; and
- ▶ whether, in the circumstances, it is reasonable to recommend that those measures be taken.

Each of these matters is considered below.

Nature of the Risk Guideline

Considering the nature of the risk involves assessing both:

- ▶ the likelihood of the risk concerned occurring; and
- ▶ the degree of harm that might result from the risk;

Applying these two criteria will guard against complex and costly measures being recommended to deal with minor or unlikely risks.

Potential measures which could be taken to reduce, minimise or eliminate the risk

This requires consideration of:

- ▶ whether any design changes and/or mitigation and management measures to resolve a non-compliance with the applicable QDLs are available; and
- ▶ if they are, how effective they are in dealing with that non-compliance.

It may be, for example, that there are no available design changes or measures, or that those which are available are not effective in dealing with the non-compliance.

Whether it is practicable to implement an identified measure to reduce, minimise or eliminate the risk

This requires consideration of whether the design change or measure can be engineered and is practical to build, given project constraints such as key project parameters, project safety, asset maintenance and asset reliability requirements.

Whether it is reasonable to recommend an identified measure to reduce, minimise or eliminate the risk

This requires consideration of whether the benefits of the measure outweigh the social, economic and environmental effects of the measure, including (among other things):

- ▶ the impact of the measure on project objectives and other stakeholders;
- ▶ the cost of the design change or measure; and
- ▶ the additional time and other resources required to implement the measure.

7 Operating Principles

7.1 Frequency of Meetings

The Panel will meet monthly or as mutually agreed with the IFIAP Coordinator for:

- ▶ planning activities with the N2N Project Schedule
- ▶ reporting activities of the Panel

Coordination Meeting

This schedule will be determined as required, and the IFIAP Coordinator will attend and chair Coordination meetings.

Panel Meeting

In addition, the Panel will meet on an as-needs basis to consider and act upon Referrals, review documentation and review report templates or samples to meet deadlines provided by the IFIAP Coordinator. If requested by the IFIAP Chair, the IFIAP Coordinator will also attend these Panel meetings.

7.2 Agenda, Minutes and Supporting Materials

The IFIAP Coordinator will issue to the IFIAP Chair and Panel members the following documentation prior to a Coordination meeting:

- ▶ an agenda for the upcoming Coordination meeting;
- ▶ the minutes of the previous Coordination meeting;
- ▶ priority of referrals;
- ▶ a status report on the Panel activities; and
- ▶ documents / information to be considered at the Coordination meeting.

7.3 Panel Cessation Arrangement

The Panel members terms are fixed in accordance with the Approval. Terms should be monitored to ensure that upcoming vacancies can be filled as required.

The Panel will cease operating upon finalisation and Secretary approval of all N2N Project Flood Design Verification Report recommendations or when all the obligations of conditions are achieved – whichever is the earlier.

7.3.1 Termination of Panel member appointment prior to Panel cessation

In some exceptional cases, a Panel member's appointment may need to be terminated prior to the expiry of their term, for example where:

- ▶ The Panel member is no longer able to commit adequate time to his or her role;
- ▶ There is a conflict of interest that cannot be mitigated;
- ▶ The Panel member no longer meets the membership criteria, such as where the Panel member:
 - was appointed as a representative of another entity and no longer represents that entity;
 - is declared bankrupt;
 - is convicted of a criminal offence;
 - is unable to perform the duties of office due to illness or other commitments;
 - has failed to attend an adequate number of meetings; and
 - breached a professional organisation or committee's code of conduct; or
- ▶ At IRPL's discretion subject to consultation within DPHI outlining the justification for the termination of a panel member.

7.4 Review

This ToR will be reviewed and finalised by the Panel following establishment of the Panel. As per Condition E60, the ToR must be endorsed by the Panel following the first meeting. Thereafter, the ToR will be reviewed by the Panel and ARTC annually or as otherwise required.

8 IFIAP Endorsement

In accordance with Condition E60 this Terms of Reference is endorsed by the following IFIAP signatories

Signature	
Name	[REDACTED]
Position	IFIAP Member (Hydrology)
Signature	
Name	[REDACTED]
Position	IFIAP Member (Engineering)
Signature	
Name	[REDACTED]
Position	IFIAP Member (Agriculture)
Signature	
Name	[REDACTED]
Position	IFIAP Chair

9 Document Control

DOCUMENT TITLE	Terms of Reference, Narromine to Narrabri Project, Independent Flood Impact Assessment Panel (IFIAP)		
DISCIPLINE	ENVIRONMENTAL MANAGEMENT		
KEY ACTIVITY	IRPL APPROVALS MANAGEMENT		
DOCUMENT OWNER	[REDACTED]		
PREPARED BY	[REDACTED] [REDACTED]		
REVIEWED BY	[REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED] [REDACTED]		
ENDORSED BY	[REDACTED]	Signature	
ENDORSED BY	[REDACTED]	Signature	

Approved by

	Name	Title	Date	Signature
Document Approver	[REDACTED]	Executive Director	31/10/2025	

**TERMS OF REFERENCE, NARROMINE TO NARRABRI PROJECT, INDEPENDENT FLOOD
IMPACT ASSESSMENT PANEL (IFIAP)**
Independent Flood Impact Assessment Panel



Revision History

Revision	Revision date	Description of changes
0	21/03/2025	IFIAP Endorsed
1	26/05/2025	IRPL general amendments, IFIAP reviewed and commented
2	20/08/2025	Amendments (sections 2.2, 2.3, 5.1, 6.2, 7.1, 7.2, 8) / Deleted (section 6.2.1), IFIAP Endorsed
3	24/10/2025	<ul style="list-style-type: none">- Minor changes agreed between IRPL and IFIAP as per attached email- IFIAP and IRPL Endorsement and Approval
4	19/02/2026	Addressing DPHI comments

Disclaimer: This document has been prepared by Inland Rail Pty Ltd (Inland Rail) or a related entity of Inland Rail and may not be relied on by any other party without Inland Rail's prior written consent. Use of this document shall be subject to the terms of the relevant contract with Inland Rail. Inland Rail, its related entities and employees shall have no liability to unauthorised users of the information for any loss, damage, cost or expense incurred or arising by reason of an unauthorised user using or relying upon the information in this document, whether caused by error, negligence, omission or misrepresentation in this document.

Copyright of this material is vested in Inland Rail, subject to the Copyright Act 1968. This material, including the Inland Rail logo, is copyright. None of this material may be reproduced, altered or transmitted in whole or in part without prior written permission from a suitably authorised representative of Inland Rail.

© Inland Rail Pty Ltd 2024

Appendix A

