



This document is uncontrolled
when printed.

MARTINUS INLAND RAIL



JUNEE YARD PRECINCT – CONSTRUCTION NOISE AND VIBRATION IMPACT STATEMENT ADDENDUM 2


A2I | Albury to Illabo

CONTRACT NUMBER: 0052

PROJECT DOCUMENT NUMBER:

6-0052-210-EEC-J4-AS-0001_ADD2

Document Control

DOCUMENT TITLE:	Junee Yard Precinct – Construction Noise and Vibration Impact Statement Addendum 2		
DOCUMENT OWNER:	Simon Fisher – Environmental Lead		
PREPARED BY:	Karen McCann	TITLE:	Environmental Approvals Advisor
SIGNATURE:	 F8BB83A4E99C4B2	DATE:	07/09/2026
REVIEWED BY:	Clint Dedden	TITLE:	Environmental Approvals Advisor
SIGNATURE:	 74A1DC2CB083474...	DATE:	07/09/2026

Approved by

NAME	TITLE	SIGNATURE	DATE
Teiya Thornberry	Site Environmental Manager	 43087CDFE0D9489...	07/09/2026

Revision History

REVISION	REVISION DATE	AMENDMENT	DATE TO CLIENT
0	07/09/2026	For Information	08/09/2026

Disclaimer: This document has been prepared by Martinus. Use of this document shall be subject to the terms of the relevant contract with Martinus. The electronic file of this current revision is the controlled copy. This file is stored on Martinus' server located at Head Office, 3B, 33-35 Belmont Rd, Sutherland, NSW.

This document is the property of and contains proprietary information owned by Martinus. No permission is granted to publish, reproduce, transmit or disclose to another party, any information contained in this document, in whole or in part, without prior written permission from the issuing authority.

For the purpose of this document, Martinus refers to the Martinus Group of companies.

This document is uncontrolled when printed.

TABLE OF CONTENTS

GLOSSARY	4
1 INTRODUCTION	5
1.1 Purpose of this Addendum	5
2 NOISE ASSESSMENT	6
2.1 Junee Yard – Track Tamping (W.008A)	7
3 VIBRATION ASSESSMENT	10
3.1 Track tamping (W.008A)	10
4 CONCLUSION	11
4.1 Mitigation and management measures	11
4.2 Additional mitigation measures	11
APPENDICES	14
APPENDIX A	15
SLR Predict (W.008A) – Noise - Day	15
APPENDIX B	16
SLR Predict (W.008A) – Noise – OOH night	16
APPENDIX C	17
SLR Predict (W.008A) – Vibration	17
APPENDIX D	18
Heritage Memo – OzArk August 2026	18

LIST OF TABLES

Table 1: Definitions	4
Table 2: Work Scenario Description	7
Table 3: Exceedance comparison for w.008A - day	8
Table 4: Exceedance Comparison for W.008A – OOH night	8
Table 5: Vibration exceedances criteria for W.008A (Ballast Tamper)	10

LIST OF FIGURES

Figure 1: Additional Work Area for Junee Yard (W.008A)	6
Figure 2: Additional mitigation measures matrix – noise	12
Figure 3: Additional mitigation measures matrix – vibration	13
Figure 4: Additional mitigation measures matrix – notes	13

GLOSSARY

Specific terms and acronyms used throughout this plan are listed and described in Table 1 below.

TABLE 1: DEFINITIONS

TERM	DEFINITION
A2I	Albury to Illabo section of the Inland Rail project
CA	Consistency Assessment
CNVIS	Construction Noise and Vibration Impact Statement
CNVIS Addendum	This document
EWP	Elevated Work Platform
HNA	Highly Noise Affected
Junee Yard CNVIS	Junee Yard Precinct – endorsed Construction Noise and Vibration Impact Statement (SLR, August 2025)
km	Kilometres
m	Metres
NML	Noise Management Level
OOH	Out-of-hours
Project	Albury to Illabo project approved under section 5.19 of the EP&A Act on 8 October 2024, as modified on 13 August 2025
RBL	Rating Background Level
SLR Predict	A2I noise and vibration management tool
T	Tonnes
W.008	Work Scenario 8A – Track Tamping

1 INTRODUCTION

1.1 Purpose of this Addendum

This Construction Noise and Vibration Impact Statement Addendum (CNVIS Addendum) has been prepared to identify and assess the additional work area and plant/equipment, required to support and enable the wider scope of activities associated with the Junee Yard clearances and station enhancement site (Junee Yard) works. This CNVIS Addendum will form part of the endorsed Junee Yard CNVIS (Doc No: 6-0052-210-EEC-J4-AS-0001_0) (endorsed CNVIS).

This CNVIS Addendum should be reviewed in conjunction with the endorsed CNVIS, including adopted rating background levels (RBLs), noise management levels (NMLs) and assessment criteria in accordance with the Infrastructure Approval (SSI-10055).

The work areas assessed in this CNVIS Addendum are presented in Figure 1 below.




FIGURE 1: ADDITIONAL WORK AREA FOR JUNEE YARD (W.008A).

2 NOISE ASSESSMENT

The potential construction noise levels from the proposed works have been predicted using SLR Predict, the A2I project-specific noise and vibration tool. This CNVIS Addendum assesses the work scenarios identified in Table 2.

TABLE 2: WORK SCENARIO DESCRIPTION

ID	SCENARIO	DESCRIPTION	TOTAL LW
Junee Yard			
W.008A	Track Tamping	▪ Ballast Tamping	▪ 120

2.1 Junee Yard – Track Tamping (W.008A)

2.1.1 Scope

The additional work area and revised Plant list will support the installation of the Junee Yard 110 A and 110B Crossover (Figure 1) and forms part of the wider scope associated at Junee Yard.

The endorsed Junee Yard CNVIS has assessed track tamping under work scenario W.008.

The revised work area will be assessed, along with the additional plant/equipment, using SLR Predict, the A2I noise and vibration management tool, with the following noted:

Plant and equipment

- 1 x Ballast Tamper
- 1 x Ballast Regulator
- 4 x Hi-rail Hydrema
- 2 x Hi-rail Truck/Trolley
- 2 x Hi-rail Excavator (20T)
- 2 x Compressor
- 2 x Generator
- 1 x Saw - rail
- 1 x Grinder
- 2 x Front End Loader
- 4 x Lighting Towers
- 1 x Watercart

Construction hours

- Standard approved hours:
 - 7am to 6pm Monday to Friday, inclusive
 - 7am to 6pm Saturday
- Daytime OOH:
 - 8am to 6pm Sunday and Public Holidays
- Evening OOH:
 - 6pm to 10pm Monday to Sunday (including Public Holidays)
- Night OOH:
 - 10pm to 7am Monday to Saturday
 - 10pm to 8am Sunday (including Public Holidays)

3.1.1 Assessment

The additional work area and revised Plant list has been assessed utilising SLR Predict. The plant and equipment list (as noted above) has been considered as a worst-case scenario within a 15-minute assessment period.

The operating time (utilisation %) of each plant and equipment is representative to site working conditions.

4.1.1 Results

The SLR Predict results are presented in Appendix A, for approved daytime hours.

Table 4 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.008 exceedances identified in the endorsed CNVIS
- W.008A exceedances identified in the SLR Predict results for the work area shown in Table 4.

TABLE 3: EXCEEDANCE COMPARISON FOR W.008A - DAY

ASSESSMENT RESULTS (APPROVED DAYTIME)	NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE	
	CNVIS – W.008	SLR Predict – W.008A (additional work scenario)
Total Lw (dBA)	119	120
Clearly Audible (1-10 dB)	407	167
Moderately Intrusive (11-20 dB)	81	38
Highly Intrusive (>20 dB)	20	2
Above Highly Noise Affected (HNA)	7	1

Table 4 shows a slight increase in the Total Lw (dBA) for approved standard hours but overall a decrease in the number of receivers impacted in all noise affected assessment criterion, including Highly Noise Affected (HNA), when compared with the endorsed CNVIS. This is likely due to the reduced area assessed for this proposed CIZ extension.

5.1.1 Results

The SLR Predict results are presented in Appendix B, for night out of hours, as the most affected period.

Table 4 provides a summary of the exceedances identified through various assessments. It compares the following:

- W.008 exceedances identified in the endorsed CNVIS
- W.008A exceedances identified in the SLR Predict results for the work area shown in Table 4.

TABLE 4: EXCEEDANCE COMPARISON FOR W.008A – OOH NIGHT

ASSESSMENT RESULTS (OOH NIGHT)	NUMBER OF RESIDENTIAL RECEIVERS WITH NML EXCEEDANCE	
	CNVIS – W.008	SLR Predict – W.008A (additional work scenario)
Total Lw (dBA)	119	120
Noticeable (1-5 dB)	447	685
Clearly Audible (6-15 dB)	846	649
Moderately Intrusive (16-25 dB)	262	110
Highly Intrusive (>25 dB)	69	19
Above sleep disturbance	825	540
Above sleep awake	126	58

Table 4 shows a slight increase in the Total Lw (dBA) and an increase in receivers experiencing noticeable (1-5 dB) intensity of impacts when compared with the endorsed CNVIS. There is a decrease in all other assessment criterion from clearly audible (6-15 dB), moderately intrusive (16-25 dB), and highly intrusive (>25 dB) receiver impacts. There is also a decrease in receivers experiencing sleep disturbance impacts and in receivers predicted to exceed the sleep awakening criterion in comparison to the endorsed CNVIS. See Table 3 for Highly Noise Affected (HNA) impacts.

3 VIBRATION ASSESSMENT

As noted above in Section 2.1, a Ballast Tamper will be utilised as part of the additional work area at Junee Yard.

The potential vibration impacts associated with W.008A have been assessed utilising SLR Predict. A comparison of the Transport CNVG-PTI minimum working distances for cosmetic damage and human comfort (TfNSW CNVG-PTI) against the SLR Predict results, has been summarised and presented in Table 5: Vibration exceedances criteria for W.008A (Ballast Tamper) Table 5 below.

3.1 Track tamping (W.008A)

For W.008A the following vibration-intensive plant/equipment will be utilised (as per endorsed CNVIS):

- 1x Ballast Tamper

A comparison of the Transport CNVG-PTI minimum working distances for cosmetic damage and human comfort (TfNSW CNVG-PTI) against the SLR Predict results, has been summarised and presented in Table 5 below.

TABLE 5: VIBRATION EXCEEDANCES CRITERIA FOR W.008A (BALLAST TAMPER)

VIBRATION CRITERIA	VIBRATION CRITERIA	NUMBER OF RECEIVERS WITH VIBRATION CRITERIA EXCEEDANCE
	Ballast Tamping TfNSW's CNVG PTI	SLR Predict – W.008A
Cosmetic Damage (Residential and Light Commercial)	5m	4 properties
Cosmetic Damage for Unsound Heritage	10m	0
Cosmetic Damage (Industrial and Heavy Commercial)	3m	-
Human Comfort	30m	10 properties

Note 1: Some addresses have both residential and non-residential uses and therefore have been accounted for in each vibration criteria category triggered.

Table 5 shows the number of properties with potential to exceed the vibration criteria for cosmetic damage and human comfort. The structures identified in the CNVIS Addendum for potential exceedance for human comfort and cosmetic damage have not been previously identified in the endorsed CNVIS.

Condition surveys will be undertaken for the additional structures prior to commencement of works and monitoring will be undertaken during works.

SLR results for vibration are presented in Appendix C.

The Junee North Box, while relevant to the evolving railway history of Junee, is not of unique or rare construction with other examples present with the Southern Junee Box present further south retained within the Junee Railway Station SHR curtilage and at other railway station groups in NSW. Further, the structure is not aesthetic or associated with a historic event or individual. The Junee North Box has no local, state or Commonwealth heritage significance. (Ozark Memo Aug 2026). A condition report has been undertaken on this building (Appendix D).

4 CONCLUSION

4.1 Mitigation and management measures

As this is an addendum to the endorsed CNVIS for Junee Yard, the same mitigation and management measures apply as noted in Section 8 of the endorsed CNVIS.

4.2 Additional mitigation measures

As noted in Figure 2 to Figure 4 below and under Appendices A & B, the SLR Predict vibration results include a section on all applicable additional mitigation measures. These additional mitigation measures will be implemented where appropriate.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
	>25	Highly intrusive	Any	CO1, CO2, RO
			>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA

FIGURE 2: ADDITIONAL MITIGATION MEASURES MATRIX – NOISE

Vibration - Additional Mitigation Measures Matrix			
Time Period	Duration	Exceedance of 'preferred' value	Exceedance of 'maximum' value
OOHW Daytime Period	Any	CO1, CO2	CO1, CO2, RO
Sunday 8am-6pm			
OOHW Evening Period	Any	CO1, CO2	CO1, CO2, RO
Mon-Sun 6pm-10pm			
OOHW Night Period	Any	CO1, CO2, RO	CO1, CO2, RO, AltA
Mon-Sat 10pm-7am			
Sun 10pm-8am			

FIGURE 3: ADDITIONAL MITIGATION MEASURES MATRIX – VIBRATION

Additional Mitigation Measures			
Measure		Abbreviation	
Communication (Category 1) ¹		CO1	
Communication (Category 2) ²		CO2	
Respite Offer ³		RO	
Alternative Accommodation		AltA	
Agreement with Owners		AO	
Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.			
Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.			
Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.			
Receiver Types			
Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building

FIGURE 4: ADDITIONAL MITIGATION MEASURES MATRIX – NOTES



APPENDICES



APPENDIX A

SLR Predict (W.008A) – Noise - Day



Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts have been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

Predicted Noise Levels

The assessment presents the highest predicted level at each receiver building, considering predictions at each floor and façade from all potential work areas. The assessment is generally considered conservative as the calculations assume several items of construction equipment are in use at the same time within each work area. The assessment uses 'realistic worst-case' scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario.

Assessment Details	
Author Name	
Author Email	noiseassessments@martinus.com.au
Author Organisation	Martinus Rail
Project Name	A2I - Albury to Illabo
Assessment Name	110 Crossover Junee
Assessment Number	531
Stage	A2I Construction
Permit Number	
Start Date	2026-09-01
End Date	2026-10-30
Assessment Period	Day - standard

Equipment Details			
Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
1: 110 Crossover - Noise (Height: Ground)	Total: 120		
Ballast Tamper 75% operation	115	1	No
Ballast Regulator 75% operation	114	1	No
Hi-Rail Hydrema 25% operation	107	4	No
Compressor 50% operation	109	2	No
Generator - attenuated 100% operation	92	2	No
Saw - rail 25% operation	118	1	No
Grinder 30% operation	105	1	No
Lighting Tower 100% operation	80	4	No
Hi-Rail Truck/Trolley 25% operation	103	2	No
Water Cart 75% operation	105	1	No

Note 1: Equipment classed as ‘annoying’ in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.


Equipment Details

Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
Front End Loader 50% operation	113	2	No
Hi-Rail Excavator (20T) 50% operation	105	2	No
2: 110 Crossover - Vibration (Height: Ground)	Total: 114		
Ballast Tamper 75% operation	115	1	No

Note 1: Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

Assessment Results



	Residential	Non-Residential
■ Highly Intrusive	2 properties	3 properties
■ Moderately Intrusive	38 properties	4 properties
■ Clearly Audible	167 properties	16 properties
■ Above HNA	1 property	0 property

Legend



Project Boundary



Work Areas



Barriers

Results by Receiver

Facade/Floor: Show, Minimum floor to show: 0

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 CRAWLEY ST, JUNEES NSW 2663	RES	NCA14	52	84	32	Highly Intrusive Above HNA
2 PEEL ST, JUNEES NSW 2663	OCC	NCA14	45	73	28	Highly Intrusive
2 PEEL ST, JUNEES NSW 2663	OCC	NCA14	45	73	28	Highly Intrusive
-	COM	NCA14	70	91	21	Highly Intrusive
150 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	73	21	Highly Intrusive
148 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	71	19	Moderately Intrusive
146 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	70	18	Moderately Intrusive
39 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	69	17	Moderately Intrusive
144 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	68	16	Moderately Intrusive
142 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	68	16	Moderately Intrusive
140 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	68	16	Moderately Intrusive
31 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	52	67	15	Moderately Intrusive
27 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	52	67	15	Moderately Intrusive
23 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	52	67	15	Moderately Intrusive
17 COX ST, JUNEES NSW 2663	RES	NCA14	52	67	15	Moderately Intrusive
5 CRAWLEY ST, JUNEES NSW 2663	RES	NCA14	52	67	15	Moderately Intrusive
29 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	52	66	14	Moderately Intrusive
1/95 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	52	66	14	Moderately Intrusive
40 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	66	14	Moderately Intrusive
33 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	66	14	Moderately Intrusive
31 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	66	14	Moderately Intrusive
85 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	66	14	Moderately Intrusive
58 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive
56 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive
48 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive
21 COX ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive
43 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive
38 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive
134 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	65	13	Moderately Intrusive

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
50 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	64	12	Moderately Intrusive
55 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	64	12	Moderately Intrusive
51 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	64	12	Moderately Intrusive
37 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	64	12	Moderately Intrusive
29A BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	64	12	Moderately Intrusive
138 MAIN ST, JUNEES NSW 2663	OPW	NCA14	55	67	12	Moderately Intrusive
50 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
57 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
-	IND	NCA14	75	86	11	Moderately Intrusive
52 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
49 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
46 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
-	COM	NCA14	70	81	11	Moderately Intrusive
44 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
152 MAIN ST, JUNEES NSW 2663	COM	NCA14	70	81	11	Moderately Intrusive
34 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
27 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
132 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	63	11	Moderately Intrusive
61 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	62	10	Clearly Audible
21 SEIGNIOR ST, JUNEES NSW 2663	OHO	NCA14	60	70	10	Clearly Audible
140 BROADWAY ST, JUNEES NSW 2663	COM	NCA14	70	80	10	Clearly Audible
1/10 CRAWLEY ST, JUNEES NSW 2663	RES	NCA14	52	62	10	Clearly Audible
81 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	62	10	Clearly Audible
73 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	62	10	Clearly Audible
130 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	62	10	Clearly Audible
218 MAIN ST, JUNEES NSW 2663	COM	NCA14	70	79	9	Clearly Audible
59 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
54 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
138 BROADWAY ST, JUNEES NSW 2663	COM	NCA14	70	79	9	Clearly Audible
48 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
39 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
36 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
35 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
32 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
29 COMMINES ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
25 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
23 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible
77 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	61	9	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
128 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	61	9	Clearly Audible
126 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	61	9	Clearly Audible
PLOVER'S NEST 2 WARATAH ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
63 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
60 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
58 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
56 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
15 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
41 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
40 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
30 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
85 JUNCTION ST, JUNEE NSW 2663	OHO	NCA14	60	68	8	Clearly Audible
124 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
122 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	60	8	Clearly Audible
14 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
42 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
38 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
34 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
33 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
28 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
22 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
21 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
69 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
118 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
116 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
17 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	59	7	Clearly Audible
45 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
43 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
46 LISGAR ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
1/6 WARATAH ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
62 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
13 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
35 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
31 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
26 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
25 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
24 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible
7 ORR ST, JUNEE NSW 2663	RES	NCA14	52	58	6	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
46 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	58	6	Clearly Audible
17B CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	58	6	Clearly Audible
5 GABA TEPE AV, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
6 HUMPHRYS ST, JUNEES NSW 2663	COM	NCA14	70	75	5	Clearly Audible
64 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
11 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
106 BROADWAY ST, JUNEES NSW 2663	COM	NCA14	70	75	5	Clearly Audible
36 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
5 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
37 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
27 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
9 ORR ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
20 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
63 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
114 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
4 PITT ST, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
9 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	57	5	Clearly Audible
64 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
66 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
19 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
12 MELALEUCA PL, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
122-130 BROADWAY ST, JUNEES NSW 2663	COM	NCA14	70	74	4	Clearly Audible
8 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
6 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
8 TELOPEA PL, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
7 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
2 TELOPEA PL, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
106 BROADWAY ST, JUNEES NSW 2663	COM	NCA14	70	74	4	Clearly Audible
3 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
2 CASSIA WAY, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
27A COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
13/24-28 COMMINS ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
11 ORR ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
5 ORR ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
60 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
13 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
3 VICTORIA ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible
59 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	56	4	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
57 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	52	56	4	Clearly Audible
LAWSON HOUSE 2/44 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	52	56	4	Clearly Audible
47 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
58 LISGAR ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
6 DENISON ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
4 DENISON ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
6 WARATAH ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
68 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
23 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
21 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
110 BROADWAY ST, JUNEE NSW 2663	COM	NCA14	70	73	3	Clearly Audible
3/81 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
32 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
23 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
23 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
18 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
4 VICTORIA ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
12 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
61 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
54 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
53 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
104 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
102 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
100 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
25 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	55	3	Clearly Audible
55 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
53 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
51 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
13 ANZAC AV, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
4 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
22 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
20 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
10 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
112 BROADWAY ST, JUNEE NSW 2663	COM	NCA14	70	72	2	Clearly Audible
6 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
2 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
30 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
40 BUTTON AV, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
22 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
23 EDWARD ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
18 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
16 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
15 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
14 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
11 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
9 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
8 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
5 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
LAWSON HOUSE 8/48 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
49 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
47 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
16 CASTLE ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
13 LORD ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
92 MAIN ST, JUNEE NSW 2663	RES	NCA14	52	54	2	Clearly Audible
61 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
59 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
57 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
46 BELMORE ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
6-8 ANZAC AV, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
17 FRENCH ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
55 LISGAR ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
10 DENISON ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
6 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
32 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
-	COM	NCA14	70	71	1	Clearly Audible
70 COMMINS ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
2 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
24 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
28-30 PEEL ST, JUNEE NSW 2663	COM	NCA14	70	71	1	Clearly Audible
16 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
116 BROADWAY ST, JUNEE NSW 2663	COM	NCA14	70	71	1	Clearly Audible
114 BROADWAY ST, JUNEE NSW 2663	COM	NCA14	70	71	1	Clearly Audible
27 ACACIA PL, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
106 BROADWAY ST, JUNEE NSW 2663	COM	NCA14	70	71	1	Clearly Audible
42 BUTTON AV, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible
10 BOLTON ST, JUNEE NSW 2663	RES	NCA14	52	53	1	Clearly Audible

Results by Receiver

Facade/Floor: Show, Minimum floor to show: 0

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
LAWSON HOUSE 10/48 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
6 BOLTON ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
LAWSON HOUSE 19/38 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
45 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
2A ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
96 MAIN ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
6 CASTLE ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
21 JUNCTION ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
9 LORD ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
8 LORD ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible
2 LORD ST, JUNEES NSW 2663	RES	NCA14	52	53	1	Clearly Audible

Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
	>25	Highly intrusive	Any	CO1, CO2, RO
			>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA
Vibration - Additional Mitigation Measures Matrix				
Time Period	Duration	Exceedance of 'preferred' value		Exceedance of 'maximum' value
OOHW Daytime Period Sunday 8am-6pm	Any	CO1, CO2		CO1, CO2, RO
OOHW Evening Period Mon-Sun 6pm-10pm	Any	CO1, CO2		CO1, CO2, RO

OOHW Night Period			
Mon-Sat 10pm-7am	Any	CO1, CO2, RO	CO1, CO2, RO, AltA
Sun 10pm-8am			

Additional Mitigation Measures	
Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

Receiver Types			
Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building



APPENDIX B

SLR Predict (W.008A) – Noise – OOH night



Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts have been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

Predicted Noise Levels

The assessment presents the highest predicted level at each receiver building, considering predictions at each floor and façade from all potential work areas. The assessment is generally considered conservative as the calculations assume several items of construction equipment are in use at the same time within each work area. The assessment uses 'realistic worst-case' scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario.

Assessment Details	
Author Name	
Author Email	noiseassessments@martinus.com.au
Author Organisation	Martinus Rail
Project Name	A2I - Albury to Illabo
Assessment Name	110 Crossover Junee
Assessment Number	531
Stage	A2I Construction
Permit Number	
Start Date	2026-09-01
End Date	2026-10-30
Assessment Period	Night - out of hours

Equipment Details			
Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
1: 110 Crossover - Noise (Height: Ground)	Total: 120		
Ballast Tamper 75% operation	115	1	No
Ballast Regulator 75% operation	114	1	No
Hi-Rail Hydrema 25% operation	107	4	No
Compressor 50% operation	109	2	No
Generator - attenuated 100% operation	92	2	No
Saw - rail 25% operation	118	1	No
Grinder 30% operation	105	1	No
Lighting Tower 100% operation	80	4	No
Hi-Rail Truck/Trolley 25% operation	103	2	No
Water Cart 75% operation	105	1	No

Note 1: Equipment classed as ‘annoying’ in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.


Equipment Details

Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
Front End Loader 50% operation	113	2	No
Hi-Rail Excavator (20T) 50% operation	105	2	No
2: 110 Crossover - Vibration (Height: Ground)	Total: 114		
Ballast Tamper 75% operation	115	1	No

Note 1: Equipment classed as ‘annoying’ in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

Assessment Results



		Residential	Non-Residential
■	Highly Intrusive	19 properties	0 property
■	Moderately Intrusive	110 properties	2 properties
■	Clearly Audible	649 properties	2 properties
■	Noticeable	685 properties	1 property

Assessment Results



Above Sleep Disturbance

540 properties

0 property



Above Sleep Awake

58 properties

0 property

Legend



Project Boundary



Work Areas



Barriers

Results by Receiver

Facade/Floor: Show, Minimum floor to show: 0

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 CRAWLEY ST, JUNEES NSW 2663	RES	NCA14	40	84	44	Highly Intrusive Above Sleep Dist Above Sleep Awake
150 MAIN ST, JUNEES NSW 2663	RES	NCA14	40	73	33	Highly Intrusive Above Sleep Dist Above Sleep Awake
148 MAIN ST, JUNEES NSW 2663	RES	NCA14	40	71	31	Highly Intrusive Above Sleep Dist Above Sleep Awake
146 MAIN ST, JUNEES NSW 2663	RES	NCA14	40	70	30	Highly Intrusive Above Sleep Dist Above Sleep Awake
39 BOLTON ST, JUNEES NSW 2663	RES	NCA14	40	69	29	Highly Intrusive Above Sleep Dist Above Sleep Awake
144 MAIN ST, JUNEES NSW 2663	RES	NCA14	40	68	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
142 MAIN ST, JUNEES NSW 2663	RES	NCA14	40	68	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
140 MAIN ST, JUNEES NSW 2663	RES	NCA14	40	68	28	Highly Intrusive Above Sleep Dist Above Sleep Awake
31 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	40	67	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
27 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	40	67	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
23 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	40	67	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
17 COX ST, JUNEES NSW 2663	RES	NCA14	40	67	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
5 CRAWLEY ST, JUNEES NSW 2663	RES	NCA14	40	67	27	Highly Intrusive Above Sleep Dist Above Sleep Awake
29 SEIGNIOR ST, JUNEES NSW 2663	RES	NCA14	40	66	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
1/95 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	40	66	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
40 BOLTON ST, JUNEES NSW 2663	RES	NCA14	40	66	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
33 BOLTON ST, JUNEES NSW 2663	RES	NCA14	40	66	26	Highly Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
31 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	66	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
85 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	66	26	Highly Intrusive Above Sleep Dist Above Sleep Awake
58 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
56 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
21 SEIGNIOR ST, JUNEE NSW 2663	OHO	NCA14	45	70	25	Moderately Intrusive
48 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
21 COX ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
43 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
38 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
134 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	65	25	Moderately Intrusive Above Sleep Dist Above Sleep Awake
50 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	64	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
55 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	64	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
51 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	64	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
37 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	64	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
29A BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	64	24	Moderately Intrusive Above Sleep Dist Above Sleep Awake
50 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
57 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
52 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
49 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
46 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
44 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
34 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
27 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
85 JUNCTION ST, JUNEE NSW 2663	OHO	NCA14	45	68	23	Moderately Intrusive
132 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	63	23	Moderately Intrusive Above Sleep Dist Above Sleep Awake
61 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	62	22	Moderately Intrusive Above Sleep Dist Above Sleep Awake
1/10 CRAWLEY ST, JUNEE NSW 2663	RES	NCA14	40	62	22	Moderately Intrusive Above Sleep Dist Above Sleep Awake

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
81 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	62	22	Moderately Intrusive Above Sleep Dist Above Sleep Awake
73 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	62	22	Moderately Intrusive Above Sleep Dist Above Sleep Awake
130 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	62	22	Moderately Intrusive Above Sleep Dist Above Sleep Awake
59 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
54 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
48 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
39 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
36 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
35 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
32 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
29 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
25 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
23 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
77 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
128 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
126 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	61	21	Moderately Intrusive Above Sleep Dist Above Sleep Awake
PLOVER'S NEST 2 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
63 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
60 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
58 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
56 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
15 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
41 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
40 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
30 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
124 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
122 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	60	20	Moderately Intrusive Above Sleep Dist
14 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
42 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
38 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
34 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
33 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
28 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
22 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
21 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
69 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
118 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
116 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
17 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	59	19	Moderately Intrusive Above Sleep Dist
45 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
43 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
46 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
1/6 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
62 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
13 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
35 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
31 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
26 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
25 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
24 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
7 ORR ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
46 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
17B CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	58	18	Moderately Intrusive Above Sleep Dist
5 GABA TEPE AV, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
64 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
11 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
36 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
5 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
37 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
27 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
9 ORR ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
20 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
63 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
114 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
4 PITT ST, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
9 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	57	17	Moderately Intrusive Above Sleep Dist
64 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
66 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
19 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
12 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
8 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
6 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
8 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
7 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
2 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
3 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
2 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
27A COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
13/24-28 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
11 ORR ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
5 ORR ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
60 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
13 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
3 VICTORIA ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
59 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
57 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
LAWSON HOUSE 2/44 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	56	16	Moderately Intrusive Above Sleep Dist
47 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
58 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
6 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
4 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
68 LORNE ST, JUNEE NSW 2663	OHO	NCA14	45	60	15	Clearly Audible
6 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
68 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
23 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
21 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
3/81 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
32 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
23 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
23 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
18 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
4 VICTORIA ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
12 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
61 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
54 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
53 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
104 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
102 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
100 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
39 SEIGNIOR ST, JUNEE NSW 2663	OHO	NCA14	45	60	15	Clearly Audible
25 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	55	15	Clearly Audible Above Sleep Dist
55 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
53 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
51 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
13 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
4 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
22 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
20 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
10 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
6 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
2 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
30 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
40 BUTTON AV, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
22 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
23 EDWARD ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
18 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
16 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
15 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
14 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
11 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
9 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
8 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
5 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
LAWSON HOUSE 8/48 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
49 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
47 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
16 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
13 LORD ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
92 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	54	14	Clearly Audible Above Sleep Dist
61 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
59 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
57 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
46 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
6-8 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
17 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
55 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
10 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
6 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
32 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
70 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
2 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
24 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
16 MELALEUCA PL, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
27 ACACIA PL, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
42 BUTTON AV, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
10 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
LAWSON HOUSE 10/48 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
6 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
LAWSON HOUSE 19/38 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
45 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
2A ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
96 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
6 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
21 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
9 LORD ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
8 LORD ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
2 LORD ST, JUNEE NSW 2663	RES	NCA14	40	53	13	Clearly Audible Above Sleep Dist
1 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
65 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
63 SEIGNIOR ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
9 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
12 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
68 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
66 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
33 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
4/6 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
28 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
10 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
45 BORONIA PL, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
41 BORONIA PL, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
37 BORONIA PL, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
5 MARKET ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
35 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
1 CASSIA WAY, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
3 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
42 BUTTON AV, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
21 EDWARD ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
16 BUTTON AV, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
70 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
18 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
16 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
15 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
7 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
4 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
3 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
25 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
2 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
5 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
33 ACACIA PL, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
8 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	52	12	Clearly Audible Above Sleep Dist
3 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
35 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
20 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
2 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
10 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
4 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
12 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
64 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
14 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
24 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
1 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
26 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
60 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
25 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
59 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
41 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
25 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
53 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
14 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
12 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
14 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
10 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
19 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
12 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
17 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
14 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
7 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
71 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
71 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
15B ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
21 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
74 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
3 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
4 DAGMAR LANE, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
2/4 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
1 PIKE PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
4 PIKE PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
57 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
5 PIKE PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
6 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
51 CASUARINA PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
47 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
43 BORONIA PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
31 ACACIA PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
21 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
5 TELOPEA PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
68 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
13 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
50 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
2 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
38 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
10 PITT ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
8 PITT ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
6 PITT ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
37 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
36 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
1 EGAN ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
27 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
20 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
23 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
23 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
11 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
5 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
25 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
27 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
90 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
6 LORD ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
29 ACACIA PL, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
1 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	51	11	Clearly Audible Above Sleep Dist
15 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
72 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
5 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
8 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
16 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
62 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
61 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
22 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
20 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
5 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
47 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
24 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
27 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
43 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
37 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
39 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
23 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
13 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
49 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
17 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
32 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
16 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
25 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
47 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
76 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
51 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
49 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
39 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
60 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
3 PIKE PL, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
4 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
8 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
53 CASUARINA PL, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
49 CASUARINA PL, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
12 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
20 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
8 MARKET ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
23 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
40 BUTTON AV, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
72 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
62 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
12 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
11 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
58 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
42 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
20 PITT ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
18 PITT ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
16 PITT ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
14 PITT ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
3 EGAN ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
19 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
88 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	50	10	Clearly Audible Above Sleep Dist
1 EDGAR ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
8 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
52 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
77 HISCOCK AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
21 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
29 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
33 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
39 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
70 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
18 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
68 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
28 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
66 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
6 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
31 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
18 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
70 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
20 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
55 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
53 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
29 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
58 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
49 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
45 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
57 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
56 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
31 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
22 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
16 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
60 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
52 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
50 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
21 FRENCH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
50 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
7 VAUGHAN ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
17 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
19 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
23 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
27 ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
15A ANZAC AV, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
2 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
43 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
41 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
6 PIKE PL, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
8A JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
16 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
22 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
24 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
18 EDWARD ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
14 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
56 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
47 PITT ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
45 PITT ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
41 PITT ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
LAWSON HOUSE 6/46 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
38 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
12 PITT ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
34 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
3 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
1 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
2 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
18 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
19 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
3 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
4 LORD ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
12 LORD ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
86 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
8 KING ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
8 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
6 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
84 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
80 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
72 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
5/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
2/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	49	9	Clearly Audible Above Sleep Dist
37 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
9 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
11 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
28 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
38 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
32 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
54 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
56 HILL ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
48 HILL ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2/3 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
19 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
17 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
23 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
19 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
15 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
5 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
74 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
75 HISCOCK AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
7 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
31 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
37 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
32 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
63 JOFFRE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
3 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
21 GOLF AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
71 HISCOCK AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
33 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
69 HISCOCK AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
5 GOLF AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
22 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2/7 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
51 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
43 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
9 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
9 GALLIPOLI AV, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
139 LORNE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
11 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
137 LORNE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
20 DENISON ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
28 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
70 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
45 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
62 LISGAR ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
35 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
3/6 BANKSIA PL, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
18 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1 HOMESTEAD LANE, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
26 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
40 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
41 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
43 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
45 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
17 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
7 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
55-57 PITT ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
LAWSON HOUSE 11/48 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
39 PITT ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1 BOLTON ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
18 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
30 PITT ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
26 PITT ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
22 PITT ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
6 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
26-28 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
78 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
4 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
3 KING ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
6 HAY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
5 KING ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
12 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
6 KING ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1 HAY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
60 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
11 KING ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
10 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
34 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
3 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
5 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
76 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
23 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
70 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1 HOMESTEAD LANE, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
1/29 HILL ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
2A ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
6/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
4/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
20 EDWARD ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
25 CRAWLEY ST, JUNEE NSW 2663	RES	NCA14	40	48	8	Clearly Audible Above Sleep Dist
3032 BYRNES RD, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
25 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
19 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
14 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
9 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
7 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
47 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
12 DUCKER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
90 HILL ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
10 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
14 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
8 DUCKER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
45 HILL ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
24 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
20 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
31 HILL ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
34 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
36 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
58 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
46 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
50 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
22 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
79 HISCOCK AV, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
13 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
17 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
23 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
25 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
80 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
41 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
30 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
73 HISCOCK AV, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
1 KITCHENER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
24 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
22 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
43 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
16 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
74 GUNDAGAI RD, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
72 GUNDAGAI RD, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
15 GOLF AV, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
7 GOLF AV, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
11 GOLF AV, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
9 GOLF AV, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
3 GOLF AV, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
6 STEWART ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
68 GUNDAGAI RD, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
3/4 STEWART ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
2 VAUGHAN ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
7 GALLIPOLI AV, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
54 JOFFRE ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
104 LORNE ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
34 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
18 DENISON ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
53 WARATAH ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
2/6 BANKSIA PL, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
27 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
28 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
34 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
42 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
44 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
47 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
48 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
49 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
55-57 PITT ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
6-10 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
56 PITT ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
46-54 PITT ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
LAWSON HOUSE 19/38 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
21 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
30 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
7 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
20 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
18 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible
10 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	47	7	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
20-22 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
1 KING ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
94 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
23 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
16 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
21 CASTLE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
9 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
7 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
1 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
9 JUNCTION ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
10 KING ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
14 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
13 KING ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
28 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
28 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
36 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
78 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
19 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
4 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
74 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
50 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
68 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
66 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
66 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
72 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
64 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
53 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
28 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
32 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
32 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
16 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
22 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
25 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
27 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
9/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
11A KING ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
7/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible Above Sleep Dist
35 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
5 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	47	7	Clearly Audible
35 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
31 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
23 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
14 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
20 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
2 HART ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
16 DUCKER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
4 HART ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
13 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
30 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
17 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1 HART ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
27 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
33 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
39 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1A HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
10 DUCKER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
12 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
16 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
18 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
6 GOULBURN ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
22 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
44 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
42 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
50 HILL ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
60 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
46 HILL ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
88 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
20 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
86 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
18 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
16 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
84 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
82 GUNDAGAI RD, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
27 PRETORIA AV, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
3 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
78 GUNDAGAI RD, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
28 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
76 GUNDAGAI RD, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
13 GOLF AV, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
8 STEWART ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1/47 PRETORIA AV, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
27 DENISON ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
7/2 VAUGHAN ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
18 FRENCH ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
33 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
51 LISGAR ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
33 LISGAR ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
35 LISGAR ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
6 DAGMAR LANE, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1 HOMESTEAD LANE, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
40 LYDIA ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
32 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
33 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
35 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
36 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
37 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
1 IONA ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
6-10 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
2 ADAMS ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
19 EDWARD ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
52 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
56A PITT ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
54 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
58 PITT ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
55 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
20 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
59 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
96 BOUNDARY ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
24 PITT ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
5 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
8 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible
32 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	40	46	6	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
13 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
9 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
5 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
14 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
24 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
8 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
74 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
19 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
15 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
22 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
10 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
6 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
4 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
16 KING ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
7 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
5 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
11 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
15 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
21 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
46 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
41 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
2 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
20A REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
40 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
52 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
25 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
5 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
55 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
14 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
21 KING ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
89 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
8 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
18 KING ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
25 KING ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
30 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
42 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
7 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
46 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
56 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
60 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
87 LORD ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
37 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
8 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
12 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
14 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
26 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
17 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
39 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
10 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
20 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
29 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
8/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
31 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
43 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
19 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
3/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
33 HILL ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
3 DUKE ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
26 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
20 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	46	6	Clearly Audible
45 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
37 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
3032 BYRNES RD, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
2 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
4 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
1A WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
3 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
15 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
19 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
6 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
4 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
2/29 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
10 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
24 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
5 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
52 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
36 THOMAS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
38 THOMAS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
40 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
14 GOULBURN ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
21 THOMAS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
25 THOMAS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
11 RAILWAY PDE, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
12 GOULBURN ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
9 RAILWAY PDE, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
10 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
10 GOULBURN ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
8 GOULBURN ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
57 HILL ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
88 HILL ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
86 HILL ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
84 HILL ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
58 HILL ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
52 HILL ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
27 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
25 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
9 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
26 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
116 LORNE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
6 VAUGHAN ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
104 LORNE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
28 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
24 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
16 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
73 PITT ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
46 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
6-10 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
2 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
43 PITT ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
58 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
57 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
1 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable
7 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	45	5	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
3 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
19 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
15 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
11 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
12 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
11 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
24 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
16 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
8A KING ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
23 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
52 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
7 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
50 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
9 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
11 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
12 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
6 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
8 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
22 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
26 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
34 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
32 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
36 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
38 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
23 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
44 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
52 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
11 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
19 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
23 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
33 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
35 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
3 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
30 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
74 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
57 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
65 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
63 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
12 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
62 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
83 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
87 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
12 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
60 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
26 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
22 KING ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
34 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
3 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
5 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
25 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
64 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
31 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
29 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
12 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
10 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
39 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
43 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
6 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
41 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
4 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
45 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
6 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
46 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
29 KING ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
18 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
55 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
31 KING ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
28 KING ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
28 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
7 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
11 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
44 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
24 DUKE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
46 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
48 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
50 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
23 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
27 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
2 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
8 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
17 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
19 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
3 HART ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
9 HILL ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
1/37 WARATAH ST, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
39 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	45	5	Noticeable
16 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
51 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
16 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
43-43 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
26 GOULBURN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
35 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
8 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
14 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
19 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
29 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
44 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
7 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
17 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
26 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
23 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
73 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
31 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
20 DUCKER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
21 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
7 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
12 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
18 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
62 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
22 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
56 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
28 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
3 SHORT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
34 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
40 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
23 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
37 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
43 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
41 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
82 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
80 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
51 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
47 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
43 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
48 KEMP ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
60 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
44 HILL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
29 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
1 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
15 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
106 LORNE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
1 STEWART ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
20 MONTE CRISTO RD, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
28 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
6-10 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
6-10 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
43 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
5 COMMINS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
56 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
58 PITT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
61 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
40 PITT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
36 PITT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
34 PITT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
16 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
14 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
1 HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
23 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
80 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
24 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
22 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
16 ELIZABETH ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
17 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
4 HAY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
20 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
18 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
12 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
8 FLORENCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
9 KING ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
10 BROADWAY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
12 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
21 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
15 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
9 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
3 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
48 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
20 CROSS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
29 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
39 GLOUCESTER ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
40 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
58 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
56 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
60 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
9 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
29 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
64 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
41 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
39 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
45 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
47 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
59 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
67 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
6 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
4 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
2 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
79 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
77 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
81 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
85 REGENT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
10 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
21 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
38 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
36 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
22 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
11 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
9 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
9 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
7 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
21 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
48 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
50 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
3 EARL ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
62 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
14 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
35 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
4 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
49 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
59 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
65 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
24 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
36 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
13 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
40 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
15 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
44 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
21 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
54 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
56 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
42 MAIN ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
35 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
10 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable
4 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	44	4	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
65 PRINCE ST, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
21 ILLABO RD, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
15 HAYES CRES, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
61 BROADWAY ST, JUNEES NSW 2663	OHO	NCA14	45	49	4	Noticeable
20 MONTE CRISTO RD, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
11 DUKE ST, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
41 HAYES CRES, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
24 HAYES CRES, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
20 HAYES CRES, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
30 LYDIA ST, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
23A KING ST, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
46A MARQUIS ST, JUNEES NSW 2663	RES	NCA14	40	44	4	Noticeable
14 ROBERT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
14 PERCY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
5 PERCY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
15 PERCY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
28 FITZROY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
33A PERCY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
4 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
35 CROWN ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
3022 BYRNES RD, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
3 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
5 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
7 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
11 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
15 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
27 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
10 ARNOLD ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
6 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
12 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
10 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
16 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
30 DUCKER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
30 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
32 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
5 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
28 DUCKER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
11 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
91 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
81 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
19 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
79 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
69 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
25 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
71 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
29 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
67 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
63 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
61 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
43 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
49 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
47 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
72 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
68 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
54 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
44 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
93 HILL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
44 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
42 THOMAS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
5-7 HART ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
25 HART ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
92 HILL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
59 HILL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
54 HILL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
38 HILL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
33 DALLEY ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
4 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
6 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
48 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
24 BELMORE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
9 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
154 PITT ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
25 ACACIA PL, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
30 LYDIA ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
35 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
26 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
30 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
60 PITT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
4 ADAMS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
35 PITT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
60 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
56 PITT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
11 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
63 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
9 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
5 FLORENCE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
2 HAY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
14 FLORENCE ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
19 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
11 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
1 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
24 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
22 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
18 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
33 GLOUCESTER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
14 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
37 GLOUCESTER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
35 GLOUCESTER ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
21 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
17 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
7 SUNNYSIDE RD, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
36 BOUNDARY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
22 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
34 BOUNDARY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
20 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
61 REGENT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
16 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
10 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
13 BOUNDARY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
69 REGENT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
8 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
32 BOUNDARY ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
73 REGENT ST, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable
12 ILLABO RD, JUNEES NSW 2663	RES	NCA14	40	43	3	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
18 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
16 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
20 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
44 LORD ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
1 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
15 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
54 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
2 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
6 EARL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
57 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
61 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
30 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
3 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
5 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
31 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
19 EARL ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
9 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
21 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
3 HILTON PL, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
5 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
15 HART ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
3 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
1 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
11 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
23 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
29 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
6 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
24 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
28 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
6 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
19 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	43	3	Noticeable
21 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
23 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
15 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
10 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
8 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
16 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
10 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
71 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
34 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
11 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
49 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
47 RAILWAY PDE, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
32 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
5 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
30 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
27A PERCY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
2 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
10 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
8 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
18 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
28 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
27 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
2 ARNOLD ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
23 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
16 BEACH ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
13 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
6 ARNOLD ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 JAMES ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
21 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
10 BEACH ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
35 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
22 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
11 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
28 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
36 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
42 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
22 WILLIAM ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
65 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
35 WARDLE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
51 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
70 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
18 DUCKER ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
64 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
66 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
60 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
36 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
16 HART ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
5 SHORT ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
20 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
7 SHORT ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
11 HART ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
21 HART ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
27 HART ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
53 HILL ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
37 HILL ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
31 DALLEY ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
2 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
15 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
15 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
16 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
7 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
10 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
11 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
11 DE SALIS DR, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
14 KINVARA DR, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
19 DE SALIS DR, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
24 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
6-10 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
45 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
6-10 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
3 COMMINS ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
62 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
9 ADAMS ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
64 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
10 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
4 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
6 BROADWAY ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
16 CROSS ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
31 GLOUCESTER ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
25 GLOUCESTER ST, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable
2 SUNNYSIDE RD, JUNEES NSW 2663	RES	NCA14	40	42	2	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
19 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
15 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
7 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
32-36 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
26 CEDRIC ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
46 LORD ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
8 LILLIAN ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
47 MARQUIS ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
5 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
7 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
2 EARL ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
2 BOUNDARY ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
1 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 EARL ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
16 EARL ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
43 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
12 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
45 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
41 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
49 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
53 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
55 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
67 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
63 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 KNIGHT ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
6 HILTON PL, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
4 HILTON PL, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
9 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
5 LOUGHAN RD, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
7 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
43 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
21 HILTON PL, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
14 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
40 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
8 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
11 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
2 WATERWORKS RD, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
2 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
4 WATERWORKS RD, JUNEE NSW 2663	RES	NCA14	40	42	2	Noticeable
25 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
19 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
21 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
19 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
17 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
13 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
17 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
13 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
11 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
4 ROBERT ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
4 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
24 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
22 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
7 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
21 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
21 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
23 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
105 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
7 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
22 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
97 GEORGE ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
14 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
55 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
10 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
57 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
59 PERCY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
28 GOULBURN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
20 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
22 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
24 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
26 HAMMOND ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
3024 BYRNES RD, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
4 ARNOLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
19 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
15 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
36 CROWN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
40 CROWN ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
19 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
25 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
11 ARNOLD ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
39 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
29 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
9 ARNOLD ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
31 HAMMOND ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
39 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
35A WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
23 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
17 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
26 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
9 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
34 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
7 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
6 BEACH ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
9 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
40 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
87 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
32 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
86 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
77 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
75 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
12 WILLIAM ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
76 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
27 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
25 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
23A GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
15 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
6 HART ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
48 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
14 HART ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
30 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
26 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
93 WARDLE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
16 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
22 GEORGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable

Results by Receiver						
Facade/Floor: Show, Minimum floor to show: 0						
Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
19 HART ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
71 HILL ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
23 HART ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
29 HART ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
61 HILL ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
66 HILL ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
62 HILL ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
1 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
4 GWYNNE PL, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
3 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
18 BELMORE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
8 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
12 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
9 DE SALIS DR, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
3 SMYTHE RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
38 BUTTON AV, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
22 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
16 EDWARD ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
50 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
5 HAYES CR, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
3 HAYES CR, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
34 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
40 LOUGHAN RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
32 PITT ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
68 JOHN POTTS DR, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
12 HUNTER ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
17 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
26 ELIZABETH ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
49-53 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
43-47 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
37-41 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
2 SUNNYSIDE RD, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
18 CEDRIC ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
8 EARL ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
11 RIDGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
3 RIDGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
16 RIDGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable
8 RIDGE ST, JUNEES NSW 2663	RES	NCA14	40	41	1	Noticeable

Results by Receiver

Facade/Floor: Show, Minimum floor to show: 0

Address	Land Use	Noise Catchment Area	Construction Noise Management Level, dBA	Predicted Noise Level, dBA	Predicted Noise Level Above Noise Management Level, dB	Noise Category
6 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
2 RIDGE ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
65 PRINCE ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
55 LORD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
50 EARL ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
64 QUEEN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
80 QUEEN ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
10 HILTON PL, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
6 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
15 DE SALIS DR, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
2/11 FITZROY ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
58 HAROLD ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
35 HILL ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
13 HAYES CRES, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
21 HILTON PL, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
82 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
83 JOHN POTTS DR, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
12A HUNTER ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
4 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
10 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
13 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
9 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
7 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
3 CUTTLE CCT, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable
23 KING ST, JUNEE NSW 2663	RES	NCA14	40	41	1	Noticeable

Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
			>2 consecutive rest periods	CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
			>2 consecutive sleep periods	CO1, CO2, RO, AO
	>25	Highly intrusive	Any	CO1, CO2, RO
			>2 consecutive sleep periods	CO1, CO2, RO, AO, AltA
Vibration - Additional Mitigation Measures Matrix				
Time Period	Duration	Exceedance of 'preferred' value		Exceedance of 'maximum' value
OOHW Daytime Period Sunday 8am-6pm	Any	CO1, CO2		CO1, CO2, RO
OOHW Evening Period Mon-Sun 6pm-10pm	Any	CO1, CO2		CO1, CO2, RO

OOHW Night Period			
Mon-Sat 10pm-7am	Any	CO1, CO2, RO	CO1, CO2, RO, AltA
Sun 10pm-8am			

Additional Mitigation Measures	
Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

Receiver Types			
Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building



APPENDIX C

SLR Predict (W.008A) – Vibration



Construction Noise and Vibration Impact Statement (CNVIS)

This report presents the outcomes of detailed noise/vibration modelling relating to specific construction activities proposed on site in accordance with the methodology outlined in the *Construction Noise and Vibration Management Plan* (CNVMP) and overarching *Construction Noise and Vibration Impact Statement* (CNVIS).

Prior to detailed noise/vibration modelling being undertaken, work activities are reviewed and considered in relation to industry best practice, consistent with the requirements of the CNVMP. Consideration is first given to eliminating the noise/vibration emissions so far as reasonably practicable. Where elimination is not practicable, efforts have been made to reduce the risk as far as practical by implementing noise and vibration management measures as outlined in the overarching CNVIS and CNVMP.

Examples of these measures include selecting the quietest equipment and processes to complete the works, considering staging and periods of respite to minimise prolonged periods of noise and vibration exposure, and maximising distances between construction activities and sensitive receivers.

Consultation with Affected Receivers

In accordance with CoA E78, the CNVIS must include specific mitigation measures identified through consultation with affected sensitive land user(s) and the mitigation measures must be implemented for the duration of the Work. Details of this consultation are provided in the overarching CNVIS for each enhancement site.

Predicted Noise Levels

The assessment presents the highest predicted level at each receiver building, considering predictions at each floor and façade from all potential work areas. The assessment is generally considered conservative as the calculations assume several items of construction equipment are in use at the same time within each work area. The assessment uses 'realistic worst-case' scenarios to determine the impacts from the noisiest 15-minute period that is likely to occur for each work scenario.

Assessment Details	
Author Name	
Author Email	noiseassessments@martinus.com.au
Author Organisation	Martinus Rail
Project Name	A2I - Albury to Illabo
Assessment Name	110 Crossover Junee
Assessment Number	531
Stage	A2I Construction
Permit Number	
Start Date	2026-09-01
End Date	2026-10-30
Assessment Period	Vibration

Equipment Details			
Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
1: 110 Crossover - Noise (Height: Ground)	Total: 120		
Ballast Tamper 75% operation	115	1	No
Ballast Regulator 75% operation	114	1	No
Hi-Rail Hydrema 25% operation	107	4	No
Compressor 50% operation	109	2	No
Generator - attenuated 100% operation	92	2	No
Saw - rail 25% operation	118	1	No
Grinder 30% operation	105	1	No
Lighting Tower 100% operation	80	4	No
Hi-Rail Truck/Trolley 25% operation	103	2	No
Water Cart 75% operation	105	1	No

Note 1: Equipment classed as ‘annoying’ in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.


Equipment Details

Plant/Equipment	Equipment Sound Power Level (Unadjusted), dBA	Number of Units	Temporary Noise Barrier
Front End Loader 50% operation	113	2	No
Hi-Rail Excavator (20T) 50% operation	105	2	No
2: 110 Crossover - Vibration (Height: Ground)	Total: 114		
Ballast Tamper 75% operation	115	1	No

Note 1: Equipment classed as 'annoying' in the *Interim Construction Noise Guideline (DECC, 2009)* include a 5 dB correction.

Note 2: Equipment sound power levels consider the mitigation measures outlined in the overarching CNVIS to provide mitigated results.

Assessment Results



		Residential	Non-Residential
	Cosmetic Damage	0 property	4 properties
	Human Comfort	1 property	9 properties
	Cosmetic Damage for Unsound Heritage	0 property	0 property

Legend

	Project Boundary
	Work Areas
	Barriers

Results by Receiver

Address	Land Use	Vibration Category
-	IND	Cosmetic Damage Human Comfort
140 BROADWAY ST, JUNEE NSW 2663	COM	Human Comfort
138 BROADWAY ST, JUNEE NSW 2663	COM	Human Comfort
-	GAR	Cosmetic Damage Human Comfort
-	COM	Cosmetic Damage Human Comfort
-	COM	Human Comfort
-	GAR	Cosmetic Damage Human Comfort
-	GAR	Human Comfort
152 MAIN ST, JUNEE NSW 2663	COM	Human Comfort
2 CRAWLEY ST, JUNEE NSW 2663	RES	Human Comfort

Recommended Mitigation Measures

This assessment has been conducted with regard to the relevant CNVIS and CNVMP. To manage noise and vibration impacts, project specific mitigation measures may be considered such as reviewing construction staging methodology to identify opportunities to schedule intensive works during less sensitive time periods and by providing a clear process for community engagement and complaints. Likewise, the requirements and actionable items within the overarching CNVIS and CNVMP should be considered and adopted where appropriate. Following the consideration of project specific noise mitigation measures, additional noise mitigation measures to be explored are described in the Inland Rail NSW Construction Noise and Vibration Framework (CNVF) and summarised below.

Airborne Noise - Additional Mitigation Measures Matrix				
Time Period	Exceedance of NML	Perception	Duration	Communication Category/Management Measure
OOHW Daytime Period Sunday 7am - 6pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any	CO1, CO2
OOHW Evening Period Monday - Sunday 6pm - 10pm (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any	CO1, CO2
	>25	Highly intrusive	Any >2 consecutive rest periods	CO1, CO2 CO1, CO2, RO
OOHW Night Period Monday - Sunday 10pm - 7am (including public holidays)	<5	Noticeable	Any	CO1
	5 - 15	Clearly audible	Any	CO1
	16 - 25	Moderately intrusive	Any >2 consecutive sleep periods	CO1, CO2 CO1, CO2, RO, AO
	>25	Highly intrusive	Any >2 consecutive sleep periods	CO1, CO2, RO CO1, CO2, RO, AO, AltA
Vibration - Additional Mitigation Measures Matrix				
Time Period	Duration	Exceedance of 'preferred' value		Exceedance of 'maximum' value
OOHW Daytime Period Sunday 8am-6pm	Any	CO1, CO2		CO1, CO2, RO
OOHW Evening Period Mon-Sun 6pm-10pm	Any	CO1, CO2		CO1, CO2, RO

OOHW Night Period			
Mon-Sat 10pm-7am	Any	CO1, CO2, RO	CO1, CO2, RO, AltA
Sun 10pm-8am			

Additional Mitigation Measures	
Measure	Abbreviation
Communication (Category 1) ¹	CO1
Communication (Category 2) ²	CO2
Respite Offer ³	RO
Alternative Accommodation	AltA
Agreement with Owners	AO

Note 1: CO1: Communication to provide information on the OOHW via methods such as letter box drop, email, newsletter, media advertisements and/ or website prior to the works commencing.

Note 2: CO2: Communication should be personalised (e.g. door knock, meeting, telephone call). Contact with these residents should commence early to enable feedback to be considered by the proposal.

Note 3: RO are not applicable to non-residential receivers. RO may comprise of pre-purchased movie tickets, dinner vouchers or similar. RO can also be provided by limiting high noise generating works and allowing at least a one-hour respite period between blocks of work. Where possible, the timing of this respite should be discussed with the impacted community.

Receiver Types			
Code	Description	Code	Description
RES	Residential	OED	Other Educational
COM	Commercial	OHO	Other Hotel
IND	Industrial	OLI	Other Library
OOA	Other Outdoor Active Recreation	OME	Other Medical
OOP	Other Outdoor Passive Recreation	OPW	Other Place of Worship
OCC	Other Child Care	OPB	Other Public Building



APPENDIX D

Heritage Memo – OzArk August 2026



View south along Junee Railway Station platform.

ABORIGINAL & NON-ABORIGINAL HERITAGE ASSESSMENT REPORT

ALBURY TO ILLABO: INLAND RAIL

JUNEE CONSTRUCTION IMPACT ZONE EXTENSION

JUNEE LOCAL GOVERNMENT AREA

AUGUST 2026

MARTINUS 

**INLAND
RAIL** 

Report prepared by
OzArk Environment & Heritage
for the Australia Rail Track Corporation

OzArk

**OzArk
Environment & Heritage**

145 Wingewarra St
(PO Box 2069)
Dubbo NSW 2830

Phone: (02) 6882 0118
Fax: (02) 6882 0630
enquiry@ozarkehm.com.au
www.ozarkehm.com.au

This page has intentionally been left blank.

DOCUMENT CONTROLS

Proponent	Inland Rail	
Client	Martinus	
Document Description	Aboriginal and Non-Aboriginal Heritage Assessment Report: Inland Rail: Albury to Illabo Junee Construction Impact Zone extension.	
File Location	OzArk Job No.	
S:\OzArk EHM Data\Clients\Martinus\A2I jobs\Junee CIZ extension projects\A2I_Junee CIZ extension_JN4920_July 2026\Heritage assessment report	4920	
Document Status: V2.1 DRAFT		Date: 7 August 2026
Draft V1: OzArk internal edits		V1.0 ITC authors 28/7/2026 V1.1 JB review 29/7/2026
Draft V2: OzArk and client edits		V2.0 ITC draft to client 29/7/2026 V2.1 ITC updates with client comments 7/8/2026
Final V3: Final document		V3.0 ITC finalises 7/8/2026
Prepared for		Prepared by
Clint Dedden Environmental Approvals Advisor Martinus +61 484 184 560 Clint.dedden@martinus.com.au	Imogen Crome Project Archaeologist OzArk Environment & Heritage 145 Wingewarra Street (PO Box 2069) Dubbo NSW 2830 P: 02 6882 0118 imogen@ozarkehm.com.au	
COPYRIGHT © OzArk Environment & Heritage 2026 and © Australian Rail Track Corporation 2026 All intellectual property and copyright reserved. Apart from any fair dealing for private study, research, criticism, or review, as permitted under the Copyright Act, 1968, no part of this report may be reproduced, transmitted, stored in a retrieval system, or adapted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise) without written permission. Heritage NSW, other government agencies, and the proponent may use, store, reproduce, and distribute this report for its intended use: an impact assessment for the proposal. Enquiries should be addressed to OzArk Environment & Heritage.		

Acknowledgement

OzArk acknowledge the traditional custodians of the area on which this assessment took place and pay respect to their beliefs, cultural heritage, and continuing connection with the land. We also acknowledge and pay respect to the post-contact experiences of Aboriginal people with attachment to the area and to the Elders, past and present, as the next generation of role models and vessels for memories, traditions, culture and hopes of local Aboriginal people.

EXECUTIVE SUMMARY

OzArk Environment & Heritage (OzArk) understands that Martinus is proposing to expand the Inland Rail Albury to Illabo (A2I, the project) Construction Impact Zone (CIZ) at Junee (the proposal). The additional land required for the project was not covered by previous assessments. The CIZ extension is located within the Junee Local Government Area.

The CIZ extension covers approximately 460 square metres on the eastern and western sides of the rail corridor in Junee Yard and is to facilitate approved project works including but is not limited to tamping and destressing of the hirail, hirail equipment access and formation works. These works do not entail ground disturbance activities.

As per Condition of Approval (CoA) A15 for the A2I project, ancillary facilities not specifically listed in the A2I Environmental Impact Statement (EIS) and associated documentation (as listed in CoA A1) can be established, as long as “they have no impacts on heritage items (including areas of archaeological sensitivity)” (A15(c)). The following heritage assessment will assess whether CoA A15 can be met in terms of the proposed CIZ extension at Junee.

The assessment for Aboriginal cultural heritage, undertaken in accordance with the *Due Diligence Code of Practice for the Protection of Aboriginal Objects in New South Wales* (Due Diligence Code), determined that the proposed CIZ extension has a low likelihood of harming Aboriginal objects or impacting landscape features with archaeological sensitivity. No previously recorded Aboriginal sites are located within or in the vicinity of the proposed CIZ extension. Furthermore, given the extent of previous land disturbance, there is considered to be a very low likelihood that intact subsurface archaeological deposits are present.

The proposed CIZ extension involves the boundary moving closer to several listed heritage items such that the proposed area of works now abuts the northernmost boundary of the “Junee Station, Yard, and Locomotive Depot” State Heritage Register curtilage. The Junee Railway Station is an item of State heritage significance, listed as the “Junee Station, Yard, and Locomotive Depot” (SHR 01173). The station itself is listed on the Junee LEP (I8) as an item of local significance. It is also listed as an item of state heritage significance on the ARTC’s s170 Heritage and Conservation Register (4280760).

In addition, one potential heritage item, the “Junee North Box”, was identified immediately adjacent to the western boundary of the proposed CIZ extension. This assessment determined that the Junee North Box does not meet the threshold for local, State, or Commonwealth heritage significance.

This assessment concludes that the proposed CIZ extension would result in negligible impacts to the State Heritage Register curtilage of the “Junee Station, Yard, and Locomotive Depot” and the Junee North Box. It can be concluded that the proposed CIZ extension will have “no impacts on

heritage items (including areas of archaeological potential) beyond the impacts approved under the terms of this approval”, as long as the measures outlined in Section 6 of the CCHMP and those listed below are implemented. This will ensure that proposed works will not directly or indirectly impact any identified or potential heritage items.

To ensure that the activities within the proposed CIZ extension do not inadvertently impact Aboriginal or non-Aboriginal heritage, the following recommendations should be adhered to:

1. Only the proposed activities outlined in this document have been assessed for their impacts to heritage within the CIZ extension. If additional activities are proposed, then further heritage impact assessment would be required.
2. If works encounter potential Aboriginal or Non-Aboriginal heritage items, the *Unexpected Heritage Finds and Human Remains Procedures*, Appendix B of the CCHMP should be followed.
3. If further extension of the CIZ is required that interacts with listed heritage places, then further assessment would be required to ensure that the provisions of CoA 15(c) can be met.
4. Other provisions as outlined in the CCHMP and *Construction Environmental Management Plan*, specifically regarding heritage inductions and awareness training for work crews, should be followed.

CONTENTS

EXECUTIVE SUMMARY.....	III
1 INTRODUCTION	7
1.1 Brief description of the proposal.....	7
1.2 Previous heritage assessments	7
1.3 Assessment approach	8
1.4 Proposed activity	8
2 ABORIGINAL DUE DILIGENCE ASSESSMENT	10
2.1 Introduction.....	10
2.2 AHIMS search.....	10
2.3 Landform	10
2.4 Conclusion – Aboriginal Heritage.....	11
3 NON-ABORIGINAL HERITAGE ASSESSMENT: BACKGROUND.....	13
3.1 Desktop database searches conducted	13
3.2 Listed heritage items potentially impacted by the CIZ extension	14
3.3 Potential heritage items	15
3.4 Statement of Significance	17
3.5 Impact Statement.....	18
3.6 Conclusion – Non-Aboriginal Heritage	18
4 RECOMMENDATIONS.....	19
REFERENCES	20
PLATES.....	ERROR! BOOKMARK NOT DEFINED.
APPENDIX 1: AHIMS SEARCH RESULTS	21

FIGURES

Figure 1-1. Aerial showing the proposed CIZ extension in relation to the approved CIZ.....	7
Figure 1-2: Proposed works within CIZ extension (source: Martinus).	9
Figure 2-1: Views of the proposed CIZ extension.....	11
Figure 3-1: Heritage curtilages in relation to the proposed CIZ extension.....	14
Figure 3-1: Google earth view of the identified northern box (yellow) and towards the proposed CIZ extension (red).	16
Figure 3-2: View north of the former northern box in circa 1940. The proposed CIZ extension is shown approximately in red.....	16
Figure 3-3: View of the northern box in 2026 and 1947.	17

TABLES

Table 2-1: Due Diligence Code of Practice application..... 12

Table 3-1: Historic heritage: desktop-database search results. 13

Table 3-2: Assessment of significance: Northern Box. 17

1 INTRODUCTION

1.1 BRIEF DESCRIPTION OF THE PROPOSAL

OzArk Environment & Heritage (OzArk) understands that Martinus is proposing to expand the Inland Rail Albury to Illabo (A2I, the project) Construction Impact Zone (CIZ) at Junee (the proposal). The additional land required for the project was not covered by previous assessments (GML 2022a, GML 2022b, OzArk 2026) (**Figure 1-1**). The CIZ extension is located within the Junee Local Government Area.

Figure 1-1. Aerial showing the proposed CIZ extension in relation to the approved CIZ.



1.2 PREVIOUS HERITAGE ASSESSMENTS

In 2022b, GML Heritage (GML) prepared a *Statement of Heritage Impact* and an *Aboriginal Cultural Heritage Assessment Report* for the Albury to Illabo (A2I) section of the Inland Rail project to enable the required modification of the existing track and associated overhead structures to a sufficient height and width to support the safe running of double-stacked freight trains.

The GML studies assessed both direct heritage impacts within the approved CIZ boundary and indirect impacts to listed historic heritage and Aboriginal sites located adjacent to and within 200 metres (m) of the CIZ boundary. As the assessment beyond the approved CIZ boundary was in

relation to indirect impacts (e.g. vibration, viewsheds and vistas, and curtilages) and not direct impacts as may occur within an extension to the CIZ, it was concluded that additional assessment was required to ensure that the provisions of the Infrastructure Approval could be met in relation to the proposed CIZ extension at Junee.

OzArk in 2026 completed a heritage assessment of the previous CIZ extension (now approved) that covered three zones; Olympic Highway, Junee Railway Station and Kemp Street area. Various signalling and pre-construction activities were required which did not warrant any disturbance of the ground surface and were primarily for access, temporary material laydowns, stockpiling and site compounds. The assessment identified two areas of potential archaeological deposit including old shunting lines and the depot at Junee. Due to the nature of the works required within the CIZ extension (now approved), it was determined that there was low potential for harm to Aboriginal heritage and that identified Local Environmental Plan (LEP) or State significant heritage fabric and values would not be impacted.

As per Condition of Approval (CoA) A15 for the A2I project, ancillary facilities not specifically listed in the A2I Environmental Impact Statement (EIS) and associated documentation (as listed in CoA A1) can be established, as long as “they have no impacts on heritage items (including areas of archaeological sensitivity)” (A15(c)). The following heritage assessment will assess whether CoA A15 can be met in terms of this second proposed CIZ extension at Junee, which is to enable the proposed works outlined below.

1.3 ASSESSMENT APPROACH

OzArk has prepared this heritage assessment with reference to the *Due Diligence Code of Practice for the Protection of Aboriginal Objects in NSW* (Due Diligence Code), Heritage Council’s *Investigating Heritage Significance, A guide to identifying and examining heritage items in NSW* and the *Historical Archaeology Code of Practice* to assess whether Aboriginal objects or items of historic significance may be harmed by the proposed CIZ extension. This assessment will inform a Consistency Assessment as per CoA A15.

1.4 PROPOSED ACTIVITY

The proposed extension of the CIZ at Junee by 300 m to the north is to facilitate the approved works and comprises:

- Tamping and destressing of the hirail
- Pedestrian access to hirail
- Movement of hirail equipment
- Formation works

The CIZ extension covers approximately 460 square metres on the eastern and western sides of the rail corridor in Junee Yard, as shown on **Figure 1-2** by the orange shaded areas.

Figure 1-2: Proposed works within CIZ extension (source: Martinus).



2 ABORIGINAL DUE DILIGENCE ASSESSMENT

2.1 INTRODUCTION

Section 57 of the National Parks and Wildlife Regulation 2019 (NPW Regulation) made under the *National Parks and Wildlife Act 1974* (NPW Act) advocates a due diligence process to determining likely impacts on Aboriginal objects. Carrying out due diligence provides a defence to the offence of harming Aboriginal objects and is an important step in satisfying Aboriginal heritage obligations in NSW.

2.2 AHIMS SEARCH

On 28 July 2026, a basic search of the Aboriginal Heritage Information Management System (AHIMS) was undertaken over the ClZ extension (GDA, Zone: 55, Eastings: 552753– 554019, Northings: 6140019– 6143153) (**Appendix 1**). One isolated find site (A2I-2 Junee IF [50-5-0292]) was located within the search area, approximately 695 m north of the northern limit of the proposed ClZ extension. This artefact was recorded as part of the original assessment undertaken for the A2I project.


There are no other sources of information to indicate that Aboriginal objects are likely within the collective ClZ extension proposed for Junee.

2.3 LANDFORM

The ClZ extension is located within the developed centre of Junee, which is largely situated within an undulating plain landform. The study area is relatively flat at an elevation of 300 m above sea level Australian Height Datum (**Figure 2-1**).

Rock Creek, a minor second order watercourse, is mapped 25 m north of the ClZ extension. Due to the significant historic land modification in the area, the creek has been diverted through a culvert located within the ClZ extension (**Figure 2-1**). This watercourse is not considered to have been a reliable water source to have supported Aboriginal occupation and has been heavily modified through urban development. More reliable waters are located outside of the ClZ extension including Butlers Gully 390 m southwest and Houlaghans Creek approximately 5.7 kilometres west.

Figure 2-1: Views of the proposed CIZ extension.

	
1) View north along the proposed CIZ extension (image from Google Earth 2026).	2) View southwest at the proposed CIZ extension from the Olympic Highway (image from Google Earth 2026).

2.4 CONCLUSION – ABORIGINAL HERITAGE

The assessment for Aboriginal heritage using the Due Diligence Code has determined that the proposed CIZ extension has a low likelihood of harming Aboriginal objects or landscape features with archaeological sensitivity.

No previously recorded Aboriginal sites are within, or near to, the CIZ extension, and it was determined that due to land use disturbance, there is a very low likelihood of intact, subsurface archaeological deposits. As documented in **Table 2-1** no further archaeological investigation is required.

The works may proceed with caution and in the unlikely event that Aboriginal objects are encountered, refer to the Cultural Heritage Unexpected Find Procedure in Appendix A of the *Inland Rail A2P Albury to Illabo Construction Management Plan*.

The Due Diligence Code is used here to determine whether the proposed extension will have an impact to Aboriginal heritage. The applicability of the Due Diligence Code is laid out in **Table 2-1**.

Table 2-1: Due Diligence Code of Practice application.

Step	Reasoning	Answer
Step 1 Will the activity disturb the ground surface or any culturally modified trees?	The proposed works will not disturb the ground surface. The railway corridor is clear of mature native vegetation. Therefore, the proposal will not harm culturally modified trees. As a precautionary measure, Martinus has elected to proceed with the Due Diligence process.	No
If the answer to Step 1 is 'yes', proceed to Step 2		
Step 2a Are there any relevant records of Aboriginal heritage on AHIMS to indicate presence of Aboriginal objects?	AHIMS indicated that there are no Aboriginal sites within the study area.	No
Step 2b Are there other sources of information to indicate presence of Aboriginal objects?	There are no other sources of information to indicate that Aboriginal objects are likely in the study area, although it is noted that there is a general likelihood for landforms in the region to contain Aboriginal objects.	No
Step 2c Will the activity impact landforms with archaeological sensitivity as defined by the Due Diligence Code?	Landforms with identified archaeological sensitivity are present Rock Creek is 25 m north of the ClZ extension.	Yes
If the answer to any stage of Step 2 is 'yes', proceed to Step 3		
Step 3 Can harm to Aboriginal objects listed on AHIMS or identified by other sources of information and/or can the carrying out of the activity at the relevant landscape features be avoided?	The proposal does not involve ground disturbing works and as such, will not impact landforms with archaeological sensitivity as identified in the Due Diligence Code.	No
Conclusion		
AHIP not necessary. Proceed with caution.		

3 NON-ABORIGINAL HERITAGE ASSESSMENT: BACKGROUND

3.1 DESKTOP DATABASE SEARCHES CONDUCTED

A desktop search was conducted on the following databases to identify any potential previously recorded heritage within the study area. The results of this search are summarised in **Table 3-1**.

Table 3-1: Historic heritage: desktop-database search results.

Name of Database Searched	Date of Search	Type of Search	Comment
National and Commonwealth Heritage Listings	27 July 2026	Junee LGA	No heritage items are located within the CIZ extension
State Heritage Listings	27 July 2026	NSW State Heritage Register (SHR)	No SHR sites within CIZ extension however the south boundary abuts the “Junee Station, Yard, and Locomotive Depot” (SHR 01173).
Local Environment Plan	27 July 2026	Junee Local Environmental Plan 2012	No heritage items are located within the CIZ extension

A search of the Heritage Council of NSW administered heritage databases and the Junee LEP returned no records for historical heritage sites within the designated search areas (**Figure 3-1**). However, the proposed CIZ extension abuts the northernmost boundary of the “Junee Station, Yard, and Locomotive Depot” SHR curtilage (**Table 3-1**). For the purposes of this report, this heritage item is hereafter to as the Junee Railway Station.

Figure 3-1: Heritage curtilages in relation to the proposed CIZ extension.

3.2 LISTED HERITAGE ITEMS ABUTTING THE CIZ EXTENSION

The Junee Railway Station is an item of State heritage significance, listed as the “Junee Station, Yard, and Locomotive Depot” (SHR 01173). The station itself is listed on the Junee LEP (I8) as an item of local significance. It is also listed as an item of state heritage significance on the ARTC’s s170 Heritage and Conservation Register (4280760).

The LEP listing for the station describes the significance of the station as:

Junee Railway Station is of architectural significance and interest and the station is very important historically in the town. Junee owed its rapid growth and prosperity late last century to its development into a major rail centre.

The station, dating from 1885, is of social importance to the community on account of its lengthy association with rail travel at Junee.

The Railway Station is a key element in the streetscape of Junee, as it plays an important role in creating the historic qualities of central Junee.”

As the history of the item has been documented in-depth through the various previous assessments at Junee for the project (GML 2022b, OzArk 2025), it is not presented here.

3.3 POTENTIAL HERITAGE ITEM – JUNEE NORTH BOX

Desktop inspection of the proposed ClZ extension identified a signal/shunting box (henceforth the structure) situated immediately adjacent to the ClZ extension west boundary (**Figure 3-2**). The structure appears identical in construction the signal box located within the Junee Railway Station LEP curtilage approximately 570 m southwest, likely built contemporaneously. The structure is of fibrous-cement sheeting construction on brick foundations with 'Junee North Box' signage on the east wall exterior. The roof is flat with the mechanical interlocking shunting mechanism still visible protruding from the eastern wall and extending north. The exterior of the structure from a desktop level is in overall good condition however is currently disused.

Examination of historic imagery from the mid-1940s (**Figure 3-3** and **Figure 3-4**) illustrates that the structure situated north of a level crossing replaced an older open gable signal box located further north. By 1947 the former signal box was replaced by the current structure, which was retired from active use by 2007 with the introduction of the modern centralised signalling system.

The Junee North Box was originally adjacent to an overhead pedestrian bridge (**Figure 3-4**). This bridge was removed, likely following the derailment of a freight train in 1999, that had caused damage to both the pedestrian bridge and signal gantry. No remnant elements of these structures are visible at a desktop level.

Figure 3-2: Google earth view of the identified northern box (yellow) and towards the proposed CIJ extension (red).




Figure 3-3: View north of the former northern box in circa 1940. The proposed CIJ extension is shown approximately in red (NSW state archives collection).





Figure 3-4: View of the northern box in 2026 and 1947.

3.3.1 Statement of Significance

Heritage significance is the sum of the heritage values that a place or object has, as assessed against the NSW Heritage Council's assessment criteria (DPE 2023b) and can represent, as set out in the Burra Charter (Article 1.2), the aesthetic, historic, scientific, social, or spiritual value for past, present or future generations.

Items of state heritage significance have values for the people of NSW, while items of local heritage significance have values important primarily to the local community. A local heritage listing is included in a LEP made under the Environmental Planning and Assessment Act 1979 (EP&A Act).

The tracks have been assessed (**Table 3-2**) using current assessment thresholds established by the Heritage Council of NSW (DPE 2023b).

Table 3-2: Assessment of significance: Northern Box.

NSW Heritage Council Criteria	Description	Comment
a) Historic	An item is important in the course, or pattern, of NSW's cultural or natural history (or the cultural or natural history of the local area).	The item does not meet this criterion.
b) Associative	An item has strong or special association with the life or works of a person, or group of persons, of importance in NSW's cultural or natural history (or the cultural or natural history of the local area).	The item does not meet this criterion.
c) Aesthetic/Technical	An item is important in demonstrating aesthetic characteristics and/ or a high degree of creative or technical achievement in NSW (or the local area).	The item does not meet this criterion.
d) Social	An item has strong or special association with a particular community or cultural group in NSW (or the local area) for social, cultural, or spiritual reasons.	The item does not meet this criterion.
e) Scientific	An item has potential to yield information that will contribute to an understanding of NSW's cultural or natural history (or the cultural or natural history of the local area).	The item does not meet this criterion.
f) Rarity	An item possesses uncommon, rare, or endangered aspects of NSW's cultural or	The item does not meet this criterion.

NSW Heritage Council Criteria	Description	Comment
	natural history (or the cultural or natural history of the local area).	
g) Representativeness	An item is important in demonstrating the principal characteristics of a class of NSW's cultural or natural places; or cultural or natural environments (or a class of the local area's cultural or natural places; or cultural or natural environments).	The item does not meet this criterion.

The Junee North Box, while relevant to the evolving railway history of Junee, is not of unique or rare construction with other examples present with the Southern Junee Box present further south retained within the Junee Railway Station SHR curtilage and at other railway station groups in NSW. Further, the structure is not aesthetic or associated with a historic event or individual. The Junee North Box has no local, state or Commonwealth heritage significance.

3.4 IMPACT STATEMENT

All listed heritage fabric relevant to the Junee Railway Station is situated further south within the SHR curtilage and will be separated from the CIZ extension by the existing level crossing. As such, the proposed works will avoid all state significant heritage fabric of the “Junee Station, Yard, and Locomotive Depot”. As such, it is considered that the impact on the heritage values of the Junee Railway Station will be negligible.

While the Junee North Box is adjacent to the proposed CIZ extension, the proposed work will not require any ground disturbance works and there is no foreseen risk of harm to the structure by its proximity. Further this assessment determined that the structure is not of heritage significance.

3.4.1 Archaeological potential

The proposed CIZ extension is confined to the existing railway corridor. Desktop assessment indicates that this area has been subject to repeated disturbance associated with the construction and maintenance of rail and signalling infrastructure. Further, OzArk (2026) identified archaeological deposits further north which does not extend into the proposed CIZ extension. As such, they have a low likelihood of containing unrecorded, significant, historic archaeological deposits.

3.5 CONCLUSION – NON-ABORIGINAL HERITAGE

This assessment concludes that the proposed CIZ extension would result in negligible impacts to the SHR curtilage of the “Junee Station, Yard, and Locomotive Depot” and the Junee North Box.

It can be concluded that the proposed CIZ extension will have “no impacts on heritage items (including areas of archaeological potential) beyond the impacts approved under the terms of this approval”, as long as the measures outlined in Section 6 of the CCHMP (Stage B) and those listed below are implemented. This will ensure that proposed works will not directly or indirectly impact any identified or potential heritage items.

4 RECOMMENDATIONS

To ensure that the activities within the proposed CIZ extension do not inadvertently impact Aboriginal or non-Aboriginal heritage, the following recommendations should be adhered to:

1. Only the proposed activities outlined in this document have been assessed for their impacts to heritage within the CIZ extension. If additional activities are proposed, then further heritage impact assessment would be required.
2. If works encounter potential Aboriginal or Non-Aboriginal heritage items, the *Unexpected Heritage Finds and Human Remains Procedures*, Appendix B of the CCHMP should be followed.
3. If further extension of the CIZ is required that interacts with listed heritage places, then further assessment would be required to ensure that the provisions of CoA 15(c) can be met.
4. Other provisions as outlined in the Stage B CCHMP and *Construction Environmental Management Plan*, specifically regarding heritage inductions and awareness training for work crews, should be followed.

REFERENCES

Burra Charter	<i>The Burra Charter: The Australia ICOMOS Charter for Places of Cultural Significance</i> . International Council on Monuments and Sites. 2013
DECCW 2010	<i>Due Diligence Code of Practice for the Protection of Aboriginal Objects in NSW</i> . Department of Environment, Climate Change and Water. 2010
DPE 2023	<i>Assessing heritage significance. Guidelines for assessing places and objects against the Heritage Council of NSW criteria</i> . Department of Planning and Environment. 2023.
GML 2022a	GML Heritage 2022. <i>Inland Rail – Albury to Illabo, Aboriginal Cultural Heritage Assessment Report</i> . Report prepared for ARTC.
GML 2022b	GML Heritage 2022. <i>Inland Rail – Albury to Illabo, Non-Aboriginal Heritage, Statement of Heritage Impact</i> . Report prepared for ARTC.
Heritage Council 2006.	<i>Historical Archaeology Code of Practice</i> . Department of Planning and Environment, Sydney.
Heritage Council 2021	<i>Investigating Heritage Significance. A guide to identifying and examining heritage items in NSW</i> . Heritage Council of NSW. 2021.
OEH 2011	<i>Guide to Investigating, Assessing and Reporting on Aboriginal Cultural Heritage in New South Wales</i> . Office of Environment and Heritage. 2011.
OzArk 2026	OzArk Environment & Heritage. 2026. <i>Inland Rail: Albury to Illabo (A2I) – Yerong Creek CIZ Extension Heritage Assessment: Memorandum of Findings</i> . Report prepared for Martinus.

APPENDIX 1: AHIMS SEARCH RESULTS



AHIMS Web Services (AWS) Search Result

Your Ref/PO Number : Junee 4920

Client Service ID : 1163632

OzArk Environmental and Heritage Management - Dubbo

Date: 28 July 2026

PO Box 2069

Dubbo New South Wales 2830


Attention: Imogen Crome

Email: imogen@ozarkehm.com.au

Dear Sir or Madam:

AHIMS Web Service search for the following area at Datum :GDA, Zone : 55, Eastings : 552753.0 - 554019.0, Northings : 6140019.0 - 6143153.0 with a Buffer of 0 meters, conducted by Imogen Crome on 28 July 2026.

The context area of your search is shown in the map below. Please note that the map does not accurately display the exact boundaries of the search as defined in the paragraph above. The map is to be used for general reference purposes only.



A search of Heritage NSW AHIMS Web Services (Aboriginal Heritage Information Management System) has shown that:

1	Aboriginal sites are recorded in or near the above location.
0	Aboriginal places have been declared in or near the above location. *